

# Theory of Computer Science

## D7. Halting Problem and Reductions

Malte Helmert

University of Basel

May 9, 2016

# Theory of Computer Science

## May 9, 2016 — D7. Halting Problem and Reductions

D7.1 Introduction

D7.2 Turing Machines as Words

D7.3 Special Halting Problem

D7.4 Reprise: Type-0 Languages

D7.5 Reductions

D7.6 Summary

## Overview: Computability Theory

### Computability Theory

- ▶ imperative models of computation:
  - D1. Turing-Computability
  - D2. LOOP- and WHILE-Computability
  - D3. GOTO-Computability
- ▶ functional models of computation:
  - D4. Primitive Recursion and  $\mu$ -Recursion
  - D5. Primitive/ $\mu$ -Recursion vs. LOOP-/WHILE-Computability
- ▶ undecidable problems:
  - D6. Decidability and Semi-Decidability
  - D7. **Halting Problem and Reductions**
  - D8. Rice's Theorem and Other Undecidable Problems
    - ~~Post's Correspondence Problem~~
    - ~~Undecidable Grammar Problems~~
    - ~~Gödel's Theorem and Diophantine Equations~~

## Further Reading (German)

### Literature for this Chapter (German)

Theoretische Informatik – kurz gefasst  
by Uwe Schöning (5th edition)

- ▶ **Chapter 2.6**



## Further Reading (English)


### Literature for this Chapter (English)

Introduction to the Theory of Computation  
by Michael Sipser (3rd edition)

- ▶ Chapters 4.2 and 5.1

### Notes:

- ▶ Sipser does not cover all topics we do.
- ▶ His definitions differ from ours.



## D7.1 Introduction

## Undecidable Problems

- ▶ We now know many characterizations of semi-decidability and decidability.
- ▶ What's missing is a **concrete example** for an **undecidable** (= not decidable) problem.
- ▶ Do undecidable problems even exist?
- ▶ Yes! **Counting argument**: there are (for a fixed  $\Sigma$ ) as many **decision algorithms** (e.g., Turing machines) as numbers in  $\mathbb{N}_0$  but as many **languages** as numbers in  $\mathbb{R}$ . Since  $\mathbb{N}_0$  cannot be surjectively mapped to  $\mathbb{R}$ , languages with no decision algorithm exist.
- ▶ But this argument does not give us a **concrete** undecidable problem.  $\rightsquigarrow$  main goal of this chapter

## D7.2 Turing Machines as Words

## Turing Machines as Inputs

- ▶ The first undecidable problems that we will get to know have Turing machines as their **input**.  
 $\rightsquigarrow$  “programs that have programs as input”:  
 cf. compilers, interpreters, virtual machines, etc.
- ▶ We have to think about how we can encode **arbitrary Turing machines as words over a fixed alphabet**.
- ▶ We use the binary alphabet  $\Sigma = \{0, 1\}$ .
- ▶ As an intermediate step we first encode over the alphabet  $\Sigma' = \{0, 1, \#\}$ .

## Encoding a Turing Machine as a Word (1)

**Step 1:** encode a Turing machine as a word over  $\{0, 1, \#\}$

**Reminder:** Turing machine  $M = \langle Q, \Sigma, \Gamma, \delta, q_0, \square, E \rangle$

**Idea:**

- ▶ input alphabet  $\Sigma$  should always be  $\{0, 1\}$
- ▶ enumerate states in  $Q$  and symbols in  $\Gamma$  and consider them as numbers  $0, 1, 2, \dots$
- ▶ blank symbol always receives number 2
- ▶ start state always receives number 0

Then it is sufficient to **only encode  $\delta$**  explicitly:

- ▶  $Q$ : all states mentioned in the encoding of  $\delta$
- ▶  $E$ : all states that never occur on a left-hand side of a  $\delta$ -rule
- ▶  $\Gamma = \{0, 1, \square, a_3, a_4, \dots, a_k\}$ , where  $k$  is the largest symbol number mentioned in the  $\delta$ -rules

## Encoding a Turing Machine as a Word (2)

encode the rules:

- ▶ Let  $\delta(q_i, a_j) = \langle q_{i'}, a_{j'}, y \rangle$  be a rule in  $\delta$ , where the indices  $i, i', j, j'$  correspond to the enumeration of states/symbols and  $y \in \{L, R, N\}$ .
- ▶ encode this rule as  $w_{i,j,i',j',y} = \#\#\text{bin}(i)\#\text{bin}(j)\#\text{bin}(i')\#\text{bin}(j')\#\text{bin}(m)$ , where
 
$$m = \begin{cases} 0 & \text{if } y = L \\ 1 & \text{if } y = R \\ 2 & \text{if } y = N \end{cases}$$
- ▶ For every rule in  $\delta$ , we obtain one such word.
- ▶ All of these words in sequence (in arbitrary order) encode the Turing machine.

## Encoding a Turing Machine as a Word (3)

**Step 2:** transform into word over  $\{0, 1\}$  with mapping

$0 \mapsto 00$

$1 \mapsto 01$

$\# \mapsto 11$

Turing machine can be reconstructed from its encoding.

**How?**

## Encoding a Turing Machine as a Word (4)

### Example (step 1)

$\delta(q_2, a_3) = \langle q_0, a_2, N \rangle$  becomes ##10#11#0#10#10

$\delta(q_1, a_1) = \langle q_3, a_0, L \rangle$  becomes ##1#1#11#0#0

### Example (step 2)

##10#11#0#10#10##1#1#11#0#0

111101001101011100110100110100111101110111010111001100

**Note:** We can also consider the encoded word (uniquely; why?) as a **number** that enumerates this TM.

This is not important for the halting problem but in other contexts where we operate on numbers instead of words.

## Turing Machine Encoded by a Word

**goal:** function that maps any word in  $\{0, 1\}^*$  to a Turing machine

**problem:** not all words in  $\{0, 1\}^*$  are encodings of a Turing machine

**solution:** Let  $\hat{M}$  be an arbitrary fixed deterministic Turing machine (for example one that always immediately stops). Then:

### Definition (Turing Machine Encoded by a Word)

For all  $w \in \{0, 1\}^*$ :

$$M_w = \begin{cases} M' & \text{if } w \text{ is the encoding of some DTM } M' \\ \hat{M} & \text{otherwise} \end{cases}$$

## D7.3 Special Halting Problem

## Special Halting Problem

Our preparations are now done and we can define:

### Definition (Special Halting Problem)

The **special halting problem** or **self-application problem** is the language

$$K = \{w \in \{0, 1\}^* \mid M_w \text{ started on } w \text{ terminates}\}.$$

**German:** spezielles Halteproblem, Selbstanwendbarkeitsproblem

**Note:** word  $w$  plays two roles as encoding of the TM and as input for encoded machine

## Semi-Decidability of the Special Halting Problem

### Theorem (Semi-Decidability of the Special Halting Problem)

*The special halting problem is semi-decidable.*

#### Proof.

We construct an “interpreter” for DTMs that receives the encoding of a DTM as input  $w$  and simulates its computation on input  $w$ .

If the simulated DTM stops, the interpreter returns 1. Otherwise it does not return.

This interpreter computes  $\chi'_K$ . □

**Note:** TMs simulating arbitrary TMs are called **universal** TMs.

**German:** universelle Turingmaschine

## Undecidability of the Special Halting Problem (1)

### Theorem (Undecidability of the Special Halting Problem)

*The special halting problem is undecidable.*

#### Proof.

**Proof by contradiction:** we assume that the special halting problem  $K$  were decidable and derive a contradiction.

So assume  $K$  is decidable. Then  $\chi_K$  is computable (*why?*).

Let  $M$  be a Turing machine that computes  $\chi_K$ , i. e., given a word  $w$  writes 1 or 0 onto the tape (depending on whether  $w \in K$ ) and then stops. ...

## Undecidability of the Special Halting Problem (2)

### Proof (continued).

Construct a new machine  $M'$  as follows:

- ① Execute  $M$  on the input  $w$ .
- ② If the tape content is 0: stop.
- ③ Otherwise: enter an endless loop.

Let  $w'$  be the encoding of  $M'$ . **How will  $M'$  behave on input  $w'$ ?**

$M'$  run on  $w'$  stops

iff  $M$  run on  $w'$  outputs 0

iff  $\chi_K(w') = 0$

iff  $w' \notin K$

iff  $M_{w'}$  run on  $w'$  does not stop

iff  $M'$  run on  $w'$  does not stop

**Contradiction!** This proves the theorem. □

## D7.4 Reprise: Type-0 Languages

## Back to Chapter C7: Closure Properties

	Intersection	Union	Complement	Product	Star
Type 3	Yes	Yes	Yes	Yes	Yes
Type 2	No	Yes	No	Yes	Yes
Type 1	Yes <sup>(1)</sup>	Yes	Yes <sup>(1)</sup>	Yes	Yes
Type 0	Yes <sup>(1)</sup>	Yes	No <sup>(2)</sup>	Yes	Yes

Proofs?

(1) without proof

(2) proofs in later chapters (part D)

## Back to Chapter C7: Decidability

	Word problem	Emptiness problem	Equivalence problem	Intersection problem
Type 3	Yes	Yes	Yes	Yes
Type 2	Yes	Yes	No	No
Type 1	Yes	No <sup>(1)</sup>	No	No
Type 0	No <sup>(2)</sup>	No <sup>(2)</sup>	No <sup>(2)</sup>	No <sup>(2)</sup>

(1) without proof

(2) proof in later chapters (part D)

## Answers to Old Questions

Closure properties:

- ▶  $K$  is semi-decidable (and thus type 0) but not decidable.
- ↪  $\bar{K}$  is **not** semi-decidable, thus **not** type 0.
- ↪ Type-0 languages are **not** closed under complement.

Decidability:

- ▶  $K$  is type 0 but not decidable.
- ↪ **word problem** for type-0 languages not decidable
- ↪ emptiness, equivalence, intersection problem: **later in exercises**  
(We are still missing some important results for this.)

## D7.5 Reductions

## What We Achieved So Far: Discussion

- ▶ We now know a concrete undecidable problem.
- ▶ But the problem is rather artificial:  
how often do we want to apply a program to itself?
- ▶ We will see that we can derive **further** (more useful) undecidability results from the undecidability of the special halting problem.
- ▶ The central notion for this is **reducing** a new problem to an already known problem.

## Reductions: Definition

### Definition (Reduction)

Let  $A \subseteq \Sigma^*$  and  $B \subseteq \Gamma^*$  be languages, and let  $f : \Sigma^* \rightarrow \Gamma^*$  be a total and computable function such that for all  $x \in \Sigma^*$ :

$$x \in A \quad \text{if and only if} \quad f(x) \in B.$$

Then we say that  $A$  can be **reduced to  $B$**  (in symbols:  $A \leq B$ ), and  $f$  is called **reduction from  $A$  to  $B$** .

**German:**  $A$  ist auf  $B$  reduzierbar, Reduktion von  $A$  auf  $B$

## Reduction Property

### Theorem (Reductions vs. Semi-Decidability/Decidability)

Let  $A$  and  $B$  be languages with  $A \leq B$ . Then:

- 1 If  $B$  is decidable, then  $A$  is decidable.
- 2 If  $B$  is semi-decidable, then  $A$  is semi-decidable.
- 3 If  $A$  is not decidable, then  $B$  is not decidable.
- 4 If  $A$  is not semi-decidable, then  $B$  is not semi-decidable.

$\rightsquigarrow$  In the following, we use 3. to show undecidability for further problems.

## Reduction Property: Proof

### Proof.

for 1.: The following algorithm computes  $\chi_A(x)$  given input  $x$ :

```

y := f(x)
result :=  $\chi_B(y)$ 
RETURN result

```

for 2.: identical to (1), but use  $\chi'_B$  (instead of  $\chi_B$ ) to compute  $\chi'_A$  (instead of  $\chi_A$ )

for 3./4.: contrapositions of 1./2.  $\rightsquigarrow$  logically equivalent □

## Reductions are Preorders

### Theorem (Reductions are Preorders)

The relation " $\leq$ " is a preorder:

- ① For all languages  $A$ :  
 $A \leq A$  (*reflexivity*)
- ② For all languages  $A, B, C$ :  
If  $A \leq B$  and  $B \leq C$ , then  $A \leq C$  (*transitivity*)

**German:** schwache Halbordnung/Quasiordnung, Reflexivität, Transitivität

## Reductions are Preorders: Proof

Proof.

for 1.: The function  $f(x) = x$  is a reduction from  $A$  to  $A$  because it is total and computable and  $x \in A$  iff  $f(x) \in A$ .

for 2.:  $\rightsquigarrow$  exercises □

## D7.6 Summary

## Summary

- ▶ The **special halting problem** (self-application problem) is undecidable.
- ▶ However, it is semi-decidable.
- ▶ important concept in this chapter:  
Turing machines represented as **words**  
 $\rightsquigarrow$  Turing machines taking Turing machines as their input
- ▶ **reductions**: "embedding" a problem as a special case of another problem
- ▶ important method for proving undecidability:  
reduce from a known undecidable problem to a new problem