

Foundations of Artificial Intelligence

21. Combinatorial Optimization: Advanced Techniques

Malte Helmert

University of Basel

April 4, 2022

Foundations of Artificial Intelligence

April 4, 2022 — 21. Combinatorial Optimization: Advanced Techniques

21.1 Dealing with Local Optima

21.2 Outlook: Simulated Annealing

21.3 Outlook: Genetic Algorithms

21.4 Summary

Combinatorial Optimization: Overview

Chapter overview: combinatorial optimization


- ▶ 20. Introduction and Hill-Climbing
- ▶ 21. Advanced Techniques

21.1 Dealing with Local Optima

Example: Local Minimum in the 8 Queens Problem

local minimum:

- ▶ candidate has 1 conflict
- ▶ all neighbors have at least 2



Weaknesses of Local Search Algorithms

difficult situations for hill climbing:

- ▶ **local optima**: all neighbors worse than current candidate
- ▶ **plateaus**: many neighbors equally good as current candidate; none better

German: lokale Optima, Plateaus

consequence:

- ▶ algorithm gets stuck at current candidate

Combating Local Optima

possible remedies to combat local optima:

- ▶ allow **stagnation** (steps without improvement)
- ▶ include **random aspects** in the **search neighborhood**
- ▶ (sometimes) make **random** steps
- ▶ **breadth-first search** to better candidate
- ▶ **restarts** (with new random initial candidate)

Allowing Stagnation

allowing stagnation:

- ▶ do not terminate when no neighbor is an improvement
- ▶ limit number of steps to guarantee termination
- ▶ at end, return best visited candidate
 - ▶ pure search problems: terminate as soon as solution found


Example 8 queens problem:

- ▶ with a bound of 100 steps solution found in **96%** of the cases
- ▶ on average 22 steps until solution found
- ~> works very well for this problem;
for more difficult problems often not good enough

Random Aspects in the Search Neighborhood

a possible variation of hill climbing for 8 queens:

Randomly select a file; move queen in this file to square with minimal number of conflicts (null move possible).



↪ Good local search approaches often combine **randomness** (exploration) with **heuristic guidance** (exploitation).

German: Exploration, Exploitation

21.2 Outlook: Simulated Annealing

Simulated Annealing

Simulated annealing is a local search algorithm that systematically injects **noise**, beginning with high noise, then lowering it over time.

- ▶ walk with fixed number of steps N (variations possible)
- ▶ initially it is “hot”, and the walk is mostly random
- ▶ over time temperature drops (controlled by a **schedule**)
- ▶ as it gets colder, moves to worse neighbors become less likely

very successful in some applications, e.g., VLSI layout

German: simulierte Abkühlung, Rauschen

Simulated Annealing: Pseudo-Code

Simulated Annealing (for Maximization Problems)

```

curr := a random candidate
best := none
for each  $t \in \{1, \dots, N\}$ :
    if is_solution(curr) and (best is none or  $v(curr) > v(best)$ ):
        best := curr
     $T := \text{schedule}(t)$ 
    next := a random neighbor of curr
     $\Delta E := h(next) - h(curr)$ 
    if  $\Delta E \geq 0$  or with probability  $e^{\frac{\Delta E}{T}}$ :
        curr := next
return best
  
```

21.3 Outlook: Genetic Algorithms

Genetic Algorithms

Evolution often finds good solutions.

idea: simulate evolution by **selection**, **crossover** and **mutation** of individuals

ingredients:

- ▶ encode each candidate as a string of symbols (**genome**)
- ▶ **fitness function:** evaluates strength of candidates (= heuristic)
- ▶ **population** of k (e.g. 10–1000) **individuals** (candidates)


German: Evolution, Selektion, Kreuzung, Mutation, Genom, Fitnessfunktion, Population, Individuen

Genetic Algorithm: Example

example 8 queens problem:

- ▶ **genome:** encode candidate as string of 8 numbers
- ▶ **fitness:** number of non-attacking queen pairs
- ▶ use population of 100 candidates

Selection, Mutation and Crossover



21.4 Summary

Summary

- ▶ weakness of local search: **local optima** and **plateaus**
- ▶ remedy: balance **exploration** against **exploitation** (e.g., with **randomness** and **restarts**)
- ▶ **simulated annealing** and **genetic algorithms** are more complex search algorithms using the typical ideas of local search (randomization, keeping promising candidates)