

# Foundations of Artificial Intelligence

## 39. Automated Planning: The LM-cut Heuristic

Thomas Keller and Florian Pommerening

University of Basel

May 15, 2023

# Foundations of Artificial Intelligence

May 15, 2023 — 39. Automated Planning: The LM-cut Heuristic

## 39.1 Finding Landmarks

## 39.2 The LM-Cut Heuristic

## 39.3 Summary

## Automated Planning: Overview

### Chapter overview: automated planning

- ▶ 33. Introduction
- ▶ 34. Planning Formalisms
- ▶ 35.–36. Planning Heuristics: Delete Relaxation
- ▶ 37 Planning Heuristics: Abstraction
- ▶ 38.–39. Planning Heuristics: Landmarks
  - ▶ 38. Landmarks
  - ▶ 39. The LM-cut Heuristic

## Formalism and Example

- ▶ As in the previous chapter, we consider delete-free planning tasks in normal form.
- ▶ We continue with the example from the previous chapter:

### Example

actions:

- ▶  $a_1 = i \xrightarrow{3} x, y$
- ▶  $a_2 = i \xrightarrow{4} x, z$
- ▶  $a_3 = i \xrightarrow{5} y, z$
- ▶  $a_4 = x, y, z \xrightarrow{0} g$

landmark examples:

- ▶  $A = \{a_4\}$  (cost = 0)
- ▶  $B = \{a_1, a_2\}$  (cost = 3)
- ▶  $C = \{a_1, a_3\}$  (cost = 3)
- ▶  $D = \{a_2, a_3\}$  (cost = 4)

## 39.1 Finding Landmarks

## Justification Graphs

### Definition (precondition choice function)

A **precondition choice function** (pcf)  $P : A \rightarrow V$  maps every action to one of its preconditions.

### Definition (justification graph)

The **justification graph** for pcf  $P$  is a directed graph with labeled arcs.


- ▶ **vertices**: the variables  $V$
- ▶ **arcs**:  $P(a) \xrightarrow{a} e$  for every action  $a$ , every effect  $e \in \text{add}(a)$

## Example: Justification Graph

### Example

pcf  $P$ :  $P(a_1) = P(a_2) = P(a_3) = i$ ,  $P(a_4) = y$

$a_1 = i \xrightarrow{3} x, y$   
 $a_2 = i \xrightarrow{4} x, z$   
 $a_3 = i \xrightarrow{5} y, z$   
 $a_4 = x, y, z \xrightarrow{0} g$



## Cuts

### Definition (cut)

A **cut** in a justification graph is a subset  $C$  of its arcs such that all paths from  $i$  to  $g$  contain an arc in  $C$ .

### Proposition (cuts are landmarks)

Let  $C$  be a cut in a justification graph for an arbitrary pcf.

Then the **arc labels for  $C$  form a landmark**.

proof idea:


- ▶ Consider the problem where all preconditions not picked by the pcf are ignored.
- ▶ Cuts are landmarks for this simplified problem.
- ▶ Hence they are also landmarks for the original problem.

## Example: Cuts in Justification Graphs

## Example

landmark  $A = \{a_4\}$  (cost = 0)

$a_1 = i \xrightarrow{3} x, y$   
 $a_2 = i \xrightarrow{4} x, z$   
 $a_3 = i \xrightarrow{5} y, z$   
 $a_4 = x, y, z \xrightarrow{0} g$




## Example: Cuts in Justification Graphs

## Example

landmark  $B = \{a_1, a_2\}$  (cost = 3)

$a_1 = i \xrightarrow{3} x, y$   
 $a_2 = i \xrightarrow{4} x, z$   
 $a_3 = i \xrightarrow{5} y, z$   
 $a_4 = x, y, z \xrightarrow{0} g$




## Example: Cuts in Justification Graphs

## Example

landmark  $C = \{a_1, a_3\}$  (cost = 3)

$a_1 = i \xrightarrow{3} x, y$   
 $a_2 = i \xrightarrow{4} x, z$   
 $a_3 = i \xrightarrow{5} y, z$   
 $a_4 = x, y, z \xrightarrow{0} g$




## Example: Cuts in Justification Graphs

## Example

landmark  $D = \{a_2, a_3\}$  (cost = 4)

$a_1 = i \xrightarrow{3} x, y$   
 $a_2 = i \xrightarrow{4} x, z$   
 $a_3 = i \xrightarrow{5} y, z$   
 $a_4 = x, y, z \xrightarrow{0} g$



## Power of Cuts in Justification Graphs

- ▶ Which landmarks can be computed with the cut method?
- ▶ **all interesting ones!**

### Proposition (perfect hitting set heuristics)

Let  $\mathcal{L}$  be the set of all “cut landmarks” of a given planning task.  
Then  $h^{\text{MHS}}(I) = h^+(I)$  for  $\mathcal{L}$ .

↪ hitting set heuristic for  $\mathcal{L}$  is **perfect**.

proof idea:

- ▶ Show 1:1 correspondence of hitting sets  $H$  for  $\mathcal{L}$  and plans, i.e., each hitting set for  $\mathcal{L}$  corresponds to a plan, and vice versa.

## 39.2 The LM-Cut Heuristic

## LM-Cut Heuristic: Motivation

- ▶ In general, there are exponentially many pcfs, hence computing all relevant landmarks is not tractable.
- ▶ The **LM-cut heuristic** is a method that chooses pcfs and computes cuts in a **goal-oriented** way.
- ▶ For planning tasks with uniform costs (i.e.,  $\text{cost}(a) = 1$  for all actions) it matches  $h^{\text{MHS-LP}}$  on the same set of landmarks.

↪ one of the best admissible planning heuristics

## LM-Cut Heuristic

$h^{\text{LM-cut}}$  (Helmert & Domshlak, 2009)

Initialize  $h^{\text{LM-cut}}(I) := 0$ . Then iterate:


- 1 Compute  **$h^{\text{max}}$  values** of the variables. Stop if  $h^{\text{max}}(g) = 0$ .
- 2 Compute justification graph  $G$  for a pcf that chooses preconditions with **maximal  $h^{\text{max}}$  value**. (Requires a tie-breaking policy.)
- 3 Determine the **goal zone**  $V_g$  of  $G$  that consists of all vertices that have a zero-cost path to  $g$ .
- 4 Compute the cut  $L$  that contains the labels of all arcs  $v \xrightarrow{a} v'$  such that  $v \notin V_g$ ,  $v' \in V_g$  and  $v$  can be reached from  $i$  without traversing a vertex in  $V_g$ .  
It is guaranteed that  **$\text{cost}(L) > 0$** .
- 5 **Increase  $h^{\text{LM-cut}}(I)$  by  $\text{cost}(L)$** .
- 6 **Decrease  $\text{cost}(a)$  by  $\text{cost}(L)$  for all  $a \in L$** .

## Example: Computation of LM-Cut

## Example

round 1:  $P(a_4) = c \rightsquigarrow L = \{a_2, a_3\} [4]$

$a_1 = i \xrightarrow{3} a, b$   
 $a_2 = i \xrightarrow{4} a, c$   
 $a_3 = i \xrightarrow{5} b, c$   
 $a_4 = a, b, c \xrightarrow{0} g$




## Example: Computation of LM-Cut

## Example

round 1:  $P(a_4) = c \rightsquigarrow L = \{a_2, a_3\} [4] \rightsquigarrow h^{LM-cut}(I) := 4$

$a_1 = i \xrightarrow{3} a, b$   
 $a_2 = i \xrightarrow{0} a, c$   
 $a_3 = i \xrightarrow{1} b, c$   
 $a_4 = a, b, c \xrightarrow{0} g$




## Example: Computation of LM-Cut

## Example

round 2:  $P(a_4) = b \rightsquigarrow L = \{a_1, a_3\} [1]$

$a_1 = i \xrightarrow{3} a, b$   
 $a_2 = i \xrightarrow{0} a, c$   
 $a_3 = i \xrightarrow{1} b, c$   
 $a_4 = a, b, c \xrightarrow{0} g$




## Example: Computation of LM-Cut

## Example

round 2:  $P(a_4) = b \rightsquigarrow L = \{a_1, a_3\} [1] \rightsquigarrow h^{LM-cut}(I) := 4 + 1 = 5$

$a_1 = i \xrightarrow{2} a, b$   
 $a_2 = i \xrightarrow{0} a, c$   
 $a_3 = i \xrightarrow{0} b, c$   
 $a_4 = a, b, c \xrightarrow{0} g$




## Example: Computation of LM-Cut

### Example

round 3:  $h^{\max}(g) = 0 \rightsquigarrow \text{done!} \rightsquigarrow h^{\text{LM-cut}}(I) = 5$

$a_1 = i \xrightarrow{2} a, b$   
 $a_2 = i \xrightarrow{0} a, c$   
 $a_3 = i \xrightarrow{0} b, c$   
 $a_4 = a, b, c \xrightarrow{0} g$



## 39.3 Summary

## Summary

- ▶ Cuts in justification graphs are a general method to find landmarks.
- ▶ Hitting sets over all cut landmarks yield a perfect heuristic for delete-free planning tasks.
- ▶ The LM-cut heuristic is an admissible heuristic based on these ideas.