

Planning and Optimization

B6. Computational Complexity of Planning: Results

Malte Helmert and Gabriele Röger

Universität Basel

October 20, 2016

(Bounded-Cost) Plan Existence

The Propositional Planning Problem

Definition (Plan Existence)

The **plan existence** problem (PLANEX) is the following decision problem:

GIVEN: planning task Π

QUESTION: Is there a plan for Π ?

↪ decision problem analogue of **satisficing planning**

Definition (Bounded-Cost Plan Existence)

The **bounded-cost plan existence** problem (BCPLANEX) is the following decision problem:

GIVEN: planning task Π , cost bound $K \in \mathbb{N}_0$

QUESTION: Is there a plan for Π with cost at most K ?

↪ decision problem analogue of **optimal planning**

Plan Existence vs. Bounded-Cost Plan Existence

Theorem (Reduction from PLANEX to BCPLANEX)

$\text{PLANEX} \leq_p \text{BCPLANEX}$

Proof.

Consider a planning task Π with n state variables.

Let c_{\max} be the maximal cost of all actions of Π .

Π is solvable iff there is solution with cost at most $c_{\max} \cdot (2^n - 1)$
because a solution need not visit any state twice.

\rightsquigarrow map instance Π of PLANEX to instance $\langle \Pi, c_{\max} \cdot (2^n - 1) \rangle$
of BCPLANEX

\rightsquigarrow polynomial reduction



PSPACE-Completeness of Planning

Membership in PSPACE

Theorem

$\text{BCPLANEX} \in \text{PSPACE}$

Proof.

Show $\text{BCPLANEX} \in \text{NPSPACE}$ and use Savitch's theorem.

Nondeterministic algorithm:

```
def plan( $\langle V, I, O, \gamma \rangle, K$ ):  
     $s := I$   
     $k := K$   
    loop forever:  
        if  $s \models \gamma$ : accept  
        guess  $o \in O$   
        if  $s \not\models \text{pre}(o)$ : fail  
        if  $\text{cost}(o) > k$ : fail  
         $s := s[o]$   
         $k := k - \text{cost}(o)$ 
```



PSPACE-Hardness

Idea: generic reduction

- For an arbitrary fixed DTM M with space bound polynomial p and input w , generate planning task which is solvable iff M accepts w in space $p(|w|)$.
- For simplicity, restrict to TMs which never move to the left of the initial head position (no loss of generality).

Reduction: State Variables

Let $M = \langle \Sigma, \square, Q, q_0, q_Y, \delta \rangle$ be the fixed DTM,
and let p be its space-bound polynomial.

Given input $w_1 \dots w_n$, define **relevant tape positions**
 $X := \{1, \dots, p(n)\}$.

State Variables

- state_q for all $q \in Q$
- head_i for all $i \in X \cup \{0, p(n) + 1\}$
- $\text{content}_{i,a}$ for all $i \in X, a \in \Sigma_\square$

↪ allows encoding a Turing machine configuration

Reduction: Initial State

Let $M = \langle \Sigma, \square, Q, q_0, q_Y, \delta \rangle$ be the fixed DTM,
and let p be its space-bound polynomial.

Given input $w_1 \dots w_n$, define **relevant tape positions**
 $X := \{1, \dots, p(n)\}$.

Initial State

Initially true:

- state $_{q_0}$
- head $_1$
- content $_{i,w_i}$ for all $i \in \{1, \dots, n\}$
- content $_{i,\square}$ for all $i \in X \setminus \{1, \dots, n\}$

Initially false:

- all others

Reduction: Operators

Let $M = \langle \Sigma, \square, Q, q_0, q_Y, \delta \rangle$ be the fixed DTM,
and let p be its space-bound polynomial.

Given input $w_1 \dots w_n$, define **relevant tape positions**
 $X := \{1, \dots, p(n)\}$.

Operators

One operator for each transition rule $\delta(q, a) = \langle q', a', \Delta \rangle$
and each cell position $i \in X$:

- precondition: $\text{state}_q \wedge \text{head}_i \wedge \text{content}_{i,a}$
- effect: $\neg \text{state}_q \wedge \neg \text{head}_i \wedge \neg \text{content}_{i,a}$
 $\wedge \text{state}_{q'} \wedge \text{head}_{i+\Delta} \wedge \text{content}_{i,a'}$

Reduction: Goal

Let $M = \langle \Sigma, \square, Q, q_0, q_Y, \delta \rangle$ be the fixed DTM,
and let p be its space-bound polynomial.

Given input $w_1 \dots w_n$, define **relevant tape positions**
 $X := \{1, \dots, p(n)\}$.

Goal

state _{q_Y}

PSPACE-Completeness of STRIPS Plan Existence

Theorem (PSPACE-Completeness; Bylander, 1994)

$PLANEX$ and $BCPLANEX$ are PSPACE-complete.
This is true even if only STRIPS tasks are allowed.

Proof.

Membership for $BCPLANEX$ was already shown.

Hardness for $PLANEX$ follows because we just presented a polynomial reduction from an arbitrary problem in PSPACE to $PLANEX$. (Note that the reduction only generates STRIPS tasks.)

Membership for $PLANEX$ and hardness for $BCPLANEX$ follow from the polynomial reduction from $PLANEX$ to $BCPLANEX$. □

More Complexity Results

More Complexity Results

In addition to the basic complexity result presented in this chapter, there are many special cases, generalizations, variations and related problems studied in the literature:

- different **planning formalisms**
 - e.g., finite-domain representation, nondeterministic effects, partial observability, schematic operators, numerical state variables
- **syntactic restrictions** of planning tasks
 - e.g., without preconditions, without conjunctive effects, STRIPS without delete effects
- **semantic restrictions** of planning task
 - e.g., restricting variable dependencies (“causal graphs”)
- **particular planning domains**
 - e.g., Blocksworld, Logistics, FreeCell

Complexity Results for Different Planning Formalisms

Some results for different planning formalisms:

- **FDR tasks:**
 - same complexity as for propositional tasks (“folklore”)
 - also true for the SAS⁺ special case
- **nondeterministic effects:**
 - fully observable: EXP-complete (Littman, 1997)
 - unobservable: EXPSPACE-complete (Haslum & Jonsson, 1999)
 - partially observable: 2-EXP-complete (Rintanen, 2004)
- **schematic operators:**
 - usually adds one exponential level to PLANEX complexity
 - e.g., classical case EXPSPACE-complete (Erol et al., 1995)
- **numerical state variables:**
 - undecidable in most variations (Helmert, 2002)

Summary

Summary

- **Propositional planning** is **PSPACE-complete**.
- This is true both for **satisficing** and **optimal** planning.
- The hardness proof is a polynomial reduction that translates an **arbitrary polynomial-space DTM** into a **STRIPS task**:
 - DTM configurations are encoded by state variables.
 - Operators simulate transitions between DTM configurations.
 - The DTM accepts an input iff there is a plan for the corresponding STRIPS task.
- This implies that there is **no polynomial algorithm** for classical planning unless $P = PSPACE$.
- It also means that planning is not polynomially reducible to any problem in NP unless $NP = PSPACE$.