

# Planning and Optimization

## C13. Merge-and-Shrink Abstractions: Synchronized Product

Malte Helmert and Gabriele Röger

Universität Basel

November 14, 2016

# Planning and Optimization

November 14, 2016 — C13. Merge-and-Shrink Abstractions: Synchronized Product

## C13.1 Motivation

## C13.2 Synchronized Products


## C13.3 Summary

## C13.1 Motivation

## Beyond Pattern Databases

- ▶ Despite their popularity, pattern databases have some **fundamental limitations** ( $\rightsquigarrow$  example on next slides).
- ▶ This week, we study a class of abstractions called **merge-and-shrink abstractions**.
- ▶ Merge-and-shrink abstractions can be seen as a **proper generalization** of pattern databases.
  - ▶ They can do everything that pattern databases can do (modulo polynomial extra effort).
  - ▶ They can do some things that pattern databases cannot.

## Back to the Running Example




Logistics problem with one package, two trucks, two locations:

- ▶ state variable **package**:  $\{L, R, A, B\}$
- ▶ state variable **truck A**:  $\{L, R\}$
- ▶ state variable **truck B**:  $\{L, R\}$


## Example: Projection

$\mathcal{T}^\pi_{\{\text{package}\}}$ :



## Example: Projection (2)

$\mathcal{T}^\pi_{\{\text{package, truck A}\}}$ :



## Limitations of Projections

How accurate is the PDB heuristic?

- ▶ consider **generalization of the example**:  
 $N$  trucks,  $M$  locations (fully connected), still one package
- ▶ consider **any** pattern that is a proper subset of variable set  $V$ .
- ▶  $h(s_0) \leq 2 \rightsquigarrow$  **no better** than atomic projection to **package**

These values cannot be improved by maximizing over several patterns or using additive patterns.

**Merge-and-shrink abstractions** can represent heuristics with  $h(s_0) \geq 3$  for tasks of this kind of any size.

Time and space requirements are **polynomial in  $N$  and  $M$** .

## Merge-and-shrink Abstractions: Main Idea

### Main Idea of Merge-and-shrink Abstractions

(due to Dräger, Finkbeiner & Podelski, 2006):

Instead of **perfectly** reflecting **a few** state variables, reflect **all** state variables, but in a **potentially lossy** way.

## The Need for Succinct Abstractions

- ▶ One major difficulty for non-PDB abstraction heuristics is to **succinctly represent the abstraction**.
- ▶ For pattern databases, this is easy because the abstractions – projections – are very **structured**.
- ▶ For less rigidly structured abstractions, we need another idea.

## Merge-and-shrink Abstractions: Idea


- ▶ The main idea underlying merge-and-shrink abstractions is that given two abstract transition systems  $\mathcal{A}$  and  $\mathcal{A}'$ , we can **merge** them into a new abstract **product transition system**.
- ▶ The product transition system **captures all information** of both transition systems and can be **better informed than either**.
- ▶ It can even be better informed than their **sum**.
- ▶ By merging a set of very simple abstractions, we can in theory represent **arbitrary** abstractions of an SAS<sup>+</sup> task.
- ▶ In practice, due to memory limitations, such systems can become too large. In that case, we can **shrink** them by abstracting them further using **any abstraction** on an intermediate result, then **continue the merging process**.

## C13.2 Synchronized Products


## Running Example: Explanations

- ▶ **Atomic projections** – projections to a single state variable – play an important role for merge-and-shrink abstractions.
- ▶ Unlike previous chapters, **transition labels** are critically important for this topic.
- ▶ Hence we now look at the transition systems for atomic projections of our example task, including transition labels.
- ▶ We abbreviate operator names as in these examples:
  - ▶ **MALR**: move truck **A** from **left** to **right**
  - ▶ **DAR**: drop package from truck **A** at **right** location
  - ▶ **PBL**: pick up package with truck **B** at **left** location
- ▶ We abbreviate parallel arcs with **commas** and **wildcards (\*)** in the labels as in these examples:
  - ▶ **PAL, DAL**: two parallel arcs labeled **PAL** and **DAL**
  - ▶ **MA\*\***: two parallel arcs labeled **MALR** and **MARL**


## Running Example: Atomic Projection for Package

 $\mathcal{T}^{\pi}_{\{\text{package}\}}:$ 


## Running Example: Atomic Projection for Truck A

 $\mathcal{T}^{\pi}_{\{\text{truck A}\}}:$ 


## Running Example: Atomic Projection for Truck B

 $\mathcal{T}^{\pi}_{\{\text{truck B}\}}:$ 


# Synchronized Product of Transition Systems

## Definition (Synchronized Product of Transition Systems)


For  $i \in \{1, 2\}$ , let  $T_i = \langle S_i, L, c, T_i, s_{0_i}, S_{*i} \rangle$  be transition systems with identical label set and identical label cost function.

The **synchronized product** of  $T_1$  and  $T_2$ , in symbols  $T_1 \otimes T_2$ , is the transition system  $T_\otimes = \langle S_\otimes, L, c, T_\otimes, s_{0_\otimes}, S_{*\otimes} \rangle$  with

- ▶  $S_\otimes := S_1 \times S_2$
- ▶  $T_\otimes := \{ \langle \langle s_1, s_2 \rangle, l, \langle t_1, t_2 \rangle \rangle \mid \langle s_1, l, t_1 \rangle \in T_1 \text{ and } \langle s_2, l, t_2 \rangle \in T_2 \}$
- ▶  $s_{0_\otimes} := \langle s_{0_1}, s_{0_2} \rangle$
- ▶  $S_{*\otimes} := S_{*1} \times S_{*2}$


# Example: Synchronized Product

$$T^\pi\{\text{package}\} \otimes T^\pi\{\text{truck A}\}:$$




# Example: Computation of Synchronized Product

$$T^\pi\{\text{package}\} \otimes T^\pi\{\text{truck A}\}:$$



# Example: Computation of Synchronized Product


$$T^\pi\{\text{package}\} \otimes T^\pi\{\text{truck A}\}: S_\otimes = S_1 \times S_2$$






## Example: Computation of Synchronized Product

$$\mathcal{T}^\pi\{\text{package}\} \otimes \mathcal{T}^\pi\{\text{truck A}\}: T_\otimes := \{\langle\langle s_1, s_2 \rangle, l, \langle t_1, t_2 \rangle\rangle \mid \dots\}$$



## Example: Computation of Synchronized Product

$$\mathcal{T}^\pi\{\text{package}\} \otimes \mathcal{T}^\pi\{\text{truck A}\}: T_\otimes := \{\langle\langle s_1, s_2 \rangle, l, \langle t_1, t_2 \rangle\rangle \mid \dots\}$$



## Synchronized Product of Functions

### Definition (Synchronized Product of Functions)

Let  $\alpha_1 : S \rightarrow S_1$  and  $\alpha_2 : S \rightarrow S_2$  be functions with identical domain.

The **synchronized product** of  $\alpha_1$  and  $\alpha_2$ , in symbols  $\alpha_1 \otimes \alpha_2$ , is the function  $\alpha_\otimes : S \rightarrow S_1 \times S_2$  defined as  $\alpha_\otimes(s) = \langle \alpha_1(s), \alpha_2(s) \rangle$ .

## Synchronized Product of Abstractions

### Theorem

Let  $\alpha_1$  and  $\alpha_2$  be abstractions of transition system  $\mathcal{T}$  such that  $\alpha_\otimes := \alpha_1 \otimes \alpha_2$  is surjective.

Then  $\alpha_\otimes$  is an abstraction of  $\mathcal{T}$  and a refinement of  $\alpha_1$  and  $\alpha_2$ .

### Proof.

Abstraction: suitable domain as  $\alpha_1, \alpha_2$  are abstractions of  $\mathcal{T}$ , surjective by premise

Refinement: For  $i \in \{1, 2\}$ ,  $\alpha_i = \beta_i \circ \alpha_\otimes$  with  $\beta_i(\langle x_1, x_2 \rangle) = x_i$ .  $\square$

## Relationship of $\mathcal{T}^{\alpha_1 \otimes \alpha_2}$ and $\mathcal{T}^{\alpha_1} \otimes \mathcal{T}^{\alpha_2}$ (1)

Theorem ( $\mathcal{T}^{\alpha_1 \otimes \alpha_2}$  is Substructure of  $\mathcal{T}^{\alpha_1} \otimes \mathcal{T}^{\alpha_2}$ )

Let  $\alpha_1$  and  $\alpha_2$  be abstractions of transition system  $\mathcal{T}$  such that  $\alpha_\otimes := \alpha_1 \otimes \alpha_2$  is surjective.

For  $\mathcal{T}^{\alpha_1 \otimes \alpha_2} = \langle S_{\alpha_1 \otimes \alpha_2}, L, c, T_{\alpha_1 \otimes \alpha_2}, s_{0_{\alpha_1 \otimes \alpha_2}}, S_{\star_{\alpha_1 \otimes \alpha_2}} \rangle$  and  $\mathcal{T}^{\alpha_1} \otimes \mathcal{T}^{\alpha_2} = \langle S_\otimes, L, c, T_\otimes, s_{0_\otimes}, S_{\star_\otimes} \rangle$  it holds that

- ▶  $S_{\alpha_1 \otimes \alpha_2} = S_\otimes$
- ▶  $T_{\alpha_1 \otimes \alpha_2} \subseteq T_\otimes$
- ▶  $s_{0_{\alpha_1 \otimes \alpha_2}} = s_{0_\otimes}$
- ▶  $S_{\star_{\alpha_1 \otimes \alpha_2}} \subseteq S_{\star_\otimes}$

**Remark:** If  $\alpha_\otimes$  is not surjective, then the proof also holds if we restrict  $\mathcal{T}^{\alpha_1} \otimes \mathcal{T}^{\alpha_2}$  and the codomain of  $\alpha_\otimes$  to the states in the image of  $\alpha_\otimes$ .

## Relationship of $\mathcal{T}^{\alpha_1 \otimes \alpha_2}$ and $\mathcal{T}^{\alpha_1} \otimes \mathcal{T}^{\alpha_2}$ (2)

Proof.

Let  $\mathcal{T} = \langle S, L, c, T, s_0, S_\star \rangle$  and

for  $i \in \{1, 2\}$  let  $\mathcal{T}^{\alpha_i} = \langle S_i, L, c, T_i, s_{0_i}, S_{\star_i} \rangle$  (with  $\alpha_i : S \rightarrow S_i$ ).

$$\begin{aligned} S_{\alpha_1 \otimes \alpha_2} &= S_1 \times S_2 = S_\otimes \\ s_{0_{\alpha_1 \otimes \alpha_2}} &= \alpha_1 \otimes \alpha_2(s_0) = \langle \alpha_1(s_0), \alpha_2(s_0) \rangle = \langle s_{0_1}, s_{0_2} \rangle = s_{0_\otimes} \\ S_{\star_{\alpha_1 \otimes \alpha_2}} &= \{ \langle \alpha_1 \otimes \alpha_2(s) \mid s \in S_\star \rangle \\ &= \{ \langle \alpha_1(s), \alpha_2(s) \rangle \mid s \in S_\star \} \\ &\subseteq \{ \langle \alpha_1(s), \alpha_2(s') \rangle \mid s, s' \in S_\star \} \\ &= \{ \langle s_1, s_2 \rangle \mid s_1 \in S_{\star_1}, s_2 \in S_{\star_2} \} \\ &= S_{\star_1} \times S_{\star_2} \\ &= S_{\star_\otimes} \end{aligned}$$

...

## Relationship of $\mathcal{T}^{\alpha_1 \otimes \alpha_2}$ and $\mathcal{T}^{\alpha_1} \otimes \mathcal{T}^{\alpha_2}$ (3)

Proof (continued).

Let  $\mathcal{T} = \langle S, L, c, T, s_0, S_\star \rangle$  and

for  $i \in \{1, 2\}$  let  $\mathcal{T}^{\alpha_i} = \langle S_i, L, c, T_i, s_{0_i}, S_{\star_i} \rangle$  (with  $\alpha_i : S \rightarrow S_i$ ).

$$\begin{aligned} T_{\alpha_1 \otimes \alpha_2} &= \{ \langle \alpha_1 \otimes \alpha_2(s), l, \alpha_1 \otimes \alpha_2(t) \rangle \mid \langle s, l, t \rangle \in T \} \\ &= \{ \langle \langle \alpha_1(s), \alpha_2(s) \rangle, l, \langle \alpha_1(t), \alpha_2(t) \rangle \rangle \mid \langle s, l, t \rangle \in T \} \\ &\subseteq \{ \langle \langle \alpha_1(s), \alpha_2(s') \rangle, l, \langle \alpha_1(t), \alpha_2(t') \rangle \rangle \\ &\quad \mid \langle s, l, t \rangle, \langle s', l, t' \rangle \in T \} \\ &= \{ \langle \langle s_1, s_2 \rangle, l, \langle t_1, t_2 \rangle \rangle \mid \langle s_1, l, t_1 \rangle \in T_1, \langle s_2, l, t_2 \rangle \in T_2 \} \\ &= T_\otimes \end{aligned}$$

□

## Preserving Abstractions

- ▶ It would be very nice if we could also prove that if  $\alpha_1$  and  $\alpha_2$  are abstractions of  $\mathcal{T}$  then there is an abstraction of  $\mathcal{T}$  inducing  $\mathcal{T}^{\alpha_1} \otimes \mathcal{T}^{\alpha_2}$ .
- ▶ However, this is **not true** in general.
- ▶ It is **not even** true for SAS<sup>+</sup> tasks.
- ▶ However, there is an important **sufficient condition** for preserving the abstraction property.





## Summary

- ▶ The **synchronized product** of two transition systems captures “what we can do” in both systems “in parallel”.
- ▶ With suitable abstractions, the synchronized product of the induced transition systems is induced by the synchronized product of the abstractions.
- ▶ We can **recover** the original **transition system** from the abstract transition systems induced by the **atomic projections**.