

Planning and Optimization

A5. Equivalent Operators and Effect Normal Form

Malte Helmert and Gabriele Röger

Universität Basel

October 4, 2017

Planning and Optimization

October 4, 2017 — A5. Equivalent Operators and Effect Normal Form

A5.1 Motivation


A5.2 Equivalence Transformations

A5.3 Conflict-Free Effects

A5.4 Effect Normal Form

A5.5 Summary

Content of this Course



A5.1 Motivation

Motivation

Similarly to normal forms in propositional logic (DNF, CNF, NNF), we can define **normal forms for effects, operators and propositional planning tasks**.

This is useful because algorithms (and proofs) then only need to deal with effects, operators and tasks in normal form.

A5.2 Equivalence Transformations

Equivalence of Operators and Effects: Definition

Definition (Equivalent Operators)

Two operators o and o' over state variables V are **equivalent**, written $o \equiv o'$, if $\text{cost}(o) = \text{cost}(o')$ and for all states s, s' over V , o induces the transition $s \xrightarrow{o} s'$ iff o' induces the transition $s \xrightarrow{o'} s'$.

Definition (Equivalent Effects)

Two effects e and e' over state variables V are **equivalent**, written $e \equiv e'$, if the operators $\langle \top, e, 0 \rangle$ and $\langle \top, e', 0 \rangle$ are equivalent.

Equivalence of Operators and Effects: Theorem

Theorem

Let o and o' be operators with $\text{pre}(o) \equiv \text{pre}(o')$, $\text{eff}(o) \equiv \text{eff}(o')$ and $\text{cost}(o) = \text{cost}(o')$. Then $o \equiv o'$.

Note: The converse is not true. (Why not?)

Equivalence Transformations for Effects

$$e_1 \wedge e_2 \equiv e_2 \wedge e_1 \quad (1)$$

$$(e_1 \wedge \dots \wedge e_n) \wedge (e'_1 \wedge \dots \wedge e'_m) \equiv e_1 \wedge \dots \wedge e_n \wedge e'_1 \wedge \dots \wedge e'_m \quad (2)$$

$$\top \wedge e \equiv e \quad (3)$$

$$\chi \triangleright e \equiv \chi' \triangleright e \quad \text{if } \chi \equiv \chi' \quad (4)$$

$$\top \triangleright e \equiv e \quad (5)$$

$$\perp \triangleright e \equiv \top \quad (6)$$

$$\chi_1 \triangleright (\chi_2 \triangleright e) \equiv (\chi_1 \wedge \chi_2) \triangleright e \quad (7)$$

$$\chi \triangleright (e_1 \wedge \dots \wedge e_n) \equiv (\chi \triangleright e_1) \wedge \dots \wedge (\chi \triangleright e_n) \quad (8)$$

$$(\chi_1 \triangleright e) \wedge (\chi_2 \triangleright e) \equiv (\chi_1 \vee \chi_2) \triangleright e \quad (9)$$

A5.3 Conflict-Free Effects

Conflict-Freeness: Motivation

- ▶ The add-after-delete semantics makes effects like $(a \triangleright c) \wedge (b \triangleright \neg c)$ somewhat unintuitive to interpret.
- ↪ What happens in states where $a \wedge b$ is true?
- ▶ It would be nicer if $\text{effcond}(\neg v, e)$ were always the condition under which e makes v false (but because of add-after-delete, it is not).
- ↪ introduce a normal form where the “complicated case” of add-after-delete semantics never arises

Conflict-Free Effects

Definition (Conflict-Free)

An effect e is called **conflict-free** if $\text{effcond}(v, e) \wedge \text{effcond}(\neg v, e)$ is unsatisfiable for all state variables v .

Testing if Effects are Conflict-Free

- ▶ In general, testing whether an effect is conflict-free is a coNP-complete problem. (Why?)
- ▶ However, we do not usually need such a test. Instead, we can **produce** an equivalent conflict-free effect in polynomial time.
- ▶ **Algorithm:** given effect e , replace each atomic effect of the form $\neg v$ by $(\neg \text{effcond}(v, e) \triangleright \neg v)$. The resulting effect e' is conflict-free and $e \equiv e'$. (Why?)

A5.4 Effect Normal Form

Effect Normal Form: Motivation

- ▶ CNF and DNF limit the **nesting** of connectives in propositional logic.
- ▶ For example, a CNF formula is
 - ▶ a conjunction of 0 or more subformulas,
 - ▶ each of which is a disjunction of 0 or more subformulas,
 - ▶ each of which is a literal.
- ▶ Similarly, we can define a normal form that limits the nesting of effects.
- ▶ This is useful because we then do not have to consider arbitrarily structured effects, e.g., when representing them in a planning algorithm.

Effect Normal Form

Definition (Effect Normal Form)

An effect e is in **normal form** if it is:

- ▶ a conjunctive effect
- ▶ whose conjuncts are conditional effects
- ▶ whose subeffects are atomic effects, and
- ▶ no atomic effect occurs in e multiple times.

If e is also conflict-free, we say it is in **conflict-free normal form**.

An operator o is in **(conflict-free) effect normal form** if $\text{eff}(o)$ is in (conflict-free) normal form.

Note: non-conjunctive effects can be considered as conjunctive effects with 1 conjunct

Effects in Conflict-Free Normal Form: Example

Example

Consider the effect

$$c \wedge (a \triangleright (\neg b \wedge (c \triangleright (b \wedge \neg d \wedge \neg a)))) \wedge (\neg b \triangleright \neg a)$$

An equivalent effect in conflict-free normal form is

$$\begin{aligned} & (\top \triangleright c) \wedge \\ & ((a \wedge \neg c) \triangleright \neg b) \wedge \\ & ((a \wedge c) \triangleright b) \wedge \\ & ((a \wedge c) \triangleright \neg d) \wedge \\ & ((\neg b \vee (a \wedge c)) \triangleright \neg a) \end{aligned}$$

Note: for simplicity, we will often write $(\top \triangleright \ell)$ as ℓ , i.e., omit trivial effect conditions. We will still consider such effects to be in normal form.

Producing Effects in Normal Form

Theorem

For every effect, an equivalent effect in normal form and an equivalent effect in conflict-free normal form can be computed in polynomial time.

Proof Sketch.

Every effect e over variables V is equivalent to

$$\bigwedge_{v \in V} (\text{effcond}(v, e) \triangleright v) \wedge \bigwedge_{v \in V} (\text{effcond}(\neg v, e) \triangleright \neg v),$$

which is in normal form.

For conflict-free normal form, use $\text{effcond}(\neg v, e) \wedge \neg \text{effcond}(v, e)$ instead of $\text{effcond}(\neg v, e)$.

In both cases, conjuncts of the form $(\chi \triangleright \ell)$ where $\chi \equiv \perp$ can be omitted to simplify the effect.

A5.5 Summary

Summary

- ▶ **Effect equivalences** can be used to simplify operator effects.
- ▶ In **conflict-free** effects, the “complicated case” in the add-after-delete semantics of operators does not arise.
- ▶ For effects in **normal form**, the only permitted nesting is atomic effects within conditional effects within conjunctive effects, and all atomic effects must be distinct.
- ▶ For effects in conflict-free normal form, it is easy to determine the **condition** under which a given **literal** is **made true** by applying the effect in a given state.
- ▶ Every effect can be **transformed** into an equivalent effect in **conflict-free normal form** in **polynomial time**.