

Foundations of Artificial Intelligence

10. State-Space Search: Breadth-first Search

Malte Helmert

University of Basel

March 6, 2019

Foundations of Artificial Intelligence

March 6, 2019 — 10. State-Space Search: Breadth-first Search

10.1 Blind Search

10.2 Breadth-first Search: Introduction

10.3 BFS-Tree

10.4 BFS-Graph

10.5 Properties of Breadth-first Search

10.6 Summary

State-Space Search: Overview

Chapter overview: state-space search

- ▶ 5.–7. Foundations
- ▶ 8.–12. Basic Algorithms
 - ▶ 8. Data Structures for Search Algorithms
 - ▶ 9. Tree Search and Graph Search
 - ▶ 10. Breadth-first Search
 - ▶ 11. Uniform Cost Search
 - ▶ 12. Depth-first Search and Iterative Deepening
- ▶ 13.–19. Heuristic Algorithms

10.1 Blind Search

Blind Search

In Chapters 10–12 we consider **blind** search algorithms:

Blind Search Algorithms

Blind search algorithms use **no** information about state spaces apart from the black box interface.

They are also called **uninformed** search algorithms.

contrast: **heuristic** search algorithms (Chapters 13–19)

Blind Search Algorithms: Examples

examples of blind search algorithms:

- ▶ **breadth-first search** (↪ this chapter)
- ▶ uniform cost search (↪ Chapter 11)
- ▶ depth-first search (↪ Chapter 12)
- ▶ depth-limited search (↪ Chapter 12)
- ▶ iterative deepening search (↪ Chapter 12)

10.2 Breadth-first Search: Introduction

Breadth-first Search

Breadth-first search expands nodes **in order of generation** (FIFO).

↪ e.g., open list as **linked list** or **deque**


A

open: A

- ▶ searches state space **layer by layer**
- ▶ always finds **shallowest** goal state first

Breadth-first Search

Breadth-first search expands nodes in order of generation (FIFO).
 ⇨ e.g., open list as **linked list** or **deque**




open: **B**, C

- ▶ searches state space **layer by layer**
- ▶ always finds **shallowest** goal state first

Breadth-first Search

Breadth-first search expands nodes in order of generation (FIFO).
 ⇨ e.g., open list as **linked list** or **deque**




open: **C**, D, E

- ▶ searches state space **layer by layer**
- ▶ always finds **shallowest** goal state first

Breadth-first Search

Breadth-first search expands nodes in order of generation (FIFO).
 ⇨ e.g., open list as **linked list** or **deque**




open: **D**, E, F, G, H

- ▶ searches state space **layer by layer**
- ▶ always finds **shallowest** goal state first

Breadth-first Search

Breadth-first search expands nodes in order of generation (FIFO).
 ⇨ e.g., open list as **linked list** or **deque**




open: **E**, F, G, H, I, J

- ▶ searches state space **layer by layer**
- ▶ always finds **shallowest** goal state first

Breadth-first Search

Breadth-first search expands nodes in order of generation (FIFO).

↪ e.g., open list as linked list or deque



- ▶ searches state space layer by layer
- ▶ always finds shallowest goal state first

Breadth-first Search: Tree Search or Graph Search?

Breadth-first search can be performed

- ▶ without duplicate elimination (as a tree search)
↪ BFS-Tree
- ▶ or with duplicate elimination (as a graph search)
↪ BFS-Graph

(BFS = breadth-first search).

↪ We consider both variants.

10.3 BFS-Tree

Reminder: Generic Tree Search Algorithm

reminder from Chapter 9:

Generic Tree Search

```

open := new OpenList
open.insert(make_root_node())
while not open.is_empty():
    n := open.pop()
    if is_goal(n.state):
        return extract_path(n)
    for each <a, s'> ∈ succ(n.state):
        n' := make_node(n, a, s')
        open.insert(n')
return unsolvable
  
```

BFS-Tree (1st Attempt)

breadth-first search without duplicate elimination (1st attempt):

BFS-Tree (1st Attempt)

```

open := new Queue
open.push_back(make_root_node())
while not open.is_empty():
    n := open.pop_front()
    if is_goal(n.state):
        return extract_path(n)
    for each  $\langle a, s' \rangle \in \text{succ}(n.state)$ :
        n' := make_node(n, a, s')
        open.push_back(n')
return unsolvable

```

BFS-Tree (1st Attempt): Discussion

This is almost a usable algorithm, but it wastes some effort:

- ▶ In a breadth-first search, the first generated goal node is always the first expanded goal node. (Why?)
 - ▶ Hence it is more efficient to already perform the goal test upon **generating** a node (rather than upon **expanding** it).
- ⇒ How much effort does this save?

BFS-Tree (2nd Attempt)

breadth-first search without duplicate elimination (2nd attempt):

BFS-Tree (2nd Attempt)

```

open := new Queue
open.push_back(make_root_node())
while not open.is_empty():
    n := open.pop_front()
    if is_goal(n.state):
        return extract_path(n)
    for each  $\langle a, s' \rangle \in \text{succ}(n.state)$ :
        n' := make_node(n, a, s')
        if is_goal(n'.state):
            return extract_path(n')
        open.push_back(n')
return unsolvable

```

BFS-Tree (2nd Attempt): Discussion

Where is the bug?

BFS-Tree (Final Version)

breadth-first search without duplicate elimination (final version):

BFS-Tree

```

if is_goal(init()):
    return ⟨⟩
open := new Deque
open.push_back(make_root_node())
while not open.is_empty():
    n := open.pop_front()
    for each ⟨a, s'⟩ ∈ succ(n.state):
        n' := make_node(n, a, s')
        if is_goal(s'):
            return extract_path(n')
        open.push_back(n')
return unsolvable
  
```

10.4 BFS-Graph

Reminder: Generic Graph Search Algorithm

reminder from Chapter 9:

Generic Graph Search

```

open := new OpenList
open.insert(make_root_node())
closed := new ClosedList
while not open.is_empty():
    n := open.pop()
    if closed.lookup(n.state) = none:
        closed.insert(n)
        if is_goal(n.state):
            return extract_path(n)
        for each ⟨a, s'⟩ ∈ succ(n.state):
            n' := make_node(n, a, s')
            open.insert(n')
return unsolvable
  
```

Adapting Generic Graph Search to Breadth-First Search

Adapting the generic algorithm to breadth-first search:

- ▶ similar adaptations to BFS-Tree
(**deque** as open list, **early goal test**)
- ▶ as closed list does not need to manage node information,
a **set** data structure suffices
- ▶ for the same reasons why early goal tests are a good idea,
we should perform **duplicate tests** against the closed list
and **updates of the closed lists** as early as possible

BFS-Graph (Breadth-First Search with Duplicate Elim.)

BFS-Graph

```

if is_goal(init()):
    return {}
open := new Deque
open.push_back(make_root_node())
closed := new HashSet
closed.insert(init())
while not open.is_empty():
    n := open.pop_front()
    for each <a, s'> ∈ succ(n.state):
        n' := make_node(n, a, s')
        if is_goal(s'):
            return extract_path(n')
        if s' ∉ closed:
            closed.insert(s')
            open.push_back(n')
return unsolvable

```

10.5 Properties of Breadth-first Search

Properties of Breadth-first Search

Properties of Breadth-first Search:

- ▶ BFS-Tree is **semi-complete**, but not **complete**. (Why?)
- ▶ BFS-Graph is **complete**. (Why?)
- ▶ BFS (both variants) is **optimal** if all actions have the same cost (Why?), but not in general (Why not?).
- ▶ complexity: next slides

Breadth-first Search: Complexity

The following result applies to both BFS variants:

Theorem (time complexity of breadth-first search)

Let b be the branching factor and d be the minimal solution length of the given state space. Let $b \geq 2$.

Then the **time complexity** of breadth-first search is

$$1 + b + b^2 + b^3 + \dots + b^d = O(b^d)$$

Reminder: we measure time complexity in generated nodes.

It follows that the **space complexity** of both BFS variants also is $O(b^d)$ (if $b \geq 2$). (Why?)

Breadth-first Search: Example of Complexity

example: $b = 10$; 100 000 nodes/second; 32 bytes/node

d	nodes	time	memory
3	1 111	0.01 s	35 KiB
5	111 111	1 s	3.4 MiB
7	10^7	2 min	339 MiB
9	10^9	3 h	33 GiB
11	10^{11}	13 days	3.2 TiB
13	10^{13}	3.5 years	323 TiB
15	10^{15}	350 years	32 PiB

BFS-Tree or BFS-Graph?

What is better, BFS-Tree or BFS-Graph?

advantages of BFS-Graph:

- ▶ complete
- ▶ much (!) more efficient if there are many duplicates

advantages of BFS-Tree:

- ▶ simpler
- ▶ less overhead (time/space) if there are few duplicates

Conclusion

BFS-Graph is usually preferable, unless we know that there is a negligible number of duplicates in the given state space.

10.6 Summary

Summary

- ▶ **blind search algorithm**: use no information except black box interface of state space
- ▶ **breadth-first search**: expand nodes in order of generation
 - ▶ search state space **layer by layer**
 - ▶ can be tree search or graph search
 - ▶ complexity $O(b^d)$ with branching factor b , minimal solution length d (if $b \geq 2$)
 - ▶ **complete** as a graph search; **semi-complete** as a tree search
 - ▶ **optimal** with **uniform action costs**