

# Theory of Computer Science


## B5. Predicate Logic II

Gabriele Röger

University of Basel


March 16, 2020

# Logic: Overview



# Logical Consequences

# Logic: Overview



# Terminology for Formulas

The terminology we introduced for propositional logic similarly applies to predicate logic:

- Interpretation  $\mathcal{I}$  and variable assignment  $\alpha$  form a **model** of the formula  $\varphi$  if  $\mathcal{I}, \alpha \models \varphi$ .
- Formula  $\varphi$  is **satisfiable** if  $\mathcal{I}, \alpha \models \varphi$  for at least one  $\mathcal{I}, \alpha$ .
- Formula  $\varphi$  is **falsifiable** if  $\mathcal{I}, \alpha \not\models \varphi$  for at least one  $\mathcal{I}, \alpha$ .
- Formula  $\varphi$  is **valid** if  $\mathcal{I}, \alpha \models \varphi$  for all  $\mathcal{I}, \alpha$ .
- Formula  $\varphi$  is **unsatisfiable** if  $\mathcal{I}, \alpha \not\models \varphi$  for all  $\mathcal{I}, \alpha$ .
- Formulas  $\varphi$  and  $\psi$  are **logically equivalent**, written as  $\varphi \equiv \psi$ , if they have the same models.

**German:** Modell, erfüllbar, falsifizierbar, gültig, unerfüllbar,  
logisch äquivalent

# Sets of Formulas: Semantics

## Definition (Satisfied/True Sets of Formulas)

Let  $\mathcal{S}$  be a signature,  $\Phi$  a set of formulas over  $\mathcal{S}$ ,  $\mathcal{I}$  an interpretation for  $\mathcal{S}$  and  $\alpha$  a variable assignment for  $\mathcal{S}$  and the universe of  $\mathcal{I}$ .

We say that  $\mathcal{I}$  and  $\alpha$  **satisfy** the formulas  $\Phi$  (also:  $\Phi$  is **true** under  $\mathcal{I}$  and  $\alpha$ ), written as:  $\mathcal{I}, \alpha \models \Phi$ , if  $\mathcal{I}, \alpha \models \varphi$  for all  $\varphi \in \Phi$ .

**German:**  $\mathcal{I}$  und  $\alpha$  erfüllen  $\Phi$ ,  $\Phi$  ist wahr unter  $\mathcal{I}$  und  $\alpha$

# Terminology for Sets of Formulas and Sentences

- Again, we use the same notations and concepts as in propositional logic.

## Example:

- A set of formulas  $\Phi$  is satisfiable if  $\mathcal{I}, \alpha \models \Phi$  for at least one  $\mathcal{I}, \alpha$ .
- A set of formulas  $\Phi$  (logically) implies formula  $\psi$ , written as  $\Phi \models \psi$ , if all models of  $\Phi$  are models of  $\psi$ .

# Terminology for Sets of Formulas and Sentences

- Again, we use the same notations and concepts as in propositional logic.

## Example:

- A set of formulas  $\Phi$  is satisfiable if  $\mathcal{I}, \alpha \models \Phi$  for at least one  $\mathcal{I}, \alpha$ .
- A set of formulas  $\Phi$  (logically) implies formula  $\psi$ , written as  $\Phi \models \psi$ , if all models of  $\Phi$  are models of  $\psi$ .
- All concepts can be used for the special case of **sentences** (or sets of sentences). In this case we usually omit  $\alpha$ .

## Examples:

- Interpretation  $\mathcal{I}$  is a **model** of a sentence  $\varphi$  if  $\mathcal{I} \models \varphi$ .
- Sentence  $\varphi$  is **unsatisfiable** if  $\mathcal{I} \not\models \varphi$  for all  $\mathcal{I}$ .



# Terminology for Sets of Formulas and Sentences

- Again, we use the same notations and concepts as in propositional logic.


## Example:

- A set of formulas  $\Phi$  is satisfiable if  $\mathcal{I}, \alpha \models \Phi$  for at least one  $\mathcal{I}, \alpha$ .
- A set of formulas  $\Phi$  (logically) implies formula  $\psi$ , written as  $\Phi \models \psi$ , if all models of  $\Phi$  are models of  $\psi$ .
- All concepts can be used for the special case of **sentences** (or sets of sentences). In this case we usually omit  $\alpha$ .

## Examples:

- Interpretation  $\mathcal{I}$  is a **model** of a sentence  $\varphi$  if  $\mathcal{I} \models \varphi$ .
- Sentence  $\varphi$  is **unsatisfiable** if  $\mathcal{I} \not\models \varphi$  for all  $\mathcal{I}$ .
- similarly:
  - $\varphi \models \psi$  if  $\{\varphi\} \models \psi$
  - $\Phi \models \Psi$  if  $\Phi \models \psi$  for all  $\psi \in \Psi$


# Questions



Questions?

# Further Topics

# Logic: Overview



## Further Topics

Based on these definitions we could cover the same topics as in propositional logic:

- important **logical equivalences**
- **normal forms**
- theorems about reasoning (deduction theorem etc.)

We briefly discuss some general results on those topics but will not go into detail.

# Logical Equivalences

- All **logical equivalences of propositional logic** also hold in predicate logic (e. g.,  $(\varphi \vee \psi) \equiv (\psi \vee \varphi)$ ). (**Why?**)
- Additionally the following equivalences and implications hold:

$$(\forall x\varphi \wedge \forall x\psi) \equiv \forall x(\varphi \wedge \psi)$$

$$(\forall x\varphi \vee \forall x\psi) \models \forall x(\varphi \vee \psi)$$

$$(\forall x\varphi \wedge \psi) \equiv \forall x(\varphi \wedge \psi)$$

$$(\forall x\varphi \vee \psi) \equiv \forall x(\varphi \vee \psi)$$

$$\neg\forall x\varphi \equiv \exists x\neg\varphi$$

$$\exists x(\varphi \vee \psi) \equiv (\exists x\varphi \vee \exists x\psi)$$

$$\exists x(\varphi \wedge \psi) \models (\exists x\varphi \wedge \exists x\psi)$$

$$(\exists x\varphi \vee \psi) \equiv \exists x(\varphi \vee \psi)$$

$$(\exists x\varphi \wedge \psi) \equiv \exists x(\varphi \wedge \psi)$$

$$\neg\exists x\varphi \equiv \forall x\neg\varphi$$

but not vice versa

if  $x \notin \text{free}(\psi)$

if  $x \notin \text{free}(\psi)$

but not vice versa

if  $x \notin \text{free}(\psi)$

if  $x \notin \text{free}(\psi)$

# Normal Forms

Analogously to DNF and CNF for propositional logic there are several normal forms for predicate logic, such as

- **negation normal form (NNF):**  
negation symbols ( $\neg$ ) are only allowed in front of atoms
- **prenex normal form:**  
quantifiers must form the outermost part of the formula
- **Skolem normal form:**  
prenex normal form without existential quantifiers

**German:** Negationsnormalform, Pränexnormalform, Skolemnormalform

## Normal Forms (ctd.)


Efficient methods transform formula  $\varphi$

- into an **equivalent** formula in **negation normal form**,
- into an **equivalent** formula in **prenex normal form**, or
- into an **equisatisfiable** formula in **Skolem normal form**.

German: erfüllbarkeitsäquivalent



# Questions



Questions?

# Summary

# Summary

- **Predicate logic** is more expressive than propositional logic and allows statements over **objects** and their **properties**.
- Objects are described by **terms** that are built from variable, constant and function symbols.
- Properties and relations are described by **formulas** that are built from predicates, quantifiers and the usual logical operators.
- **Bound** vs. **free** variables: to decide if  $\mathcal{I}, \alpha \models \varphi$ , only free variables in  $\alpha$  matter
- **Sentences** (closed formulas): formulas without free variables

# Summary

Once the basic definitions are in place, predicate logic can be developed in the same way as propositional logic:

- logical consequences
- logical equivalences
- normal forms
- deduction theorem etc.

## Other Logics

- We considered **first-order** predicate logic.
- **Second-order** predicate logic allows quantifying over predicate symbols.
- There are intermediate steps, e. g. monadic second-order logic (all quantified predicates are unary).
- **Modal logics** have new operators  $\Box$  and  $\Diamond$ .
  - classical meaning:  $\Box\varphi$  for “ $\varphi$  is necessary”,  
 $\Diamond\varphi$  for “ $\varphi$  is possible”.
  - temporal logic:  $\Box\varphi$  for “ $\varphi$  is always true in the future”,  
 $\Diamond\varphi$  for “ $\varphi$  is true at some point in the future”
  - deontic logic:  $\Box\varphi$  for “ $\varphi$  is obligatory”,  
 $\Diamond\varphi$  for “ $\varphi$  is permitted”
  - ...
- In **fuzzy logic**, formulas are not true or false but have values between 0 and 1.

# What's Next?

contents of this course:

- A. **background** ✓
  - ▷ mathematical foundations and proof techniques
- B. **logic**
  - ▷ How can knowledge be represented?  
How can reasoning be automated?
- C. **automata theory and formal languages**
  - ▷ What is a computation?
- D. **Turing computability**
  - ▷ What can be computed at all?
- E. **complexity theory**
  - ▷ What can be computed efficiently?
- F. **more computability theory**
  - ▷ Other models of computability

# What's Next?

contents of this course:

- A. **background** ✓
  - ▷ mathematical foundations and proof techniques
- B. **logic** ✓
  - ▷ How can knowledge be represented?  
How can reasoning be automated?
- C. **automata theory and formal languages**
  - ▷ What is a computation?
- D. **Turing computability**
  - ▷ What can be computed at all?
- E. **complexity theory**
  - ▷ What can be computed efficiently?
- F. **more computability theory**
  - ▷ Other models of computability