

# Theory of Computer Science

## C3. Turing-Computability

Gabriele Röger

University of Basel

April 17, 2023

# Theory of Computer Science

April 17, 2023 — C3. Turing-Computability

## C3.1 Turing-Computable Functions

## C3.2 Decidability vs. Computability

## C3.3 Summary

## C3.1 Turing-Computable Functions

## Hello World

```
def hello_world(name):  
    return "Hello " + name + "!"
```

When calling `hello_world("42kangaroo")`  
we get the result `"Hello 42kangaroo!"`.

How could a Turing machine output a string  
as the result of a computation?



## Church-Turing Thesis Revisited

### Church-Turing Thesis

All functions that can be **computed in the intuitive sense** can be computed by a **Turing machine**.

- ▶ Talks about **arbitrary** functions that can be computed in the intuitive sense.
- ▶ So far, we have only considered **recognizability** and **decidability**: Is a word in a language, **yes or no**?
- ▶ We now will consider function values beyond yes or no (accept or reject).
- ▶ ⇒ **consider the tape content** when the TM accepted.

## Computation

In the following we investigate **models of computation** for **partial functions**  $f : \mathbb{N}_0^k \rightarrow_p \mathbb{N}_0$ .

- ▶ no real limitation: arbitrary information can be encoded as numbers

## Reminder: Configurations and Computation Steps

### How do Turing Machines Work?

- ▶ **configuration**:  $\langle \alpha, q, \beta \rangle$  with  $\alpha \in \Gamma^*$ ,  $q \in Q$ ,  $\beta \in \Gamma^+$
- ▶ **one computation step**:  $c \vdash c'$  if one computation step can turn configuration  $c$  into configuration  $c'$
- ▶ **multiple computation steps**:  $c \vdash^* c'$  if 0 or more computation steps can turn configuration  $c$  into configuration  $c'$   
 $(c = c_0 \vdash c_1 \vdash c_2 \vdash \dots \vdash c_{n-1} \vdash c_n = c', n \geq 0)$

(Definition of  $\vdash$ , i.e., how a computation step changes the configuration, is not repeated here. ↵ Chapter B10)

## Computation of Functions?

### How can a DTM compute a function?

- ▶ “Input”  $x$  is the initial tape content.
- ▶ “Output”  $f(x)$  is the tape content (ignoring blanks at the right) when reaching the accept state.
- ▶ If the TM stops in the reject state or does not stop for the given input,  $f(x)$  is undefined for this input.

### Which kinds of functions can be computed this way?

- ▶ directly, only functions on **words**:  $f : \Sigma^* \rightarrow_p \Sigma^*$
- ▶ interpretation as functions on **numbers**  $f : \mathbb{N}_0^k \rightarrow_p \mathbb{N}_0$ : encode numbers as words

## Turing Machines: Computed Function

### Definition (Function Computed by a Turing Machine)

A DTM  $M = \langle Q, \Sigma, \Gamma, \delta, q_0, q_{\text{accept}}, q_{\text{reject}} \rangle$  **computes** the (partial) function  $f : \Sigma^* \rightarrow_p \Sigma^*$  for which for all  $x, y \in \Sigma^*$ :

$$f(x) = y \text{ iff } \langle \varepsilon, q_0, x \rangle \vdash^* \langle \varepsilon, q_{\text{accept}}, y \square \dots \square \rangle.$$

(special case: initial configuration  $\langle \varepsilon, q_0, \square \rangle$  if  $x = \varepsilon$ )

- ▶ What happens if the computation does not reach  $q_{\text{accept}}$ ?
- ▶ What happens if symbols from  $\Gamma \setminus \Sigma$  (e.g.,  $\square$ ) occur in  $y$ ?
- ▶ What happens if the read-write head is not at the first tape cell when accepting?
- ▶ Is  $f$  uniquely defined by this definition? Why?

## Turing-Computable Functions on Words

### Definition (Turing-Computable, $f : \Sigma^* \rightarrow_p \Sigma^*$ )

A (partial) function  $f : \Sigma^* \rightarrow_p \Sigma^*$  is called **Turing-computable** if a DTM that computes  $f$  exists.


## Example: Turing-Computable Functions on Words

### Example

Let  $\Sigma = \{a, b, \#\}$ .

The function  $f : \Sigma^* \rightarrow_p \Sigma^*$  with  $f(w) = w\#w$  for all  $w \in \Sigma^*$  is Turing-computable.

Idea:  $\rightsquigarrow$  blackboard



## Turing-Computable Numerical Functions

- ▶ We now transfer the concept to partial functions  
 $f : \mathbb{N}_0^k \rightarrow_p \mathbb{N}_0$ .
- ▶ Idea:
  - ▶ To represent a number as a word, we use its binary representation (= a word over  $\{0, 1\}$ ).
  - ▶ To represent tuples of numbers, we separate the binary representations with symbol #.
- ▶ For example:  $(5, 2, 3)$  becomes  $101\#10\#11$

## Turing-Computable Numerical Functions

### Definition (Turing-Computable, $f : \mathbb{N}_0^k \rightarrow_p \mathbb{N}_0$ )

A (partial) function  $f : \mathbb{N}_0^k \rightarrow_p \mathbb{N}_0$  is called **Turing-computable** if a DTM that computes  $f^{\text{code}}$  exists.

## Encoding Numbers as Words

### Definition (Encoded Function)

Let  $f : \mathbb{N}_0^k \rightarrow_p \mathbb{N}_0$  be a (partial) function.

The **encoded function**  $f^{\text{code}}$  of  $f$  is the partial function  $f^{\text{code}} : \Sigma^* \rightarrow_p \Sigma^*$  with  $\Sigma = \{0, 1, \#\}$  and  $f^{\text{code}}(w) = w'$  iff

- ▶ there are  $n_1, \dots, n_k, n' \in \mathbb{N}_0$  such that
- ▶  $f(n_1, \dots, n_k) = n'$ ,
- ▶  $w = \text{bin}(n_1)\#\dots\#\text{bin}(n_k)$  and
- ▶  $w' = \text{bin}(n')$ .

Here  $\text{bin} : \mathbb{N}_0 \rightarrow \{0, 1\}^*$  is the binary encoding (e.g.,  $\text{bin}(5) = 101$ ).

Example:  $f(5, 2, 3) = 4$  corresponds to  $f^{\text{code}}(101\#10\#11) = 100$ .

## Exercise

The addition of natural numbers  $+ : \mathbb{N}_0^2 \rightarrow \mathbb{N}_0$  is Turing-computable. You have a TM  $M$  that computes  $+^{\text{code}}$ .

You want to use  $M$  to compute the sum  $3 + 2$ .  
 What is your input to  $M$ ?

## Example: Turing-Computable Numerical Function

### Example

The following numerical functions are Turing-computable:

- ▶  $\text{succ} : \mathbb{N}_0 \rightarrow_p \mathbb{N}_0$  with  $\text{succ}(n) := n + 1$
- ▶  $\text{pred}_1 : \mathbb{N}_0 \rightarrow_p \mathbb{N}_0$  with  $\text{pred}_1(n) := \begin{cases} n - 1 & \text{if } n \geq 1 \\ 0 & \text{if } n = 0 \end{cases}$
- ▶  $\text{pred}_2 : \mathbb{N}_0 \rightarrow_p \mathbb{N}_0$  with  $\text{pred}_2(n) := \begin{cases} n - 1 & \text{if } n \geq 1 \\ \text{undefined} & \text{if } n = 0 \end{cases}$

How does incrementing and decrementing binary numbers work?

## Successor Function

The Turing machine for  $\text{succ}$  works as follows:

(Details of marking the first tape position omitted)

- ➊ Check that the input is a valid binary number:
  - ▶ If the input is not a single symbol 0 but starts with a 0, reject.
  - ▶ If the input contains symbol #, reject.
- ➋ Move the head onto the last symbol of the input.
- ➌ While you read a 1 and you are not at the first tape position, replace it with a 0 and move the head one step to the left.
- ➍ Depending on why the loop in stage 3 terminated:
  - ▶ If you read a 0, replace it with a 1, move the head to the left end of the tape and accept.
  - ▶ If you read a 1 at the first tape position, move every non-blank symbol on the tape one position to the right, write a 1 in the first tape position and accept.

## Predecessor Function

The Turing machine for  $\text{pred}_1$  works as follows:

(Details of marking the first tape position omitted)

- ➊ Check that the input is a valid binary number (as for  $\text{succ}$ ).
- ➋ If the (entire) input is 0 or 1, write a 0 and accept.
- ➌ Move the head onto the last symbol of the input.
- ➍ While you read symbol 0 replace it with 1 and move left.
- ➎ Replace the 1 with a 0.
- ➏ If you are on the first tape cell, eliminate the trailing 0 (moving all other non-blank symbols one position to the left).
- ➐ Move the head to the first position and accept.

What do you have to change to get a TM for  $\text{pred}_2$ ?

## More Turing-Computable Numerical Functions

### Example

The following numerical functions are Turing-computable:

- ▶  $\text{add} : \mathbb{N}_0^2 \rightarrow_p \mathbb{N}_0$  with  $\text{add}(n_1, n_2) := n_1 + n_2$
- ▶  $\text{sub} : \mathbb{N}_0^2 \rightarrow_p \mathbb{N}_0$  with  $\text{sub}(n_1, n_2) := \max\{n_1 - n_2, 0\}$
- ▶  $\text{mul} : \mathbb{N}_0^2 \rightarrow_p \mathbb{N}_0$  with  $\text{mul}(n_1, n_2) := n_1 \cdot n_2$
- ▶  $\text{div} : \mathbb{N}_0^2 \rightarrow_p \mathbb{N}_0$  with  $\text{div}(n_1, n_2) := \begin{cases} \left\lceil \frac{n_1}{n_2} \right\rceil & \text{if } n_2 \neq 0 \\ \text{undefined} & \text{if } n_2 = 0 \end{cases}$

~~ sketch?

## C3.2 Decidability vs. Computability

## Decidability as Computability

### Theorem

A language  $L \subseteq \Sigma^*$  is **decidable** iff  $\chi_L : \Sigma^* \rightarrow \{0, 1\}$ , the **characteristic function of  $L$** , is computable.

Here, for all  $w \in \Sigma^*$ :

$$\chi_L(w) := \begin{cases} 1 & \text{if } w \in L \\ 0 & \text{if } w \notin L \end{cases}$$

### Proof sketch.

“ $\Rightarrow$ ” Let  $M$  be a DTM for  $L$ . Construct a DTM  $M'$  that simulates  $M$  on the input. If  $M$  accepts,  $M'$  writes a 1 on the tape. If  $M$  rejects,  $M'$  writes a 0 on the tape. Afterwards  $M'$  accepts.

“ $\Leftarrow$ ” Let  $C$  be a DTM that computes  $\chi_L$ . Construct a DTM  $C'$  that simulates  $C$  on the input. If the output of  $C$  is 1 then  $C'$  accepts, otherwise it rejects.

## Turing-recognizable Languages and Computability

### Theorem

A language  $L \subseteq \Sigma^*$  is **Turing-recognizable** iff the following function  $\chi'_L : \Sigma^* \rightarrow_p \{0, 1\}$  is computable.

Here, for all  $w \in \Sigma^*$ :

$$\chi'_L(w) = \begin{cases} 1 & \text{if } w \in L \\ \text{undefined} & \text{if } w \notin L \end{cases}$$

### Proof sketch.

“ $\Rightarrow$ ” Let  $M$  be a DTM for  $L$ . Construct a DTM  $M'$  that simulates  $M$  on the input. If  $M$  accepts,  $M'$  writes a 1 on the tape and accepts. Otherwise it enters an infinite loop.

“ $\Leftarrow$ ” Let  $C$  be a DTM that computes  $\chi'_L$ . Construct a DTM  $C'$  that simulates  $C$  on the input. If  $C$  accepts with output 1 then  $C'$  accepts, otherwise it enters an infinite loop.

## C3.3 Summary

## Summary

- ▶ **Turing-computable function  $f : \Sigma^* \rightarrow_p \Sigma^*$ :**  
there is a DTM that transforms every input  $w \in \Sigma^*$  into the output  $f(w)$  (undefined if DTM does not stop or stops in invalid configuration)
- ▶ **Turing-computable function  $f : \mathbb{N}_0^k \rightarrow_p \mathbb{N}_0$ :**  
ditto; numbers encoded in binary and separated by #