

Algorithms and Data Structures

C3. Disjoint-set Data Structure/Union-Find


Gabriele Röger

University of Basel

May 8, 2024

Union-Find

Questions



Are the red vertices connected?

How many connected components does the graph have?

Connected Components as Disjoint Sets

Set of conn. components as collection of disjoint sets of objects.

- One set for all vertices of one connected component.
- Operations:
 - **Union:** Given two objects, merge the sets that contain them into one.
Introduce a new edge between the given vertices, connecting their connected components.
 - **Find:** Given an object, return a representative of the set that contains it.
Given a vertex, return a representative vertex for its connected component.
 - Must return the same representative for all objects in the set.
 - The representative may only change if set gets merged.
 - Two objects are in the same set (**two vertices are connected**) if **find** returns the same representative for them.
 - **Count:** Return the number of sets
Return the number of connected components.

Union-Find Data Type

```
1  class UnionFind:
2      # Initialization for n objects (with names 0, ..., n-1).
3      def __init__(n: int) -> None
4
5      # Merge the sets containing objects v and w.
6      def union(v: int, w: int) -> None
7
8      # Representative for set containing v.
9      # May change if set is merged by call of union,
10     # but not otherwise.
11     def find(v: int) -> int
12
13     # Number of sets.
14     def count() -> int
```

(Somewhat) Naive Algorithm: Quick-Find

- For n objects: Array **representative** of length n .
- Entry at position i is representative of the set containing i .

(Somewhat) Naive Algorithm: Quick-Find


- For n objects: Array **representative** of length n .
- Entry at position i is representative of the set containing i .
- Initially, every object is (alone) in its own set, and thus its representative.

(Somewhat) Naive Algorithm: Quick-Find

- For n objects: Array **representative** of length n .
- Entry at position i is representative of the set containing i .
- Initially, every object is (alone) in its own set, and thus its representative.
- Update the array in every call of `union`.

Quick-Find Data Structure

```
1 class QuickFind:
2     def __init__(self, no_nodes):
3         self.components = no_nodes
4         self.representative = list(range(no_nodes))
5
6     def count(self):
7         return self.components
8
9     def find(self, v):
10        return self.representative[v]
```

 [0, 1, ..., no_nodes-1]

Quick-Find Data Structure (Continued)

```

20     def union(self, v, w):
21         repr_v = self.find(v)
22         repr_w = self.find(w)
23         if repr_v == repr_w:  # already in same component
24             return
25         # replace all occurrences of repr_v in
26         # self.representative with repr_w
27         for i in range(len(self.representative)):
28             if self.representative[i] == repr_v:
29                 self.representative[i] = repr_w
30         self.components -= 1  # we merged two components

```

Running time?

- Cost model = number of array accesses
- one access for every call of find
- between and accesses
for every call of union that merges two components

Quick-Find Data Structure (Continued)

```
20     def union(self, v, w):
21         repr_v = self.find(v)
22         repr_w = self.find(w)
23         if repr_v == repr_w:  # already in same component
24             return
25         # replace all occurrences of repr_v in
26         # self.representative with repr_w
27         for i in range(len(self.representative)):
28             if self.representative[i] == repr_v:
29                 self.representative[i] = repr_w
30         self.components -= 1  # we merged two components
```


Running time?

- Cost model = number of array accesses
- one access for every call of `find`
- between $n + 3$ and $2n + 1$ accesses
for every call of `union` that merges two components

Better: Quick-Union aka Disjoint-set Forest

- (implicit) tree for representing each set
- represented as array with parent nodes as entries
(root: reference to itself)


0	1	2	3	4	5	6	7	8
3	5	0	3	6	5	3	6	5



Better: Quick-Union aka Disjoint-set Forest

- (implicit) tree for representing each set
- represented as array with parent nodes as entries
(root: reference to itself)

0	1	2	3	4	5	6	7	8
3	5	0	3	6	5	3	6	5



- Root node serves as representative of the set.

Quick-Union Data Structure

```
1 class QuickUnion:
2     def __init__(self, no_nodes):
3         self.parent = list(range(no_nodes))
4         self.components = no_nodes
5
6     def find(self, v):
7         while self.parent[v] != v:
8             v = self.parent[v]
9         return v
10
11    def union(self, v, w):
12        repr_v = self.find(v)
13        repr_w = self.find(w)
14        if repr_v == repr_w: # already in same component
15            return
16        self.parent[repr_v] = repr_w
17        self.components -= 1
18
19    # count as in QuickFind
```

First Improvement

- **Problem with Quick-Union:** Trees can degenerate into chains.
→ `find` requires linear time in the size of the set.
- **Idea:** In `union` the root of the tree with **lower height** becomes a child of the root of the higher tree.

Ranked Quick-Union Algorithm

```
1 class RankedQuickUnion:
2     def __init__(self, no_nodes):
3         self.parent = list(range(no_nodes))
4         self.components = no_nodes
5         self.rank = [0] * no_nodes # [0, ..., 0]
6
7     def union(self, v, w):
8         repr_v = self.find(v)
9         repr_w = self.find(w)
10        if repr_v == repr_w:
11            return
12        if self.rank[repr_w] < self.rank[repr_v]:
13            self.parent[repr_w] = repr_v
14        else:
15            self.parent[repr_v] = repr_w
16            if self.rank[repr_v] == self.rank[repr_w]:
17                self.rank[repr_w] += 1
18        self.components -= 1
19
20    # connected, count and find as in QuickUnion
```

Second Improvement

Path Compression

- **Idea:** During **find**, reconnect all traversed nodes to the root.
- We do not update the height of the tree during path compression.
 - Value of **rank** can deviate from the actual height.
 - That's why it is called **rank** and not height.

Ranked Quick-Union Algorithm with Path Compression

```
1 class RankedQuickUnionWithPathCompression:
2     def __init__(self, no_nodes):
3         self.parent = list(range(no_nodes))
4         self.components = no_nodes
5         self.rank = [0] * no_nodes # [0, ..., 0]
6
7     def find(self, v):
8         if self.parent[v] == v:
9             return v
10        root = self.find(self.parent[v])
11        self.parent[v] = root
12        return root
13
14    # connected, count and union as in RankedQuickUnion
```

Discussion

- With all improvements, we achieve **almost constant amortized cost** for all operations.

Discussion

- With all improvements, we achieve **almost constant amortized cost** for all operations.
- **More precisely:** [Tarjan 1975]
 - m calls of `find` for n objects (and at most $n - 1$ calls of `union`, merging two components)
 - $O(m\alpha(m, n))$ array accesses
 - α is inverse of a variant of the **Ackermann function**
 - In practise is $\alpha(m, n) \leq 3$.

Discussion

- With all improvements, we achieve **almost constant amortized cost** for all operations.
- **More precisely:** [Tarjan 1975]
 - m calls of `find` for n objects (and at most $n - 1$ calls of `union`, merging two components)
 - $O(m\alpha(m, n))$ array accesses
 - α is inverse of a variant of the **Ackermann function**
 - In practise is $\alpha(m, n) \leq 3$.
- **Nevertheless:** there cannot be a union-find structure that guarantees linear running time.
(under cell-probe model, only accounting for memory access)

Comparison to Exploration-based Approach


- Chapter C2: Algorithm `ConnectedComponents`, based on `graph exploration`.
- After the precomputation, queries only require constant time.
- In practise, disjoint-set forests are often faster, because for many applications, we do not have to build up the full tree.
- If the graph has already been built up, graph exploration can be better.
- Another advantage of union find:
 - `Online` approach
 - We can easily introduce further edges.

Connected Components and Equivalence Classes

Reminder: Connected Components

Undirected graph

- Two vertices u and v are in the same **connected component** if there is a path between u and v (= vertices u and v are **connected**).



Connected Components: Properties

- The connected components define a **partition** of the vertices:
 - Every vertex is in a connected component.
 - No vertex is in more than one connected component.
- „is connected with“ is an **equivalence relation**.
 - **reflexive**: Every vertex is connected with itself.
 - **symmetric**: If u is connected with v , then v is connected with u .
 - **transitive**: If u is connected with v , and v with w , then u is connected with w .

Partition in General

Definition (Partition)

A **partition** of a finite set M is a set P of non-empty subsets of M , such that

- every element of M is in some set in P :

$$\bigcup_{S \in P} S = M, \text{ and}$$

- that sets in P are pairwise disjoint:

$$S \cap S' = \emptyset \text{ for } S, S' \in P \text{ with } S \neq S'.$$

The sets in P are called **blocks**.

$$M = \{e_1, \dots, e_5\}$$

- $P_1 = \{\{e_1, e_4\}, \{e_3\}, \{e_2, e_5\}\}$
- $P_2 = \{\{e_1, e_4, e_5\}, \{e_3\}\}$
- $P_3 = \{\{e_1, e_4, e_5\}, \{e_3\}, \{e_2, e_5\}\}$
- $P_4 = \{\{e_1\}, \{e_2\}, \{e_3\}, \{e_4\}, \{e_5\}\}$

Partition in General

Definition (Partition)

A **partition** of a finite set M is a set P of non-empty subsets of M , such that

- every element of M is in some set in P :
 $\bigcup_{S \in P} S = M$, and
- that sets in P are pairwise disjoint:
 $S \cap S' = \emptyset$ for $S, S' \in P$ with $S \neq S'$.

The sets in P are called **blocks**.

$$M = \{e_1, \dots, e_5\}$$

- $P_1 = \{\{e_1, e_4\}, \{e_3\}, \{e_2, e_5\}\}$ is a partition of M .
- $P_2 = \{\{e_1, e_4, e_5\}, \{e_3\}\}$
- $P_3 = \{\{e_1, e_4, e_5\}, \{e_3\}, \{e_2, e_5\}\}$
- $P_4 = \{\{e_1\}, \{e_2\}, \{e_3\}, \{e_4\}, \{e_5\}\}$

Partition in General

Definition (Partition)

A **partition** of a finite set M is a set P of non-empty subsets of M , such that

- every element of M is in some set in P :

$$\bigcup_{S \in P} S = M, \text{ and}$$

- that sets in P are pairwise disjoint:

$$S \cap S' = \emptyset \text{ for } S, S' \in P \text{ with } S \neq S'.$$

The sets in P are called **blocks**.

$$M = \{e_1, \dots, e_5\}$$

- $P_1 = \{\{e_1, e_4\}, \{e_3\}, \{e_2, e_5\}\}$ is a partition of M .
- $P_2 = \{\{e_1, e_4, e_5\}, \{e_3\}\}$ is not a partition of M .
- $P_3 = \{\{e_1, e_4, e_5\}, \{e_3\}, \{e_2, e_5\}\}$
- $P_4 = \{\{e_1\}, \{e_2\}, \{e_3\}, \{e_4\}, \{e_5\}\}$

Partition in General

Definition (Partition)

A **partition** of a finite set M is a set P of non-empty subsets of M , such that

- every element of M is in some set in P :
 $\bigcup_{S \in P} S = M$, and
- that sets in P are pairwise disjoint:
 $S \cap S' = \emptyset$ for $S, S' \in P$ with $S \neq S'$.

The sets in P are called **blocks**.

$$M = \{e_1, \dots, e_5\}$$

- $P_1 = \{\{e_1, e_4\}, \{e_3\}, \{e_2, e_5\}\}$ is a partition of M .
- $P_2 = \{\{e_1, e_4, e_5\}, \{e_3\}\}$ is not a partition of M .
- $P_3 = \{\{e_1, e_4, e_5\}, \{e_3\}, \{e_2, e_5\}\}$ is not a partition of M .
- $P_4 = \{\{e_1\}, \{e_2\}, \{e_3\}, \{e_4\}, \{e_5\}\}$

Partition in General

Definition (Partition)

A **partition** of a finite set M is a set P of non-empty subsets of M , such that

- every element of M is in some set in P :

$$\bigcup_{S \in P} S = M, \text{ and}$$

- that sets in P are pairwise disjoint:

$$S \cap S' = \emptyset \text{ for } S, S' \in P \text{ with } S \neq S'.$$

The sets in P are called **blocks**.

$$M = \{e_1, \dots, e_5\}$$

- $P_1 = \{\{e_1, e_4\}, \{e_3\}, \{e_2, e_5\}\}$ is a partition of M .
- $P_2 = \{\{e_1, e_4, e_5\}, \{e_3\}\}$ is not a partition of M .
- $P_3 = \{\{e_1, e_4, e_5\}, \{e_3\}, \{e_2, e_5\}\}$ is not a partition of M .
- $P_4 = \{\{e_1\}, \{e_2\}, \{e_3\}, \{e_4\}, \{e_5\}\}$ is a partition of M .

Equivalence Relations in General

Definition (Equivalence Relation)

An **equivalence relation** over set M is a **symmetric, transitive and reflexive** relation $R \subseteq M \times M$.

We write $a \sim b$ for $(a, b) \in R$ and say that **a is equivalent to b** .

- **symmetric:** $a \sim b$ implies $b \sim a$
- **transitive:** $a \sim b$ and $b \sim c$ implies $a \sim c$
- **reflexive:** for all $e \in M$: $e \sim e$

Equivalence Classes

Definition (Equivalence Classes)

Let R be an equivalence relation over M .

The **equivalence class** of $a \in M$ is the set

$$[a] = \{b \in M \mid a \sim b\}.$$

Equivalence Classes

Definition (Equivalence Classes)

Let R be an equivalence relation over M .

The **equivalence class** of $a \in M$ is the set

$$[a] = \{b \in M \mid a \sim b\}.$$

- The set of all equivalence classes is a partition of M .

Equivalence Classes

Definition (Equivalence Classes)

Let R be an equivalence relation over M .

The **equivalence class** of $a \in M$ is the set

$$[a] = \{b \in M \mid a \sim b\}.$$

- The set of all equivalence classes is a partition of M .
- *Vice versa*:
For partition P define $R = \{(x, y) \mid \exists B \in P : x, y \in B\}$
(i.e. $x \sim y$ if and only if x and y are in the same block).
Then R is an equivalence relation.

Equivalence Classes

Definition (Equivalence Classes)

Let R be an equivalence relation over M .

The **equivalence class** of $a \in M$ is the set

$$[a] = \{b \in M \mid a \sim b\}.$$

- The set of all equivalence classes is a partition of M .
- *Vice versa*:
For partition P define $R = \{(x, y) \mid \exists B \in P : x, y \in B\}$
(i.e. $x \sim y$ if and only if x and y are in the same block).
Then R is an equivalence relation.
- We can consider blocks in partitions as equivalence classes and vice versa.

Union-Find and Equivalences

- **Given:** finite set M ,
sequence s of equivalences $a \sim b$ over M

Union-Find and Equivalences

- **Given:** finite set M ,
sequence s of equivalences $a \sim b$ over M
- Consider equivalences as edges in a graph with set M of vertices.

Union-Find and Equivalences

- **Given:** finite set M ,
sequence s of equivalences $a \sim b$ over M
- Consider equivalences as edges in a graph with set M of vertices.
- The connected components correspond to the equivalence classes of the **finest equivalence relation** that considers all equivalences from s .
 - no “unnecessary” equivalences.

Union-Find and Equivalences

- **Given:** finite set M ,
sequence s of equivalences $a \sim b$ over M
- Consider equivalences as edges in a graph with set M of vertices.
- The connected components correspond to the equivalence classes of the **finest equivalence relation** that considers all equivalences from s .
 - no “unnecessary” equivalences.

Can use **union-find data structures** to **determine equivalence classes**.

Summary

Summary

- A **union-find** data structure maintains a collection of **disjoint sets**.
 - **union**: merge two sets.
 - **find**: identify the set containing an object and return its representative.
- Good implementation: **Disjoint-set forest** with improvements to keep the height of the trees low:
 - Union adjoins the shorter tree to the taller tree.
 - Find reconnects traversed nodes to the root (**path compression**).
- Applications:
 - Connected components
 - Finest equivalence relation