Foundations of Artificial Intelligence

A3. Introduction: AI Past and Present

Malte Helmert

University of Basel

February 28, 2024

Introduction: Overview

Chapter overview: introduction

- A1. Organizational Matters
- A2. What is Artificial Intelligence?
- A3. AI Past and Present
- A4. Rational Agents
- A5. Environments and Problem Solving Methods

A Short History of AI

Precursors (Until ca. 1943)

| 1950 | 1960 | 1970 | 1980 | 1990 | 2000 | ... |

Philosophy and mathematics ask similar questions
that influence AI.

- Aristotle (384–322 BC)
- Leibniz (1646–1716)
- Hilbert program (1920s)

Gestation (1943–1956)

| 1950 | 1960 | 1970 | 1980 | 1990 | 2000 | ... |

Invention of electrical computers raised question:
Can computers mimic the human mind?

Gestation (1943–1956)

Artificial
Neurons

**1950**   **1960**   **1970**   **1980**   **1990**   **2000**   **...**

W. McCulloch & W. Pitts (1943)
- first computational model of artificial neuron
- network of neurons can compute any computable function
- basis of deep learning

Gestation (1943–1956)

Artificial
Neurons

VOL. LIX. No. 236.]   [October, 1950

MIND

A QUARTERLY REVIEW

OF

PSYCHOLOGY AND PHILOSOPHY

I.—COMPUTING MACHINERY AND
INTELLIGENCE

BY A. M. TURING

1950   1960   1970   1980   1990   2000   ...

Turing Test

Computing Machinery and Intelligence (A. Turing, 1950)

- famous for introducing Turing test
- (still) relevant discussion of AI potential and requirements
- suggests core AI aspects: knowledge representation, reasoning, language understanding, learning

Gestation (1943–1956)

Artificial
Neurons

Dartmouth

John MacCarthy   Marvin Minsky   Claude Shannon   Ray Solomonoff   Alan Newell

Herbert Simon   Arthur Samuel   Oliver Selfridge   Nathaniel Rochester   Trenchard More

1950 **1960** **1970** **1980** **1990** **2000** **...**

Turing Test

Dartmouth workshop (1956)

- ambitious proposal: "An attempt will be made to find how to make machines use language, [...] solve kinds of problems now reserved for humans, and improve themselves."
- no important breakthrough
- J. McCarthy coins term artificial intelligence

Early Enthusiasm (1952–1969)

Artificial
Neurons

Dartmouth

| 1950 | 1960 | 1970 | 1980 | 1990 | 2000 | ... |

Turing Test

early enthusiasm (H. Simon, 1957):
"[...] there are now in the world machines that think, that learn and that create. Moreover, their ability to do these things is going to increase rapidly until – in the visible future – the range of problems they can handle will be coextensive with the range to which the human mind has been applied."

Early Enthusiasm (1952–1969)

Artificial
Neurons

Dartmouth

**1950** **1960** **1970** **1980** **1990** **2000** **...**

GPS

Turing Test

General Problem Solver (H. Simon & A. Newell, 1957)

- universal problem solving machine
- imitates human problem solving strategies
- in principle able to solve every formalized symbolic problem
- in practice, GPS solves simple tasks like towers of Hanoi

Early Enthusiasm (1952–1969)

Artificial
Neurons

RL for
Checkers

Dartmouth

1950   **1960**   **1970**   **1980**   **1990**   **2000**   **...**

GPS

Turing Test

> Checkers AI (A. Samuel, 1959)
>
> - popularized term machine learning
> - learned to play at strong amateur level
> - uses ideas of reinforcement learning

Early Enthusiasm (1952–1969)

Artificial
Neurons

RL for
Checkers

Dartmouth

PICK UP A BIG RED BLOCK.

OK.

1950   **1960**   **1970**   **1980**   **1990**   **2000**   **...**

GPS

Microworlds

Turing Test

intelligence in microworlds, e.g. SHRDLU (T. Winograd, 1968)

- understands natural language
- communicates with user via teletype on blocks world
- graphical representation

⤳ https://hci.stanford.edu/winograd/shrdlu/

Early Enthusiasm (1952–1969)

Artificial
Neurons

RL for
Checkers

Dartmouth

1950   **1960**   **1970**   **1980**   **1990**   **2000**   **...**

GPS

Turing Test

A Dose of Reality (1966–1973)

Artificial
Neurons

RL for
Checkers

Dartmouth

Limitations

1950   1960   1970   1980   1990   2000   ...

GPS

Turing Test

Microworlds

- realization that unlimited computational power is illusion (birth of complexity theory, NP-completeness)
- AI systems (e.g., GPS, systems for micro worlds) fail to scale
- fundamental limitations on basic structures e.g., XOR problem of perceptrons

Expert Systems (1969–1986)

Artificial
Neurons

RL for
Checkers

Dartmouth

Limitations

DISTRIBUTE-MB-DEVICES-3

IF: the most current active context is distributing massbus devices
&   there is a single port disk drive that has not been assigned to a massbus
&   there are no unassigned dual port disk drives
&   the number of devices that each massbus should support is known
&   there is a massbus that has been assigned at least one disk drive and that should support additional
       disk drives
&   the type of cable needed to connect the disk drive to the previous device on the disk drive is known

THEN: assign the disk drive to the massbus

1950   **1960**   **1970**   **1980**   **1990**   **2000**   **...**

GPS

Expert
Systems

Microworlds

Turing Test

1980s: AI gold rush

- rule-based expert systems commercially successful
- (human) expert knowledge as input
- allows automatic reasoning on larger problems in narrower applications
- also: second heyday of neural networks

Expert Systems (1969–1986)

Artificial
Neurons

RL for
Checkers

Dartmouth

Limitations

DISTRIBUTE-MB-DEVICES-3

IF: the most current active context is distributing massbus devices
& there is a single port disk drive that has not been assigned to a massbus
& there are no unassigned dual port disk drives
& the number of devices that each massbus should support is known
& there is a massbus that has been assigned at least one disk drive and that should support additional disk drives
& the type of cable needed to connect the disk drive to the previous device on the disk drive is known

THEN: assign the disk drive to the massbus

| 1950 | 1960 | 1970 | 1980 | 1990 | 2000 | ... |

GPS

Microworlds

Expert
Systems

Turing Test

example: R1/XCON (J. McDermott, 1978)

- input: desired properties of a VAX computer system according to customer specifications
- output: specification of the computer system
- inference engine: simple forward chaining of rules

Expert Systems (1969–1986)

Artificial
Neurons

RL for
Checkers

Dartmouth

Limitations

DISTRIBUTE-MB-DEVICES-3

IF: the most current active context is distributing massbus devices
&   there is a single port disk drive that has not been assigned to a massbus
&   there are no unassigned dual port disk drives
&   the number of devices that each massbus should support is known
&   there is a massbus that has been assigned at least one disk drive and that should support additional
       disk drives
&   the type of cable needed to connect the disk drive to the previous device on the disk drive is known

THEN: assign the disk drive to the massbus

1950   1960   1970   1980   1990   2000   ...

GPS

Microworlds

Expert
Systems

AI Winter

Turing Test

end of 1980s: AI Winter

- **companies** failed to deliver promises
- expert systems difficult to maintain
- expert systems susceptible to uncertainty

Coming of Age (1990s and 2000s)

Artificial
Neurons

RL for
Checkers

· · ·

Dartmouth

· · ·

Limitations

· · ·

· · ·

· · ·

· · ·

· · ·

1950   **1960**   **1970**   **1980**   **1990**   **2000**   **...**

GPS

Expert
Systems

Microworlds

AI Winter

Turing Test

- advent of probabilistic methods
- formalization of AI techniques
- better understanding of theoretical complexity
- increased use of mathematical methods
- exploitation of large data sets (big data)

Broad Visibility in Society (Since 2010s)

Artificial Neurons

RL for Checkers

Dartmouth

Limitations

1950   **1960**   **1970**   **1980**   **1990**   **2000**   **...**

GPS

Microworlds

Expert Systems

AI Winter

Turing Test

well known systems and famous breakthroughs, e.g.,

- broadly used systems (e.g., virtual assistants)
- AI systems act in real-world (e.g., self-driving cars)
- systems outperform humans in hard tasks (e.g., AlphaGo)
- AI and human-written text hard to distinguish (ChatGPT)

Where are We Today?

AI Approaching Maturity

Russell & Norvig (1995)

Gentle revolutions have occurred in robotics, computer vision, machine learning, and knowledge representation.
A better understanding of the problems and their complexity properties, combined with increased mathematical sophistication, has led to workable research agendas and robust methods.

Where are We Today?

- many coexisting paradigms
  - reactive vs. deliberative
  - data-driven vs. model-driven
  - often hybrid approaches
- many methods, often borrowing from other research areas
  - logic, decision theory, statistics, . . .
- different approaches
  - theoretical
  - algorithmic/experimental
  - application-oriented

Focus on Algorithms and Experiments

Many AI problems are inherently difficult (NP-hard),
but strong search techniques and heuristics often solve
large problem instances regardless:

- satisfiability in propositional logic
  - 10,000 propositional variables or more
    via conflict-directed clause learning
- constraint solvers
  - good scalability via constraint propagation
    and automatic exploitation of problem structure
- action planning
  - 10^{100} search states and more by search
    using automatically inferred heuristics

What Can AI Do Today?

https://kahoot.it/

What Can AI Do Today? – Videos, Articles and AIs

What Can AI Do Today?

results of our classroom poll:

- ✓ successfully complete an off-road car race
- ✓ beat a world champion table tennis player
- ✓ play guitar in a robot band
- ✓ do and fold the laundry
- ✗ drive safely in downtown Basel
- ✗ win a football match against a human team
- ✓ dance synchronously in a group of robots
- ✓ write code on the level of a CS student
- ✓ beat a world champion Chess, Go or Poker player
- ✓ create inspiring quotes
- ✓ compose music
- ✓ engage in a scientific conversation

Summary

Summary

- 1950s/1960s: beginnings of AI; early enthusiasm
- 1970s: micro worlds and knowledge-based systems
- 1980s: gold rush of expert systems followed by "AI winter"
- 1990s/2000s: AI comes of age; research becomes more rigorous and mathematical; mature methods
- 2010s: AI systems enter mainstream