

Foundations of Artificial Intelligence

C2. Combinatorial Optimization: Advanced Techniques

Malte Helmert

University of Basel

April 3, 2024

Foundations of Artificial Intelligence

April 3, 2024 — C2. Combinatorial Optimization: Advanced Techniques

C2.1 Dealing with Local Optima

C2.2 Outlook: Simulated Annealing

C2.3 Outlook: Genetic Algorithms

C2.4 Summary

Combinatorial Optimization: Overview

Chapter overview: combinatorial optimization


- ▶ C1. Introduction and Hill-Climbing
- ▶ C2. **Advanced Techniques**

C2.1 Dealing with Local Optima

Example: Local Minimum in the 8 Queens Problem

local minimum:

- ▶ candidate has 1 conflict
- ▶ all neighbors have at least 2



Weaknesses of Local Search Algorithms

difficult situations for hill climbing:

- ▶ **local optima**: all neighbors worse than current candidate
- ▶ **plateaus**: many neighbors equally good as current candidate; none better

German: lokale Optima, Plateaus

consequence:

- ▶ algorithm gets stuck at current candidate

Combating Local Optima

possible remedies to combat local optima:

- ▶ allow **stagnation** (steps without improvement)
- ▶ include **random aspects** in the **search neighborhood**
- ▶ (sometimes) make **random** steps
- ▶ **breadth-first search** to better candidate
- ▶ **restarts** (with new random initial candidate)

Allowing Stagnation

allowing stagnation:

- ▶ do not terminate when no neighbor is an improvement
- ▶ limit number of steps to guarantee termination
- ▶ at end, return best visited candidate
 - ▶ pure search problems: terminate as soon as solution found




Example 8 queens problem:

- ▶ with a bound of 100 steps solution found in 96% of the cases
- ▶ on average 22 steps until solution found
- ↪ works very well for this problem;
for more difficult problems often not good enough

Random Aspects in the Search Neighborhood

a possible variation of hill climbing for 8 queens:

Randomly select a file; move queen in this file to square with minimal number of conflicts (null move possible).



↪ Good local search approaches often combine
randomness (exploration) with **heuristic guidance** (exploitation).

German: Exploration, Exploitation

C2.2 Outlook: Simulated Annealing

Simulated Annealing

Simulated annealing is a local search algorithm that systematically injects **noise**, beginning with high noise, then lowering it over time.

- ▶ walk with fixed number of steps N (variations possible)
- ▶ initially it is “hot”, and the walk is mostly random
- ▶ over time temperature drops (controlled by a **schedule**)
- ▶ as it gets colder, moves to worse neighbors become less likely

very successful in some applications, e.g., VLSI layout

German: simulierte Abkühlung, Rauschen

Simulated Annealing: Pseudo-Code

Simulated Annealing (for Maximization Problems)

curr := a random candidate

best := **none**

for each $t \in \{1, \dots, N\}$:

if `is_solution`(*curr*) **and** (**best is none or** $v(\text{curr}) > v(\text{best})$):

best := *curr*

T := `schedule`(*t*)

next := a random neighbor of *curr*

$\Delta E := h(\text{next}) - h(\text{curr})$

if $\Delta E \geq 0$ **or** with probability $e^{\frac{\Delta E}{T}}$:

curr := *next*

return *best*

C2.3 Outlook: Genetic Algorithms

Genetic Algorithms

Evolution often finds good solutions.

idea: simulate evolution by **selection**, **crossover** and **mutation** of individuals

ingredients:

- ▶ encode each candidate as a string of symbols (**genome**)
- ▶ **fitness function:** evaluates strength of candidates (= heuristic)
- ▶ **population** of k (e.g. 10–1000) **individuals** (candidates)


German: Evolution, Selektion, Kreuzung, Mutation, Genom, Fitnessfunktion, Population, Individuen

Genetic Algorithm: Example

example 8 queens problem:

- ▶ **genome**: encode candidate as string of 8 numbers
- ▶ **fitness**: number of non-attacking queen pairs
- ▶ use population of 100 candidates

Selection, Mutation and Crossover



many variants:

How to select?

How to perform crossover?

How to mutate?

select according to fitness function,
followed by pairing

determine crossover points,
then recombine

mutation: randomly modify
each string position with
a certain probability

C2.4 Summary

Summary

- ▶ weakness of local search: **local optima** and **plateaus**
- ▶ remedy: balance **exploration** against **exploitation** (e.g., with **randomness** and **restarts**)
- ▶ **simulated annealing** and **genetic algorithms** are more complex search algorithms using the typical ideas of local search (randomization, keeping promising candidates)