

Foundations of Artificial Intelligence

E3. Propositional Logic: Reasoning and Resolution

Malte Helmert

University of Basel

April 22, 2024

Propositional Logic: Overview

Chapter overview: propositional logic

- E1. Syntax and Semantics
- E2. Equivalence and Normal Forms
- E3. Reasoning and Resolution
- E4. DPLL Algorithm
- E5. Local Search and Outlook

Reasoning

Reasoning: Intuition

Reasoning: Intuition

- Generally, formulas only represent an incomplete description of the world.
- In many cases, we want to know if a formula **logically follows** from (a set of) other formulas.
- What does this mean?

Reasoning: Intuition

- **example:** $\varphi = (P \vee Q) \wedge (R \vee \neg P) \wedge S$
- S holds in every model of φ .
What about P , Q and R ?

↪ consider all models of φ :

- $I_1 = \{P \mapsto \mathbf{F}, Q \mapsto \mathbf{T}, R \mapsto \mathbf{F}, S \mapsto \mathbf{T}\}$
- $I_2 = \{P \mapsto \mathbf{F}, Q \mapsto \mathbf{T}, R \mapsto \mathbf{T}, S \mapsto \mathbf{T}\}$
- $I_3 = \{P \mapsto \mathbf{T}, Q \mapsto \mathbf{F}, R \mapsto \mathbf{T}, S \mapsto \mathbf{T}\}$
- $I_4 = \{P \mapsto \mathbf{T}, Q \mapsto \mathbf{T}, R \mapsto \mathbf{T}, S \mapsto \mathbf{T}\}$

Observation

- In all models of φ , the formula $Q \vee R$ holds as well.
- We say: “ $Q \vee R$ **logically follows** from φ .”

Reasoning: Formally

Definition (logical consequence)

Let Φ be a set of formulas. A formula ψ **logically follows** from Φ (in symbols: $\Phi \models \psi$) if all models of Φ are also models of ψ .

German: logische Konsequenz, folgt logisch

In other words: for each interpretation I ,
if $I \models \varphi$ for all $\varphi \in \Phi$, then also $I \models \psi$.

Question

How can we automatically compute if $\Phi \models \psi$?

- One possibility: Build a truth table. (How?)
- Are there “better” possibilities that (potentially) avoid generating the whole truth table?

Reasoning: Deduction Theorem

Proposition (deduction theorem)

Let Φ be a finite set of formulas and let ψ be a formula. Then

$$\Phi \models \psi \quad \text{iff} \quad \left(\bigwedge_{\varphi \in \Phi} \varphi \right) \rightarrow \psi \text{ is a tautology.}$$

German: Deduktionsatz

Reasoning: Deduction Theorem

Proposition (deduction theorem)

Let Φ be a finite set of formulas and let ψ be a formula. Then

$$\Phi \models \psi \quad \text{iff} \quad \left(\bigwedge_{\varphi \in \Phi} \varphi \right) \rightarrow \psi \text{ is a tautology.}$$

German: Deduktionsatz

Proof.

$$\Phi \models \psi$$

iff for each interpretation I : if $I \models \varphi$ for all $\varphi \in \Phi$, then $I \models \psi$

iff for each interpretation I : if $I \models \bigwedge_{\varphi \in \Phi} \varphi$, then $I \models \psi$

iff for each interpretation I : $I \not\models \bigwedge_{\varphi \in \Phi} \varphi$ or $I \models \psi$

iff for each interpretation I : $I \models \left(\bigwedge_{\varphi \in \Phi} \varphi \right) \rightarrow \psi$

iff $\left(\bigwedge_{\varphi \in \Phi} \varphi \right) \rightarrow \psi$ is tautology



Reasoning by Unsatisfiability Testing

Consequence of Deduction Theorem

Reasoning can be reduced to testing unsatisfiability.

Question: Does $\Phi \models \psi$ hold?

Idea:

- Let $\chi = (\bigwedge_{\varphi \in \Phi} \varphi) \rightarrow \psi$.
- We know that $\Phi \models \psi$ iff χ is a tautology.
- A formula is a tautology iff its negation is unsatisfiable.
- Hence, $\Phi \models \psi$ iff $\neg\chi$ is unsatisfiable.
- Use equivalences:
$$\begin{aligned}\neg\chi &= \neg((\bigwedge_{\varphi \in \Phi} \varphi) \rightarrow \psi) \equiv \neg(\neg(\bigwedge_{\varphi \in \Phi} \varphi) \vee \psi) \\ &\equiv (\neg\neg(\bigwedge_{\varphi \in \Phi} \varphi) \wedge \neg\psi) \equiv \bigwedge_{\varphi \in \Phi} \varphi \wedge \neg\psi\end{aligned}$$
- We have that $\Phi \models \psi$ iff $\bigwedge_{\varphi \in \Phi} \varphi \wedge \neg\psi$ is unsatisfiable.

Algorithm for Reasoning

Question: Does $\Phi \models \psi$ hold?

Algorithm (given an algorithm for testing unsatisfiability):

- 1 Let $\eta = \bigwedge_{\varphi \in \Phi} \varphi \wedge \neg \psi$.
- 2 Test if η is unsatisfiable.
- 3 If yes, return " $\Phi \models \psi$ ".
- 4 Otherwise, return " $\Phi \not\models \psi$ ".

In the following: Can we test unsatisfiability in a more efficient way than by computing the whole truth table?

Resolution

Sets of Clauses

for the rest of this chapter:

- prerequisite: formulas in conjunctive normal form
- clause represented as a set C of literals
- formula represented as a set Δ of clauses

Example

Let $\varphi = (P \vee Q) \wedge \neg P$.

- φ in conjunctive normal form
- φ consists of clauses $(P \vee Q)$ and $\neg P$
- representation of φ as set of sets of literals: $\{\{P, Q\}, \{\neg P\}\}$

Sets of Clauses (Corner Cases)

Distinguish \perp (empty clause = empty set of literals)
vs. \emptyset (empty set of clauses).

- $C = \perp (= \emptyset)$ represents a **disjunction over zero literals**:

$$\bigvee_{L \in \emptyset} L = \perp$$

- $\Delta_1 = \{\perp\}$ represents a **conjunction over one clause**:

$$\bigwedge_{\varphi \in \{\perp\}} \varphi = \perp$$

- $\Delta_2 = \emptyset$ represents a **conjunction over zero clauses**:

$$\bigwedge_{\varphi \in \emptyset} \varphi = \top$$

Resolution: Idea

Resolution

- method to test CNF formula φ for unsatisfiability
- **idea:** derive new clauses from φ that logically follow from φ
- if empty clause \perp can be derived $\rightsquigarrow \varphi$ unsatisfiable

German: Resolution

The Resolution Rule

$$\frac{C_1 \cup \{l\}, C_2 \cup \{\bar{l}\}}{C_1 \cup C_2}$$

- “From $C_1 \cup \{l\}$ and $C_2 \cup \{\bar{l}\}$, we can conclude $C_1 \cup C_2$.”
- $C_1 \cup C_2$ is **resolvent** of **parent clauses** $C_1 \cup \{l\}$ and $C_2 \cup \{\bar{l}\}$.
- The literals l and \bar{l} are called **resolution literals**, the corresponding proposition is called **resolution variable**.
- resolvent follows logically from parent clauses (**Why?**)

German: Resolutionsregel, Resolvent, Elternklauseln, Resolutionslitterale, Resolutionsvariable

Example

- resolvent of $\{A, B, \neg C\}$ and $\{A, D, C\}$?
- resolvents of $\{\neg A, B, \neg C\}$ and $\{A, D, C\}$?

Resolution: Derivations

Definition (derivation)

Notation: $R(\Delta) = \Delta \cup \{C \mid C \text{ is resolvent of two clauses in } \Delta\}$

A clause D can be **derived** from Δ (in symbols $\Delta \vdash D$) if there is a sequence of clauses $C_1, \dots, C_n = D$ such that for all $i \in \{1, \dots, n\}$ we have $C_i \in R(\Delta \cup \{C_1, \dots, C_{i-1}\})$.

German: Ableitung, abgeleitet

Lemma (soundness of resolution)

If $\Delta \vdash D$, then $\Delta \models D$.

Does the converse direction hold as well (**completeness**)?

German: Korrektheit, Vollständigkeit

Resolution: Completeness?

The converse of the lemma does not hold in general.

example:

- $\{\{A, B\}, \{\neg B, C\}\} \models \{A, B, C\}$, but
- $\{\{A, B\}, \{\neg B, C\}\} \not\models \{A, B, C\}$

but: converse holds for special case of empty clause \perp (no proof)

Theorem (refutation-completeness of resolution)

Δ is unsatisfiable iff $\Delta \vdash \perp$

German: Widerlegungsvollständigkeit

consequences:

- Resolution is a complete proof method for testing unsatisfiability of CNF formulas.
- Resolution can be used for general reasoning by reducing to a test for unsatisfiability of CNF formulas.

Example

Let $\Phi = \{P \vee Q, \neg P\}$. Does $\Phi \models Q$ hold?

Solution

- test if $((P \vee Q) \wedge \neg P) \rightarrow Q$ is tautology
- equivalently: test if $((P \vee Q) \wedge \neg P) \wedge \neg Q$ is unsatisfiable
- resulting set of clauses: $\Phi' = \{\{P, Q\}, \{\neg P\}, \{\neg Q\}\}$
- resolving $\{P, Q\}$ with $\{\neg P\}$ yields $\{Q\}$
- resolving $\{Q\}$ with $\{\neg Q\}$ yields \perp
- observation: empty clause can be derived, hence Φ' unsatisfiable
- consequently $\Phi \models Q$

Resolution: Discussion

- Resolution is a complete proof method to test formulas for unsatisfiability.
- In the worst case, resolution proofs can take exponential time.
- In practice, a **strategy** which determines the next resolution step is needed.
- In the following chapter, we discuss the **DPLL** algorithm, which is a combination of backtracking and resolution.

Summary

Summary

- **Reasoning**: the formula ψ **follows from** the set of formulas Φ if all models of Φ are also models of ψ .
 - Reasoning can be reduced to testing validity (with the **deduction theorem**).
 - Testing validity can be reduced to testing unsatisfiability.
 - **Resolution** is a **refutation-complete** proof method applicable to formulas in conjunctive normal form.
- ↪ can be used to test if a set of clauses is unsatisfiable