

Foundations of Artificial Intelligence

F3. Automated Planning: Delete Relaxation

Malte Helmert

University of Basel

May 6, 2024

Foundations of Artificial Intelligence

May 6, 2024 — F3. Automated Planning: Delete Relaxation

F3.1 How to Design Heuristics?

F3.2 Delete Relaxation

F3.3 Examples

F3.4 Summary

Automated Planning: Overview

Chapter overview: automated planning

- ▶ F1. Introduction
- ▶ F2. Planning Formalisms
- ▶ F3. Delete Relaxation
- ▶ F4. Delete Relaxation Heuristics
- ▶ F5. Abstraction
- ▶ F6. Abstraction Heuristics

F3.1 How to Design Heuristics?

A Simple Planning Heuristic

The STRIPS planner (Fikes & Nilsson, 1971) uses the **number of goals not yet satisfied** in a STRIPS planning task as heuristic:

$$h(s) = |G \setminus s|.$$

intuition: fewer unsatisfied goals \rightsquigarrow closer to goal state

\rightsquigarrow **STRIPS heuristic**

Problems of STRIPS Heuristic

drawback of STRIPS heuristic?

- ▶ rather **uninformed**:

For state s , if there is no applicable action a in s such that applying a in s satisfies strictly more (or fewer) goals, then all successor states have the same heuristic value as s .

- ▶ ignores almost the whole **task structure**:

The heuristic values do not depend on the actions.

↪ we need better methods to design heuristics

Planning Heuristics

We consider **two basic ideas** for general heuristics:

- ▶ **delete relaxation** \rightsquigarrow this and next chapter
- ▶ **abstraction** \rightsquigarrow Chapters F5–F6

Delete Relaxation: Basic Idea

Estimate solution costs by considering a **simplified planning task**, where all **negative action effects are ignored**.

F3.2 Delete Relaxation

Relaxed Planning Tasks: Idea

In STRIPS planning tasks,
good and bad effects are easy to distinguish:

- ▶ **Add effects** are always **useful**.
- ▶ **Delete effects** are always **harmful**.

Why?

idea for designing heuristics: **ignore all delete effects**

Relaxed Planning Tasks

Definition (relaxation of actions)

The **relaxation** a^+ of STRIPS action a is the action with

- ▶ $pre(a^+) = pre(a)$,
- ▶ $add(a^+) = add(a)$,
- ▶ $cost(a^+) = cost(a)$, and
- ▶ $del(a^+) = \emptyset$.

German: Relaxierung von Aktionen

Definition (relaxation of planning tasks)

The **relaxation** Π^+ of a STRIPS planning task $\Pi = \langle V, I, G, A \rangle$ is the task $\Pi^+ = \langle V, I, G, \{a^+ \mid a \in A\} \rangle$.

German: Relaxierung von Planungsaufgaben

Relaxed Planning Tasks: Terminology

- ▶ STRIPS planning tasks without delete effects are called **relaxed planning tasks** or **delete-free planning tasks**.
- ▶ Plans for relaxed planning tasks are called **relaxed plans**.
- ▶ If Π is a STRIPS planning task and π^+ is a plan for Π^+ , then π^+ is called **relaxed plan for Π** .

Optimal Relaxation Heuristic

Definition (optimal relaxation heuristic h^+)


Let Π be a STRIPS planning task with the relaxation $\Pi^+ = \langle V, I, G, A^+ \rangle$.

The **optimal relaxation heuristic h^+** for Π maps each state s to the cost of an optimal plan for the planning task $\langle V, s, G, A^+ \rangle$.

In other words, the heuristic value for s is the optimal solution cost in the relaxation of Π with s as the initial state.

F3.3 Examples


Example: Logistics



Example (Logistics Task)

- ▶ **variables:** $V = \{at_{AL}, at_{AR}, at_{BL}, at_{BR}, at_{TL}, at_{TR}, in_{AT}, in_{BT}\}$
- ▶ **initial state:** $I = \{at_{AL}, at_{BR}, at_{TL}\}$
- ▶ **goals:** $G = \{at_{AR}, at_{BL}\}$
- ▶ **actions:** $\{move_{LR}, move_{RL}, load_{AL}, load_{AR}, load_{BL}, load_{BR}, unload_{AL}, unload_{AR}, unload_{BL}, unload_{BR}\}$
- ▶ ...


Example: Logistics



Example (Logistics Task)

- ▶ $pre(move_{LR}) = \{at_{TL}\}$, $add(move_{LR}) = \{at_{TR}\}$,
 $del(move_{LR}) = \{at_{TL}\}$, $cost(move_{LR}) = 1$
- ▶ $pre(load_{AL}) = \{at_{TL}, at_{AL}\}$, $add(load_{AL}) = \{in_{AT}\}$,
 $del(load_{AL}) = \{at_{AL}\}$, $cost(load_{AL}) = 1$
- ▶ $pre(unload_{AL}) = \{at_{TL}, in_{AT}\}$, $add(unload_{AL}) = \{at_{AL}\}$,
 $del(unload_{AL}) = \{in_{AT}\}$, $cost(unload_{AL}) = 1$
- ▶ ...

Example: Logistics




▶ optimal plan:

- ① $load_{AL}$
- ② $move_{LR}$
- ③ $unload_{AR}$
- ④ $load_{BR}$
- ⑤ $move_{RL}$
- ⑥ $unload_{BL}$

▶ optimal relaxed plan: ?

▶ $h^*(I) = 6$, $h^+(I) = ?$

Example: 8-Puzzle



- ▶ actual goal distance: $h^*(s) = 17$
- ▶ Manhattan distance: $h^{\text{MD}}(s) = 5$
- ▶ optimal delete relaxation: $h^+(s) = 7$

relationship (no proof):

h^+ **dominates** the Manhattan distance in the sliding tile puzzle
 (i.e., $h^{\text{MD}}(s) \leq h^+(s) \leq h^*(s)$ for all states s)

Relaxed Solutions: Suboptimal or Optimal?

- ▶ For general STRIPS planning tasks, h^+ is an **admissible and consistent heuristic** (no proof).
- ▶ Can h^+ be computed efficiently?
 - ▶ It is **easy** to solve delete-free planning tasks **suboptimally**. (How?)
 - ▶ optimal solution (and hence the computation of h^+) is **NP-hard** (reduction from SET COVER)
- ▶ In practice, heuristics approximate h^+ from below or above.

F3.4 Summary

Summary

delete relaxation:

- ▶ ignore **negative effects** (delete effects) of actions
- ▶ use **solution costs of relaxed planning task** as **heuristic** for solution costs of the original planning task
- ▶ computation of optimal relaxed solution costs h^+ is NP-hard, hence usually **approximated** from below or above