

Algorithms and Data Structures

A9. Runtime Analysis: Application

Gabriele Röger and Patrick Schneider

University of Basel

March 5, 2025

Algorithms and Data Structures


March 5, 2025 — A9. Runtime Analysis: Application

A9.1 Recap

A9.2 Application

A9.3 Summary

Content of the Course



A9.1 Recap

Symbols

- ▶ “ f grows asymptotically as fast as g ”

$$\Theta(g) = \{f \mid \exists c > 0 \exists c' > 0 \exists n_0 > 0 \forall n \geq n_0 : \\ c \cdot g(n) \leq f(n) \leq c' \cdot g(n)\}$$

- ▶ “ f grows no faster than g ”


$$O(g) = \{f \mid \exists c > 0 \exists n_0 > 0 \forall n \geq n_0 : f(n) \leq c \cdot g(n)\}$$

- ▶ “ f grows no slower than g ”

$$\Omega(g) = \{f \mid \exists c > 0 \exists n_0 > 0 \forall n \geq n_0 : c \cdot g(n) \leq f(n)\}$$

Symbol Theta: Illustration

$$f \in \Theta(g)$$



Some Relevant Classes of Functions

In increasing order (except for the general n^k):

g	growth
1	constant
$\log n$	logarithmic
n	linear
$n \log n$	linearithmic
n^2	quadratic
n^3	cubic
n^k	polynomial (constant k)
2^n	exponential

Connections

It holds that:

- ▶ $O(1) \subset O(\log n) \subset O(n) \subset O(n \log n) \subset O(n^k) \subset O(2^n)$
(for $k \geq 2$)
- ▶ $O(n^{k_1}) \subset O(n^{k_2})$ for $k_1 < k_2$
e.g. $O(n^2) \subset O(n^3)$

Calculation Rules

▶ Product

$$f_1 \in O(g_1) \text{ and } f_2 \in O(g_2) \Rightarrow f_1 f_2 \in O(g_1 g_2)$$

▶ Sum

$$f_1 \in O(g_1) \text{ and } f_2 \in O(g_2) \Rightarrow f_1 + f_2 \in O(g_1 + g_2)$$

▶ Multiplication with a constant

$$k > 0 \text{ and } f \in O(g) \Rightarrow kf \in O(g)$$

$$k > 0 \Rightarrow O(kg) = O(g)$$

A9.2 Application

Quick O -Analysis for Common Code Patterns I

- ▶ Constant-time operation:

<code>var = 4</code>	$O(1)$
----------------------	--------

- ▶ Sequence of constant-time operations:

<code>var1 = 4</code>	$O(1)$	$O(123 \cdot 1) = O(1)$
<code>var2 = 4</code>	$O(1)$	
<code>...</code>	<code>...</code>	
<code>var123 = 4</code>	$O(1)$	

Quick O -Analysis for Common Code Patterns II

► Loop:

<pre>for i in range(n): res += i * m</pre>	$O(n)$	$O(n \cdot 1) = O(n)$
	$O(1)$	

<pre>for i in range(n): for j in range(i): res += i * (m - j)</pre>	$O(n)$	$O(n)$	$O(n^2)$
	$O(n)$	$O(n)$	
	$O(1)$		

i depends on n .

Quick O -Analysis for Common Code Patterns III

► if-then-else

if var < bound:	$O(1)$	$O(1)$	$O(1 + \max\{1, n\})$ $= O(n)$
res += var	$O(1)$	$O(1)$	
else:			
for i in range(n):	$O(n)$	$O(n \cdot 1)$	
res += i * n	$O(1)$	$= O(n)$	

Attention: Can lead to unnecessarily loose bound if the expensive case only occurs with small n (bound by a constant).

Example: Worst Case for Insertion Sort

```
1 def insertion_sort(array):
2     n = len(array)
3     for i in range(1, n): # i = 1, ..., n - 1
4         # move array[i] to the left until it is
5         # at the correct position.
6         for j in range(i, 0, -1): # j = i, ..., 1
7             if array[j] < array[j-1]:
8                 array[j], array[j-1] = array[j-1], array[j]
9             else:
10                break
```

▶ Worst case: break never happens.

▶ $O(1 + n \cdot n \cdot 1) = O(n^2)$

▶ Over-estimated?

No, each of the two loops has $\Omega(n)$ iterations.

Example: Best Case for Insertion Sort

```
1 def insertion_sort(array):
2     n = len(array)
3     for i in range(1, n): # i = 1, ..., n - 1
4         # move array[i] to the left until it is
5         # at the correct position.
6         for j in range(i, 0, -1): # j = i, ..., 1
7             if array[j] < array[j-1]:
8                 array[j], array[j-1] = array[j-1], array[j]
9             else:
10                break
```

- ▶ Best case: break always immediately with $j = i$
- ▶ $O(1 + n \cdot 1 \cdot 1) = O(n)$
- ▶ Over-estimated?
No, the outer loop has $\Omega(n)$ iterations.

Exam Question from 2019

Consider the following code fragment.

Specify the asymptotic running time (depending on $n \in \mathbb{N}$) in Θ notation and justify your answer (1-2 sentences).

```
1  int result = 0;
2  if (n > 23) {
3      return result;
4  }
5  for (int i = 0; i < n; i++) {
6      for (int j = 0; j < n; j++) {
7          result += j;
8      }
9  }
10 return result;
```


Why are we Interested in All This?

- ▶ Because algorithms/data structures with bad runtime complexity strike back!
- ▶ Example: for several years, GTA online took several minutes to load.
 - ▶ Several minutes for parsing 10 megabyte of JSON data!
 - ▶ Probably bad library for parsing
 - ▶ Unsuitable data structure for duplication check
 - ▶ After fix: 70% less loading time
 - ▶ <https://nee.lv/2021/02/28/How-I-cut-GTA-Online-loading-times-by-70/index.html>

A9.3 Summary

Summary

- ▶ In practice, we quite quickly can get an impression of the running time of an algorithm with simple “cookbook recipes”.
- ▶ **Insertion sort** has
 - ▶ in the **best case** running time $\Theta(n)$.
 - ▶ in the **worst case** running time $\Theta(n^2)$.