

# Algorithms and Data Structures

## A13. Sorting: Lower Bound

Gabriele Röger and Patrick Schneider

University of Basel

March 19, 2025

# Algorithms and Data Structures


March 19, 2025 — A13. Sorting: Lower Bound

## A13.1 Lower Bound on Necessary Comparison Operations

## A13.2 Summary

# A13.1 Lower Bound on Necessary Comparison Operations

# Content of the Course




## Question

- ▶ So far, merge sort and heapsort had with  $O(n \log_2 n)$  the best (worst-case) running time.
- ▶ Can we do better?
- ▶ **We show:** Not with comparison-based approaches!

## How we Proceed

- ▶ **Difficulty:** We cannot analyze a specific algorithm but must make an argument for **all possible approaches**.
- ▶ Comparison-based approaches can only analyze the input by means of key comparisons.
- ▶ They must sort every input correctly.
- ▶ From this, we can derive a lower bound on the number of key comparisons in the worst case.


# Crash Course: Binary Trees



- ▶ **Binary tree**: each node has at most two successor nodes.
- ▶ Nodes without successors are called **leaves** (squares in image).
- ▶ The node without a predecessor (at the top) is the **root**.
- ▶ The **depth** of a leaf is the number of edges from the root to the leaf.

The maximal depth of a leaf in a binary tree with  $k$  leaves is at least  $\log_2 k$ .

# Exercise (Slido)



What is the maximal depth of a leaf in this tree?






## Abstract Behavior as Tree

Consider an arbitrary comparison-based sorting algorithm  $A$ .

- ▶ Its behavior only depends on the results of key comparisons.
- ▶ For each key comparison, there are two possibilities how the algorithm proceeds.
- ▶ For an input of a given size, we can depict this graphically as a decision tree.




- ▶ Execution of  $A$  corresponds to tracing a simple path from the root down to a leaf.

## Result as Permutation

What does the algorithm have to be able to do?

- ▶ **Assumption:** all input elements distinct.
- ▶ Must sort **all input sequences** of size  $n$  **correctly**.
- ▶ We can adapt all algorithms so that they trace from which position to which position they move the elements.
- ▶ Then the result is not the sorted array, but the corresponding **permutation**.
- ▶ Since all possible inputs of size  $n$  must be sorted correctly, the algorithm must be able to generate **all  $n!$  possible permutations**.

## Example: Tree for Insertion Sort on Three Elements



Highlighted path e.g.  
for sorting sequence  
 $[a_1 = 6, a_2 = 8, a_3 = 5]$

Source: Cormen et al., Introduction to Algorithms

# Lower Bound I

- ▶ Each leaf in the tree corresponds to one permutation.
- ▶ For input size  $n$ , the tree must thus have at least  $n!$  leaves.
- ▶ The maximal depth of a leaf in the tree is therefore  $\geq \log_2(n!)$ .
- ▶ There is an input of size  $n$  with  $\geq \log_2(n!)$  key comparisons.

## Lower Bound II

Lower bound on  $\log_2(n!)$

▶ It holds that  $n! \geq \left(\frac{n}{2}\right)^{\frac{n}{2}}$

$$4! = 1 \cdot 2 \cdot 3 \cdot 4 \geq 2^2$$

$\geq 2$     $\geq 2$

▶  $\log_2(n!) \geq \log_2\left(\left(\frac{n}{2}\right)^{\frac{n}{2}}\right) = \frac{n}{2} \log_2\left(\frac{n}{2}\right)$

$$= \frac{n}{2}(\log_2 n + \log_2 \frac{1}{2}) = \frac{n}{2}(\log_2 n - \log_2 2)$$

$$= \frac{n}{2}(\log_2 n - 1)$$

### Theorem

Every *comparison-based sorting algorithm* requires  $\Omega(n \log n)$  key comparisons in the worst case. As a result, also the *worst-case running time is  $\Omega(n \log n)$* .

Heapsort and merge sort are asymptotically optimal.

## A13.2 Summary

# Summary

- ▶ Every **comparison-based sorting algorithm** has **at least linearithmic worst-case running time.**