

Algorithms and Data Structures

A14. Sorting: Counting Sort & Radix Sort

Gabriele Röger and Patrick Schneider

University of Basel

March 20, 2025

Algorithms and Data Structures

March 20, 2025 — A14. Sorting: Counting Sort & Radix Sort


A14.1 Counting Sort

A14.2 Radix Sort

A14.3 Summary

A14.1 Counting Sort

Content of the Course



Counting Sort: Idea

“Sort by counting”

- ▶ **Assumption:** Keys are from the range $0, \dots, k - 1$.
- ▶ Iterate once over the input array and determine the number $\#i$ of elements for each key i .
- ▶ From these counts we can determine the positions that the elements for each key should occupy in the sorted output.
 - ▶ elements with key 0 fill positions 0 to $\#0 - 1$.
 - ▶ elements with key 1 fill positions $\#0$ to $\#0 + \#1 - 1$.
 - ▶ elements with key 2 fill positions $\#0 + \#1$ to $\#0 + \#1 + \#2 - 1$.
 - ▶ ...
 - ▶ elements with key i fill positions $\sum_{j=0}^{i-1} \#j$ to $(\sum_{j=0}^{i-1} \#j) + \#i - 1$.
- ▶ (Backwards) iterate over the input array and copy the entries to the corresponding positions in the output array.

Counting Sort: Algorithm

```

1 def sort(array, k):
2     counts = [0] * (k + 1) # list of k + 1 zeros
3     result = [0] * len(array) # list of same size as array
4
5     for elem in array:
6         counts[elem] += 1
7     # counts[j] contains number of occurrences of j
8
9     for i in range(1, k+1): # i = 1, 2, ... , k
10        counts[i] += counts[i-1]
11    # counts[j] now contains number of occurrences of elements <= j
12
13    # copy elements from array to result, starting from the end
14    for elem in reversed(array):
15        result[counts[elem]-1] = elem
16        counts[elem] -= 1
17
18    return result

```

Jupyter Notebook




Jupyter notebook: counting_sort.ipynb

Counting Sort: Properties

- ▶ Counting sort is **not adaptive**.
- ▶ Running time: $\Theta(n + k)$ (n size of input sequence)
→ For fixed k or $k \in O(n)$ linear.
- ▶ Memory: $\Theta(n + k)$ (not in-place)
- ▶ Counting sort is **stable**. Why?

A14.2 Radix Sort

Content of the Course



Radix Sort: Idea

- ▶ Assumption: Keys are decimal numbers
z.B. 763, 983, 96, 286, 462
- ▶ Separate items by the **least significant (= last)** digit:

0	1	2	3	4	5	6	7	8	9
		462	763			96			
		983				286			
- ▶ Collect items from left to right/top to bottom:
462, 763, 983, 96, 286
- ▶ Separate items by the **second last** digit and collect them.
- ▶ Separate items by the **third last** digit and collect them.
- ▶ ... until you considered all positions of digits.

Radix Sort: Example

- ▶ **Input:** 263, 983, 96, 462, 286
- ▶ **Separation by last digit:**

0	1	2	3	4	5	6	7	8	9
		462	263			96			
			983			286			

After collection: 462, 263, 983, 96, 286
- ▶ **Separation by second last digit:**

0	1	2	3	4	5	6	7	8	9
						462		983	96
						263		286	

After collection: 462, 263, 983, 286, 96
- ▶ **Separation by third last digit:**

0	1	2	3	4	5	6	7	8	9
096		263		462					983
		286							

After collection: 96, 263, 286, 462, 983

Jupyter Notebook



Jupyter notebook: radix_sort.ipynb

Radix Sort: Algorithm (for arbitrary base)

```

1 def sort(array, base=10):
2     if not array: # array is empty
3         return
4     iteration = 0
5     max_val = max(array) # identify largest element
6     while base ** iteration <= max_val:
7         buckets = [[] for num in range(base)]
8         for elem in array:
9             digit = (elem // (base ** iteration)) % base
10            buckets[digit].append(elem)
11            pos = 0
12            for bucket in buckets:
13                for elem in bucket:
14                    array[pos] = elem
15                    pos += 1
16            iteration += 1

```

Radix Sort: Running Time

- ▶ m : Maximal number of digits in representation with given base b .
- ▶ n : length of input sequence
- ▶ Running time $O(m \cdot (n + b))$

For fixed m and b , radix sort has linear running time.

Radix Sort: High-level Perspective

All entries in the `array` have d digits, where the lowest-order digit is at position 0 and the highest-order digit at position $d-1$.

```

1 def radix_sort(array, d)
2     for i in range(d):
3         # use a stable sort to sort array on the digit at position i

```

A14.3 Summary

Summary

- ▶ Counting sort and radix sort are not comparison-based and allow us (under certain restrictions) to sort in linear time.
- ▶ However, they place additional restrictions on the keys used.