

# Algorithms and Data Structures

## A12. Sorting: Quicksort (& Heapsort)


Gabriele Röger and Patrick Schneider

University of Basel

March 18, 2026

# Quicksort

# Content of the Course



## Quicksort: Idea

- Like merge sort a **divide-and-conquer algorithm**.
- In contrast to merge sort, the sequence is not divided by position but by values.
- For this purpose, select one element  $P$  (the so-called **pivot**).
- Divide (rearrange) the array, such that  $P$  is at its final position, left of  $P$  there are only elements  $\leq P$ , and right of  $P$  only elements  $\geq P$ .



- Conquer by calling quicksort recursively for the ranges left of  $P$  and right of  $P$ .
- Combine by doing nothing (recursive calls already lead to fully sorted array).

# Quicksort: Algorithm

---

```
1 def sort(array):
2     sort_aux(array, 0, len(array)-1)
3
4 def sort_aux(array, lo, hi):
5     if hi <= lo:
6         return
7     choose_pivot_and_swap_it_to_lo(array, lo, hi)
8     pivot_pos = partition(array, lo, hi)
9     sort_aux(array, lo, pivot_pos - 1)
10    sort_aux(array, pivot_pos + 1, hi)
```

---

## How do we Choose the Pivot?


For the correctness of the algorithm, any choice is fine. (Why?)

Example strategies:

- **Naïve:** Always use the first element.
- **Median of Three:** Use median of first, middle and last element.
- **Randomized:** Use a random element.


Good pivots separate the range into roughly equally-sized ranges.

## How do we Partition the Range?



Pivot is at position  $lo$ .  
Initialize  $i = lo + 1, j = hi$

## How do we Partition the Range?




Pivot is at position lo.

Initialize  $i = lo + 1, j = hi$

$i$  to the right until element  $\geq$  pivot

$j$  to the left until element  $\leq$  pivot

# How do we Partition the Range?



Pivot is at position lo.


Initialize  $i = lo + 1, j = hi$

$i$  to the right until element  $\geq$  pivot

$j$  to the left until element  $\leq$  pivot

If  $i < j$ : swap elements,  $i++$ ,  $j--$

# How do we Partition the Range?



Pivot is at position lo.

Initialize  $i = lo + 1, j = hi$

$i$  to the right until element  $\geq$  pivot


$j$  to the left until element  $\leq$  pivot

If  $i < j$ : swap elements,  $i++$ ,  $j--$

$i$  to the right until element  $\geq$  pivot

$j$  to the left until element  $\leq$  pivot

# How do we Partition the Range?



Pivot is at position lo.

Initialize  $i = lo + 1, j = hi$

$i$  to the right until element  $\geq$  pivot

$j$  to the left until element  $\leq$  pivot

If  $i < j$ : swap elements,  $i++$ ,  $j--$

$i$  to the right until element  $\geq$  pivot

$j$  to the left until element  $\leq$  pivot

$i \geq j$ : swap pivot to position  $j$

Done!

# Quicksort: Partitioning

---

```
1 def partition(array, lo, hi):
2     pivot = array[lo]
3     i = lo + 1
4     j = hi
5     while (True):
6         while i < hi and array[i] < pivot:
7             i += 1
8         while array[j] > pivot:
9             j -= 1
10        if i >= j:
11            break
12
13        array[i], array[j] = array[j], array[i]
14        i, j = i + 1, j - 1
15    array[lo], array[j] = array[j], array[lo]
16    return j
```

---

# Exercise

What is the content of array `[6, 5, 7, 8, 3]` after a call of `partition` for the entire range (from position 0 to 4)?



## Partitioning: Variants

- partitioning performs **Hoare's partitioning** method.
  - Tony Hoare: British computer scientist, inventor of quicksort
- There is also Lomuto's partitioning:
  - Inferior to Hoare's method.
  - Three times more swaps on average.
  - Leads to bad running time if all elements are equal.
  - Since it is easier to explain and analyze, used in some teaching resources (e.g. Cormen et al. textbook).
- We only consider Hoare's method.

# Quicksort: Running Time I

Best case: Pivot separates into equally-sized ranges.

- $O(\log_2 n)$  recursive calls
- Each has hi-lo key comparisons during partitioning.
- On a single recursion depth overall  $O(n)$  comparisons in partitioning.

→  $O(n \log n)$

# Quicksort: Running Time I

**Best case:** Pivot separates into equally-sized ranges.

- $O(\log_2 n)$  recursive calls
- Each has hi-lo key comparisons during partitioning.
- On a single recursion depth overall  $O(n)$  comparisons in partitioning.

→  $O(n \log n)$

**Worst case:** Pivot always smallest or largest element.

- overall  $n-1$  (nontrivial) recursive calls for length  $n, n-1, \dots, 2$ .
- Each has hi-lo key comparisons during partitioning.

→  $\Theta(n^2)$

# Quicksort: Running Time II

## Average case:

- Assumption:  $n$  different elements, each of the  $n!$  permutations has equal probability, random choice of pivot
- $O(\log n)$  recursive calls
- overall  $O(n \log n)$
- $\approx 39\%$  slower than best case

# Quicksort: Running Time II


## Average case:

- Assumption:  $n$  different elements, each of the  $n!$  permutations has equal probability, random choice of pivot
- $O(\log n)$  recursive calls
- overall  $O(n \log n)$
- $\approx 39\%$  slower than best case

With a random choice of the pivot, the worst case is extremely unlikely. Therefore, quicksort is often considered an  $O(n \log n)$  algorithm.

# Heapsort

# Content of the Course



# Heapsort

- **Heap**: data structure that allows to find and remove the largest element quickly:  
find:  $\Theta(1)$ , remove:  $\Theta(\log n)$
- **Basic idea as in selection sort but from right to left**:  
Successively swap the largest element to the end of the non-sorted range.
- We can **represent the heap directly in the input sequence**, so that heap sort only needs constant additional storage.
- The running time is linearithmic.
- We cover the details once we have introduced heaps.

# Summary

# Summary

- **Quicksort** is a **divide-and-conquer** approach that divides the range relative to a **pivot** element.
- In the **worst case**, quicksort has **quadratic running time**.
- In the **average case**, the running time is **linearithmic**.
- With a random choice of the pivot, the worst case is extremely unlikely.