

Foundations of Artificial Intelligence

G1. Board Games: Introduction and State of the Art

Malte Helmert

University of Basel

May 6, 2026

Foundations of Artificial Intelligence

May 6, 2026 — G1. Board Games: Introduction and State of the Art

G1.1 Introduction

G1.2 State of the Art

G1.3 Summary

Board Games: Overview

chapter overview:

- ▶ G1. Introduction and State of the Art
- ▶ G2. Formal Definition and Minimax Search
- ▶ G3. Evaluation Functions
- ▶ G4. Alpha-Beta Search
- ▶ G5. Stochastic Games
- ▶ G6. Monte-Carlo Tree Search Framework
- ▶ G7. Monte-Carlo Tree Search Variants

G1.1 Introduction

Why Board Games?

Board games are one of the oldest areas of AI (Shannon 1950; Turing 1950).

- ▶ abstract class of problems, easy to formalize
- ▶ obviously “intelligence” is needed (*really?*)
- ▶ dream of an intelligent machine capable of playing chess is older than electronic computers
- ▶ cf. von Kempelen’s “Schachtürke” (1769), Torres y Quevedo’s “El Ajedrecista” (1912)


Board Games

algorithms considered previously:



agent has **full control over environment**:

- ▶ agent is only acting entity
- ▶ effects of actions fully predictable



Board Games

algorithms considered previously:



agent has **full control over environment**:

- ▶ agent is only acting entity
- ▶ effects of actions fully predictable



games considered now (Chapters G1–G4):



environment changes **independently of agent**:

- ▶ **other agent** (with opposing objective) acts

Board Games

algorithms considered previously:



agent has **full control over environment**:

- ▶ agent is only acting entity
- ▶ effects of actions fully predictable



games considered later (Chapter G5):




environment changes **independently of agent**:

- ▶ **other agent** (with opposing objective) acts
- ▶ effects of actions underly **chance**



Applications



Game Applications Beyond Specific Board Games



Game Environments

game environments cover **entire spectrum of properties**

↪ need some restrictions

important classes of games that we do **not** consider:

- ▶ with randomness (e.g., backgammon) (↪ Chapter G5)
- ▶ with more than two players (e.g., poker)
- ▶ with hidden information (e.g., scrabble)
- ▶ with simultaneous moves (e.g., rock-paper-scissors)
- ▶ without turns (e.g., many video games)
- ▶ without zero-sum property (e.g., auctions)
- ▶ ...

many of these can be handled with **similar/generalized algorithms**

Properties of Games Considered (for Now)

- ▶ current situation representable by finite set of **positions**
- ▶ there is a finite set of **moves** players can play
- ▶ **effects** of actions are **deterministic**
- ▶ the game ends when a **terminal position** is reached
- ▶ a terminal position is reached after a **finite number of steps** (*)
- ▶ terminal positions yield a **utility**
- ▶ no randomness, no hidden information

(*) Our definitions do not enforce this, and there are some subtleties associated with this requirement which we ignore.

Properties of Games Considered (for Now)



- ▶ there are exactly **two players** called **MAX** and **MIN**
- ▶ both players observe the entire position (**perfect information**)
- ▶ it is the **turn** of exactly one player in each non-terminal position
- ▶ utility for MAX is opposite of utility for MIN (**zero-sum game**)
- ▶ MAX aims to **maximize** utility, MIN aims to **minimize** utility

Classification

classification:

Board Games

environment:

- ▶ **static** vs. dynamic
- ▶ **deterministic** vs. nondeterministic vs. stochastic
- ▶ **fully observable** vs. partially observable
- ▶ **discrete** vs. continuous
- ▶ single-agent vs. **multi-agent** (**adversarial**)

problem solving method:

- ▶ **problem-specific** vs. general vs. learning

Informal Description

objective of the agent:

- ▶ **compute a strategy**
- ▶ that determines which **move to execute**
- ▶ in the current position or in any (reachable) position

performance measure:

- ▶ **maximize utility** (given available resources)

To study board games, we need a **formal model**.

G1.2 State of the Art

State of the Art

some well-known board games:

- ▶ **Chess, Go:** ↪ next slides
- ▶ **Othello: Logistello** defeated human world champion in 1997; best computer players significantly stronger than best humans
- ▶ **Checkers: Chinook** official world champion (since 1994); proved in 2007 that it cannot be defeated and perfect game play results in a draw (game “solved”)

Computer Chess

World champion Garry Kasparov was defeated by **Deep Blue** in 1997 (6 matches, result 3.5–2.5).

- ▶ specialized chess hardware (30 cores with 16 chips each)
- ▶ alpha-beta search (↪ **Chapter G4**) with extensions
- ▶ database of opening moves from millions of chess games

Nowadays, chess programs on cell phones are much stronger than all human players.

Computer Chess: Quotes

Claude Shannon (1950)

The chess machine is an ideal one to start with, since

- ① the problem is sharply defined both in allowed operations (the moves) and in the ultimate goal (checkmate),
- ② it is neither so simple as to be trivial nor too difficult for satisfactory solution,
- ③ chess is generally considered to require “thinking” for skillful play, [...]
- ④ the discrete structure of chess fits well into the digital nature of modern computers.

Alexander Kronrod (1965)

Chess is the drosophila of Artificial Intelligence.

Computer Chess: Another Quote

John McCarthy (1997)

In 1965, the Russian mathematician Alexander Kronrod said, “Chess is the drosophila of artificial intelligence.”

However, computer chess has developed much as genetics might have if the geneticists had concentrated their efforts starting in 1910 on breeding racing drosophilae. We would have some science, but mainly we would have very fast fruit flies.

Computer Go

Computer Go

- ▶ The best Go programs use Monte-Carlo techniques (UCT).
- ▶ Until autumn 2015, leading programs **Zen**, **Mogo**, **CrazyStone** played on the level of strong amateurs (1 kyu/1 dan).
- ▶ Until then, Go was considered as one of the “last” games that are too complex for computers.
- ▶ In October 2015, Deep Mind's **AlphaGo** defeated the European Champion Fan Hui (2p dan) with 5:0.
- ▶ In March 2016, AlphaGo defeated world-class player Lee Sedol (9p dan) with 4:1. The prize for the winner was 1 million US dollars.

G1.3 Summary

Summary

- ▶ **Board games** are one of the earliest applications of AI and have a rich research tradition.
- ▶ Computers have been very successful for a large number of popular games.
- ▶ Deep Blue defeated the world chess champion in 1997. Today, chess programs play vastly more strongly than humans.
- ▶ AlphaGo defeated one of the world's best players in the game of Go in 2016.