

Theory of Computer Science

B5. Regular Languages: Closure Properties and Decidability

Gabriele Röger

University of Basel

March 11, 2026

1 / 38

Theory of Computer Science

March 11, 2026 — B5. Regular Languages: Closure Properties and Decidability

B5.1 Introduction

B5.2 Closure Properties

B5.3 Decidability

B5.4 Summary

2 / 38

B5.1 Introduction

3 / 38

Further Analysis


We can convert freely between regular grammars, DFAs and NFAs. So let's not analyse them individually but instead focus on the corresponding class of regular languages:

- ▶ With what operations can we “combine” regular languages and the result is again a regular language?
E.g. is the intersection of two regular languages regular?
- ▶ What general questions can we resolve algorithmically for any regular language?
E.g. is there an algorithm that takes a regular grammars and a word as input and returns whether the word is in the generated language?

4 / 38

B5.2 Closure Properties

Content of the Course



Closure Properties

How can we combine regular languages so that the result is guaranteed to be regular as well?



Picture courtesy of stockimages / FreeDigitalPhotos.net

Concatenation of Languages

Concatenation

- ▶ For two languages L_1 (over Σ_1) and L_2 (over Σ_2), the **concatenation** of L_1 and L_2 is the language $L_1L_2 = \{w_1w_2 \in (\Sigma_1 \cup \Sigma_2)^* \mid w_1 \in L_1, w_2 \in L_2\}$.
- ▶ $L_1 = \{\text{Pancake, Waffle}\}$
 $L_2 = \{\text{withIceCream, withMushrooms, withCheese}\}$
 $L_1L_2 = \{\text{PancakewithIceCream, PancakewithMushrooms, PancakewithCheese, WafflewithIceCream, WafflewithMushrooms, WafflewithCheese}\}$

German: Produkt

Kleene Star

Kleene star

- ▶ For language L define
 - ▶ $L^0 = \{\varepsilon\}$
 - ▶ $L^1 = L$
 - ▶ $L^{i+1} = L^i L$ for $i \in \mathbb{N}_{>0}$
- ▶ Definition of (Kleene) **star** on L : $L^* = \bigcup_{i \geq 0} L^i$.
- ▶ $L = \{\text{ding, dong}\}$
 $L^* = \{\varepsilon, \text{ding, dong, dingding, dingdong, dongding, dongdong, dingdingding, dingdingdong, \dots}\}$

German: (Kleen)-Stern

Set Operations

Let L and L' be regular languages over Σ and Σ' , respectively.

Languages are just sets of words, so we can also consider the standard set operations:

- ▶ **union** $L \cup L' = \{w \mid w \in L \text{ or } w \in L'\}$ over $\Sigma \cup \Sigma'$
- ▶ **intersection** $L \cap L' = \{w \mid w \in L \text{ and } w \in L'\}$ over $\Sigma \cap \Sigma'$
- ▶ **complement** $\bar{L} = \{w \in \Sigma^* \mid w \notin L\}$ over Σ

Closure Properties

General terminology: What do we mean with closure?

Definition (Closure)

Let \mathcal{K} be a class of languages.

Then \mathcal{K} is **closed**...

- ▶ ... under union if $L, L' \in \mathcal{K}$ implies $L \cup L' \in \mathcal{K}$
- ▶ ... under intersection if $L, L' \in \mathcal{K}$ implies $L \cap L' \in \mathcal{K}$
- ▶ ... under complement if $L \in \mathcal{K}$ implies $\bar{L} \in \mathcal{K}$
- ▶ ... under concatenation if $L, L' \in \mathcal{K}$ implies $LL' \in \mathcal{K}$
- ▶ ... under star if $L \in \mathcal{K}$ implies $L^* \in \mathcal{K}$


German: Abgeschlossenheit, \mathcal{K} ist abgeschlossen unter Vereinigung, Schnitt, Komplement, Produkt, Stern

Closure Properties of Regular Languages: Union

Theorem

The regular languages are closed under union.

Proof idea:



Closure Properties of Regular Languages: Union

Proof.

Let L_1, L_2 be regular languages.

Let $M_1 = \langle Q_1, \Sigma_1, \delta_1, q_1, F_1 \rangle$ and $M_2 = \langle Q_2, \Sigma_2, \delta_2, q_2, F_2 \rangle$ be NFAs with $\mathcal{L}(M_1) = L_1$ and $\mathcal{L}(M_2) = L_2$. W.l.o.g. $Q_1 \cap Q_2 = \emptyset$.

Then NFA $M = \langle Q, \Sigma_1 \cup \Sigma_2, \delta, q_0, F_1 \cup F_2 \rangle$ with

- ▶ $q_0 \notin Q_1 \cup Q_2$ and
- ▶ $Q = \{q_0\} \cup Q_1 \cup Q_2$,
- ▶ for all $q \in Q, a \in \Sigma_1 \cup \Sigma_2 \cup \{\varepsilon\}$

$$\delta(q, a) = \begin{cases} \delta_1(q, a) & \text{if } q \in Q_1 \text{ and } a \in \Sigma_1 \cup \{\varepsilon\} \\ \delta_2(q, a) & \text{if } q \in Q_2 \text{ and } a \in \Sigma_2 \cup \{\varepsilon\} \\ \{q_1, q_2\} & \text{if } q = q_0 \text{ and } a = \varepsilon \\ \emptyset & \text{otherwise} \end{cases}$$

recognizes $L_1 \cup L_2$. □

Closure Properties of Regular Languages: Concatenation

The proof idea for the closure under concatenation is very similar to the one for union. Can you figure it out yourself?




Closure Properties of Regular Languages: Concatenation

Theorem

The regular languages are closed under concatenation.

Proof idea:



Closure Properties of Regular Languages: Concatenation

Proof.

Let L_1, L_2 be regular languages.

Let $M_1 = \langle Q_1, \Sigma_1, \delta_1, q_1, F_1 \rangle$ and $M_2 = \langle Q_2, \Sigma_2, \delta_2, q_2, F_2 \rangle$ be NFAs with $\mathcal{L}(M_1) = L_1$ and $\mathcal{L}(M_2) = L_2$. W.l.o.g. $Q_1 \cap Q_2 = \emptyset$.

Then NFA $M = \langle Q_1 \cup Q_2, \Sigma_1 \cup \Sigma_2, \delta, q_1, F_2 \rangle$ with

- ▶ for all $q \in Q, a \in \Sigma_1 \cup \Sigma_2 \cup \{\varepsilon\}$

$$\delta(q, a) = \begin{cases} \delta_1(q, a) & \text{if } q \in Q_1 \setminus F_1 \text{ and } a \in \Sigma_1 \cup \{\varepsilon\} \\ \delta_1(q, a) & \text{if } q \in F_1 \text{ and } a \in \Sigma_1 \\ \delta_1(q, a) \cup \{q_2\} & \text{if } q \in F_1 \text{ and } a = \varepsilon \\ \delta_2(q, a) & \text{if } q \in Q_2 \text{ and } a \in \Sigma_2 \cup \{\varepsilon\} \\ \emptyset & \text{otherwise} \end{cases}$$


recognizes $L_1 L_2$. □

Closure Properties of Regular Languages: Star

Theorem

The regular languages are closed under star.

Proof idea:



Closure Properties of Regular Languages: Star

Proof.

Let L be a regular language.

Let $M = \langle Q, \Sigma, \delta, q_0, F \rangle$ be an NFA with $\mathcal{L}(M) = L$.

Then NFA $M' = \langle Q', \Sigma, \delta', q'_0, F \cup \{q'_0\} \rangle$ with

- ▶ $q'_0 \notin Q$,
- ▶ $Q' = Q \cup \{q'_0\}$, and
- ▶ for all $q \in Q'$, $a \in \Sigma \cup \{\varepsilon\}$

$$\delta'(q, a) = \begin{cases} \delta(q, a) & \text{if } q \in Q \setminus F \\ \delta(q, a) & \text{if } q \in F \text{ and } a \in \Sigma \\ \delta(q, a) \cup \{q_0\} & \text{if } q \in F \text{ and } a = \varepsilon \\ \{q_0\} & \text{if } q = q'_0 \text{ and } a = \varepsilon \\ \emptyset & \text{otherwise} \end{cases}$$

recognizes L^* . □

Closure Properties of Regular Languages: Complement

Theorem

The regular languages are closed under complement.

Proof.

Let L be a regular language.

Let $M = \langle Q, \Sigma, \delta, q_0, F \rangle$ be a DFA with $\mathcal{L}(M) = L$.

Then $M' = \langle Q, \Sigma, \delta, q_0, Q \setminus F \rangle$ is a DFA with $\mathcal{L}(M') = \bar{L}$. □

Closure Properties of Regular Languages: Intersection

Theorem

The regular languages are closed under intersection.

Proof.

Let L_1, L_2 be regular languages.

Let $M_1 = \langle Q_1, \Sigma_1, \delta_1, q_{01}, F_1 \rangle$ and $M_2 = \langle Q_2, \Sigma_2, \delta_2, q_{02}, F_2 \rangle$ be DFAs with $\mathcal{L}(M_1) = L_1$ and $\mathcal{L}(M_2) = L_2$.

The **product automaton**


$$M = \langle Q_1 \times Q_2, \Sigma_1 \cap \Sigma_2, \delta, \langle q_{01}, q_{02} \rangle, F_1 \times F_2 \rangle$$

$$\text{with } \delta(\langle q_1, q_2 \rangle, a) = \langle \delta_1(q_1, a), \delta_2(q_2, a) \rangle$$

accepts $\mathcal{L}(M) = \mathcal{L}(M_1) \cap \mathcal{L}(M_2)$. □

German: Kreuzproduktautomat

Product Automaton: Example



Product Automaton: Blackboard

Closure Properties of Regular Languages

In summary...

Theorem

The regular languages are closed under:

- ▶ union
- ▶ intersection
- ▶ complement
- ▶ concatenation
- ▶ star

B5.3 Decidability

Decision Problems and Decidability (1)

“Intuitive Definition:” Decision Problem, Decidability

A **decision problem** is an algorithmic problem where

- ▶ for a given **input**
- ▶ an **algorithm** determines if the input has a given **property**
- ▶ and then produces the **output** “yes” or “no” accordingly.

A decision problem is **decidable** if an algorithm for it (that always terminates and gives the correct answer) exists.

Note: “exists” \neq “is known”

German: Entscheidungsproblem, Eingabe, Eigenschaft, Ausgabe, entscheidbar

Decision Problems and Decidability (2)

Notes:

- ▶ not a formal definition: we did not formally define “algorithm”, “input”, “output” etc. (which is not trivial)
- ▶ lack of a formal definition makes it difficult to prove that something is **not** decidable
- ↪ studied thoroughly in the next part of the course

Decision Problems: Example

For now we describe decision problems in a semi-formal “given” / “question” way:

Example (Emptiness Problem for Regular Languages)

The **emptiness problem** P_{\emptyset} for regular languages is the following problem:

Given: regular grammar G
Question: Is $\mathcal{L}(G) = \emptyset$?

German: Leerheitsproblem

Word Problem

Definition (Word Problem for Regular Languages)

The **word problem** P_{\in} for regular languages is:

Given: regular grammar G with alphabet Σ
 and word $w \in \Sigma^*$
Question: Is $w \in \mathcal{L}(G)$?

German: Wortproblem (für reguläre Sprachen)

Decidability: Word Problem

Theorem

The word problem for regular languages is **decidable**.

Proof.

Construct a DFA M with $\mathcal{L}(M) = \mathcal{L}(G)$.

(The proofs in Chapter B4 describe a possible method.)

Simulate M on input w . The simulation ends after $|w|$ steps.

The DFA M is in an accept state after this iff $w \in \mathcal{L}(G)$.

Return “yes” or “no” accordingly. \square

Emptiness Problem

Definition (Emptiness Problem for Regular Languages)

The **emptiness problem** P_\emptyset for regular languages is:

Given: regular grammar G

Question: Is $\mathcal{L}(G) = \emptyset$?

German: Leerheitsproblem

Decidability: Emptiness Problem

Theorem

*The emptiness problem for regular languages is **decidable**.*

Proof.

Construct a DFA M with $\mathcal{L}(M) = \mathcal{L}(G)$.

We have $\mathcal{L}(G) = \emptyset$ iff in the transition diagram of M there is no path from the start state to any accept state.

This can be checked with standard graph algorithms (e.g., breadth-first search). □

Finiteness Problem

Definition (Finiteness Problem for Regular Languages)

The **finiteness problem** P_∞ for regular languages is:

Given: regular grammar G

Question: Is $|\mathcal{L}(G)| < \infty$?

German: Endlichkeitsproblem

Decidability: Finiteness Problem

Theorem

*The finiteness problem for regular languages is **decidable**.*

Proof.

Construct a DFA M with $\mathcal{L}(M) = \mathcal{L}(G)$.

We have $|\mathcal{L}(G)| = \infty$ iff in the transition diagram of M there is a cycle that is reachable from the start state and from which an accept state can be reached.

This can be checked with standard graph algorithms. □

Intersection Problem

Definition (Intersection Problem for Regular Languages)

The **intersection problem** P_{\cap} for regular languages is:

Given: regular grammars G and G'

Question: Is $\mathcal{L}(G) \cap \mathcal{L}(G') = \emptyset$?

German: Schnittproblem

Decidability: Intersection Problem

Theorem

The intersection problem for regular languages is **decidable**.

Proof.

Using the closure of regular languages under intersection, we can construct (e.g., by converting to DFAs, constructing the product automaton, then converting back to a grammar) a grammar G'' with $\mathcal{L}(G'') = \mathcal{L}(G) \cap \mathcal{L}(G')$ and use the algorithm for the emptiness problem P_{\emptyset} . \square

Equivalence Problem

Definition (Equivalence Problem for Regular Languages)

The **equivalence problem** $P_{=}$ for regular languages is:

Given: regular grammars G and G'

Question: Is $\mathcal{L}(G) = \mathcal{L}(G')$?

German: Äquivalenzproblem

Decidability: Equivalence Problem

Theorem

The equivalence problem for regular languages is **decidable**.

Proof.

In general for languages L and L' , we have

$$L = L' \text{ iff } (L \cap \bar{L}') \cup (\bar{L} \cap L') = \emptyset.$$

The regular languages are closed under intersection, union and complement, and we know algorithms for these operations.

We can therefore construct a grammar for $(L \cap \bar{L}') \cup (\bar{L} \cap L')$ and use the algorithm for the emptiness problem P_{\emptyset} . \square

B5.4 Summary

Summary

- ▶ The regular languages are **closed** under all usual operations (union, intersection, complement, concatenation, star).
- ▶ All usual decision problems (word problem, emptiness, finiteness, intersection, equivalence) are **decidable** for regular languages.