

Planning and Optimization


D8. M&S: Strategies and Label Reduction

Gabriele Röger and Thomas Keller


Universität Basel

November 7, 2018

Content of this Course




Content of this Course: Heuristics



Merging Strategies

Content of this Course: Merge & Shrink



Generic Algorithm Template

Generic M&S computation algorithm

$abs := \{\mathcal{T}^{\pi\{v\}} \mid v \in V\}$

while abs contains more than one abstract transition system:

select $\mathcal{A}_1, \mathcal{A}_2$ from abs

shrink \mathcal{A}_1 and/or \mathcal{A}_2 until $size(\mathcal{A}_1) \cdot size(\mathcal{A}_2) \leq N$

$abs := abs \setminus \{\mathcal{A}_1, \mathcal{A}_2\} \cup \{\mathcal{A}_1 \otimes \mathcal{A}_2\}$

return the remaining abstract transition system in abs

Remaining question:

- Which abstractions to select? \rightsquigarrow merging strategy

Linear Merging Strategies

Linear Merging Strategy

In each iteration after the first, choose the abstraction computed in the previous iteration as \mathcal{A}_1 .

Rationale: only maintains one “complex” abstraction at a time
↪ Fully defined by an ordering of atomic projections.

Linear Merging Strategies: Choosing the Ordering

Use similar causal graph criteria as for growing patterns.

Example: Strategy of h_{HHH}

h_{HHH} : Ordering of atomic projections

- Start with a goal variable.
- Add variables that appear in preconditions of operators affecting previous variables.
- If that is not possible, add a goal variable.


Rationale: increases h quickly

Non-linear Merging Strategies

- Non-linear merging strategies only recently gained more interest in the planning community.
- One reason: Better label reduction techniques (later in this chapter) enabled a more efficient computation.
- Examples:
 - **DFP**: preferably merge transition systems that must synchronize on labels that occur close to a goal state.
 - **UMC** and **MIASM**: Build clusters of variables with strong interactions and first merge variables within each cluster.
- Each merge-and-shrink heuristic computed with a non-linear merging strategy can also be computed with a linear merging strategy.
- However, linear merging can require a super-polynomial blow-up of the final representation size.

Shrinking Strategies

Content of this Course: Merge & Shrink



Generic Algorithm Template

Generic M&S computation algorithm

$abs := \{\mathcal{T}^\pi\{v\} \mid v \in V\}$

while abs contains more than one abstraction:

select $\mathcal{A}_1, \mathcal{A}_2$ from abs

shrink \mathcal{A}_1 and/or \mathcal{A}_2 until $size(\mathcal{A}_1) \cdot size(\mathcal{A}_2) \leq N$

$abs := abs \setminus \{\mathcal{A}_1, \mathcal{A}_2\} \cup \{\mathcal{A}_1 \otimes \mathcal{A}_2\}$

return the remaining abstraction in abs

N : parameter bounding number of abstract states

Remaining Questions:

- Which abstractions to select? \rightsquigarrow merging strategy
- How to shrink an abstraction? \rightsquigarrow **shrinking strategy**

Shrinking Strategies

How to shrink an abstraction?

We cover two common approaches:

- f -preserving shrinking
- bisimulation-based shrinking

f -preserving Shrinking Strategy

f -preserving Shrinking Strategy

Repeatedly combine abstract states with **identical** abstract goal distances (h values) and **identical** abstract initial state distances (g values).

Rationale: preserves heuristic value and overall graph shape

Tie-breaking Criterion

Prefer combining states where $g + h$ is high.
In case of ties, combine states where h is high.

Rationale: states with high $g + h$ values are less likely to be explored by A^* , so inaccuracies there matter less


Bisimulation

Definition (Bisimulation)

Let $\mathcal{T} = \langle S, L, c, T, s_0, S_\star \rangle$ be a transition system. An equivalence relation \sim on S is a **bisimulation** for \mathcal{T} if for every $\langle s, \ell, s' \rangle \in T$ and every $t \sim s$ there is a transition $\langle t, \ell, t' \rangle \in T$ with $t' \sim s'$.

A bisimulation \sim is **goal-respecting** if $s \sim t$ implies that either $s, t \in S_\star$ or $s, t \notin S_\star$.

Bisimulation: Example



\sim with equivalence classes
 $\{\{1, 2, 5\}, \{3, 4\}\}$ is a
goal-respecting
bisimulation.

Bisimulations as Abstractions

Theorem (Bisimulations as Abstractions)

Let $\mathcal{T} = \langle S, L, c, T, s_0, S_* \rangle$ be a transition system and \sim be a bisimulation for \mathcal{T} . Then $\alpha_\sim : S \rightarrow \{[s]_\sim \mid s \in S\}$ with $\alpha_\sim(s) = [s]_\sim$ is an abstraction of \mathcal{T} .

Note: $[s]_\sim$ denotes the equivalence class of s .

Note: Surjectivity follows from the definition of the codomain as the image of α_\sim .

Abstractions as Bisimulations

Definition (Abstraction as Bisimulation)

Let $\mathcal{T} = \langle S, L, c, T, s_0, S_\star \rangle$ be a transition system and $\alpha : S \rightarrow S'$ be an abstraction of \mathcal{T} . The abstraction induces the equivalence relation \sim_α as $s \sim_\alpha t$ iff $\alpha(s) = \alpha(t)$.



We say that α is a (goal-respecting) bisimulation for \mathcal{T} if \sim_α is a (goal-respecting) bisimulation for \mathcal{T} .

Abstraction as Bisimulations: Example

Abstraction α with

$\alpha(1) = \alpha(2) = \alpha(5) = A$ and $\alpha(3) = \alpha(4) = B$

is a goal-respecting bisimulation for \mathcal{T} .



Goal-respecting Bisimulations are Exact (1)

Theorem

Let X be a collection of transition systems. Let α be an abstraction for $\mathcal{T}_i \in X$. If α is a goal-respecting bisimulation then the transformation from X to $X' := (X \setminus \{\mathcal{T}_i\}) \cup \{\mathcal{T}_i^\alpha\}$ is exact.

Proof.

Let $\mathcal{T}_X = \mathcal{T}_1 \otimes \dots \otimes \mathcal{T}_n = \langle S, L, c, T, s_0, S_\star \rangle$ and w.l.o.g.
 $\mathcal{T}_{X'} = \mathcal{T}_1 \otimes \dots \otimes \mathcal{T}_{i-1} \otimes \mathcal{T}_i^\alpha \otimes \mathcal{T}_{i+1} \otimes \dots \otimes \mathcal{T}_n = \langle S', L', c', T', s'_0, S'_\star \rangle$.
Consider $\sigma(\langle s_1, \dots, s_n \rangle) = \langle s_1, \dots, s_{i-1}, \alpha(s_i), s_{i+1}, \dots, s_n \rangle$ for the mapping of states and $\lambda = \text{id}$ for the mapping of labels.

- 1 Mappings σ and λ satisfy the requirements of safe transformations because α is an abstraction and we have chosen the mapping functions as before.

Goal-respecting Bisimulations are Exact (2)

Proof (continued).

- ② If $\langle s', \ell, t' \rangle \in T'$ with $s' = \langle s'_1, \dots, s'_n \rangle$ and $t' = \langle t'_1, \dots, t'_n \rangle$, then for $j \neq i$ transition system \mathcal{T}_j has transition $\langle s'_j, \ell, t'_j \rangle$ (*) and \mathcal{T}_i^α has transition $\langle s'_i, \ell, t'_i \rangle$. This implies that \mathcal{T}_i has a transition $\langle s''_i, \ell, t''_i \rangle$ for some $s''_i \in \alpha^{-1}(s'_i)$ and $t''_i \in \alpha^{-1}(t'_i)$. As α is a bisimulation, there must be such a transition for *all* such s''_i and t''_i (**).
- Each $s \in \sigma^{-1}(s')$ has the form $s = \langle s_1, \dots, s_n \rangle$ with $s_j = s'_j$ for $j \neq i$ and $s_i \in \alpha^{-1}(s'_i)$. Analogously for each $t = \langle t_1, \dots, t_n \rangle \in \sigma^{-1}(t')$. From (*) and (**) follows that \mathcal{T}_j has a transition $\langle s_j, \ell, t_j \rangle$ for all $j \in \{1, \dots, n\}$, so for each such s and t , T contains the transition $\langle s, \ell, t \rangle$.

...

Goal-respecting Bisimulations are Exact (3)

Proof (continued).

- ③ For $s'_\star = \langle s'_1, \dots, s'_n \rangle \in S'_\star$, each s'_j with $j \neq i$ must be a goal state of \mathcal{T}_j (*) and s'_i must be a goal state of \mathcal{T}_i^α . The latter implies that at least one $s''_i \in \alpha^{-1}(s'_i)$ is a goal state of \mathcal{T}_i . As α is goal-respecting, all states from $\alpha^{-1}(s'_i)$ are goal states of \mathcal{T}_i (**).

Consider $s_\star = \langle s_1, \dots, s_n \rangle \in \sigma^{-1}(s'_\star)$. By the definition of σ , $s_j = s'_j$ for $j \neq i$ and $s_i \in \alpha^{-1}(s'_i)$. From (*) and (**), each s_j ($j \in \{1, \dots, n\}$) is a goal state of \mathcal{T}_j and, hence, s_\star a goal state of \mathcal{T}_X .

- ④ As $\lambda = \text{id}$ and the transformation does not change the label cost function, $c(\ell) = c'(\lambda(\ell))$ for all $\ell \in L$.



Bisimulations: Discussion

- As all bisimulations preserve all relevant information, we are interested in the **coarsest** such abstraction (to shrink as much as possible).
- There is always a unique coarsest bisimulation for \mathcal{T} and it can be computed efficiently (from the explicit representation).
- In some cases, computing the bisimulation is still too expensive or it cannot sufficiently shrink a transition system.

Greedy Bisimulations

Definition (Greedy Bisimulation)

Let $\mathcal{T} = \langle S, L, c, T, s_0, S_\star \rangle$ be a transition system. An equivalence relation \sim on S is a **greedy bisimulation** for \mathcal{T} if it is a bisimulation for the system $\langle S, L, c, T^G, s_0, S_\star \rangle$, where

$$T^G = \{ \langle s, \ell, t \rangle \mid \langle s, \ell, t \rangle \in T, h^*(s) = h^*(t) + c(\ell) \}.$$

Greedy bisimulation only considers transitions that are used in an optimal solution of some state of \mathcal{T} .

Greedy Bisimulation is h -preserving

Theorem


Let \mathcal{T} be a transition system and let α be an abstraction of \mathcal{T} . If \sim_α is a goal-respecting greedy bisimulation for \mathcal{T} then $h_{\mathcal{T}^\alpha}^ = h_{\mathcal{T}}^*$.*

(Proof omitted.)


Note: This does not mean that replacing \mathcal{T} with \mathcal{T}^α in a collection of transition systems is a safe transformation! Abstraction α preserves solution costs “locally” but not “globally”.

Label Reduction

Content of this Course: Merge & Shrink




Label Reduction: Motivation (1)



Whenever there is a transition with label o' there is also a transition with label o . If o' is not cheaper than o , we can always use the transition with o .

Idea: Replace o and o' with label o'' with cost of o


Label Reduction: Motivation (2)



States s and t are not bisimilar due to labels p and p' . In \mathcal{T}' they label the same (parallel) transitions. If p and p' have the same cost, in such a situation there is no need for distinguishing them.

Idea: Replace p and p' with label p'' with same cost.

Label Reduction: Motivation (3)



Label reductions reduce the time and memory requirement for merge and shrink steps and enable coarser bisimulation abstractions.

When is label reduction a safe transformation?

Label Reduction: Definition

Definition (Label Reduction)

Let X be a collection of transition systems with label set L and label cost function c . A **label reduction** $\langle \lambda, c' \rangle$ for X is given by a function $\lambda : L \rightarrow L'$, where L' is an arbitrary set of labels, and a label cost function c' on L' such that for all $\ell \in L$, $c'(\lambda(\ell)) \leq c(\ell)$.

For $\mathcal{T} = \langle S, L, c, T, s_0, S_\star \rangle \in X$ the **label-reduced transition system** is $\mathcal{T}^{\langle \lambda, c' \rangle} = \langle S, L', c', \{ \langle s, \lambda(\ell), t \rangle \mid \langle s, \ell, t \rangle \in T \}, s_0, S_\star \rangle$.

The **label-reduced collection** is $X^{\langle \lambda, c' \rangle} = \{ \mathcal{T}^{\langle \lambda, c' \rangle} \mid \mathcal{T} \in X \}$.

$L' \cap L \neq \emptyset$ and $L' = L$ are allowed.

Label Reduction is Safe (1)

Theorem (Label Reduction is Safe)

Let X be a collection of transition systems and $\langle \lambda, c' \rangle$ be a label-reduction for X . The *transformation from X to $X^{\langle \lambda, c' \rangle}$ is safe.*

Proof.

We show that the transformation is safe, using $\sigma = \text{id}$ for the mapping of states and λ for the mapping of labels.

The label cost function of $\mathcal{T}_{X^{\langle \lambda, c' \rangle}}$ is c' and has the required property by the definition of label reduction. ...

Label Reduction is Safe (2)

Theorem (Label Reduction is Safe)

Let X be a collection of transition systems and $\langle \lambda, c' \rangle$ be a label-reduction for X . The *transformation from X to $X^{\langle \lambda, c' \rangle}$ is safe.*

Proof (continued).

By the definition of synchronized products, \mathcal{T}_X has a transition $\langle \langle s_1, \dots, s_{|X|} \rangle, \ell, \langle t_1, \dots, t_{|X|} \rangle \rangle$ if for all i , $\mathcal{T}_i \in X$ has a transition $\langle s_i, \ell, t_i \rangle$. By the definition of label-reduced transition systems, this implies that $\mathcal{T}^{\langle \lambda, c' \rangle}$ has a corresponding transition $\langle s_i, \lambda(\ell), t_i \rangle$, so $\mathcal{T}_{X^{\langle \lambda, c' \rangle}}$ has a transition $\langle s, \lambda(\ell), t \rangle = \langle \sigma(s), \lambda(\ell), \sigma(t) \rangle$ (definition of synchronized products).

For each goal state s_* of \mathcal{T}_X , state $\sigma(s_*) = s_*$ is a goal state of $\mathcal{T}_{X^{\langle \lambda, c' \rangle}}$ because the transformation replaces each transition system with a system that has the same goal states. □

More Terminology

Let X be a collection of transition systems with labels L . Let $l, l' \in L$ be labels and let $\mathcal{T} \in X$.

- Label l is **alive** in X if all $\mathcal{T}' \in X$ have some transition labelled with l . Otherwise, l is **dead**.
- Label l **locally subsumes** label l' in \mathcal{T} if for all transitions $\langle s, l', t \rangle$ of \mathcal{T} there is also a transition $\langle s, l, t \rangle$ in \mathcal{T} .
- l **globally subsumes** l' if it locally subsumes l' in all $\mathcal{T}' \in X$.
- l and l' are **locally equivalent** in \mathcal{T} if they label the same transitions in \mathcal{T} , i.e. l locally subsumes l' in \mathcal{T} and vice versa.
- l and l' are **\mathcal{T} -combinable** if they are locally equivalent in all transition systems $\mathcal{T}' \in X \setminus \{\mathcal{T}\}$.

Exact Label Reduction

Theorem (Criteria for Exact Label Reduction)


Let X be a collection of transition systems with cost function c and label set L that contains no dead labels.

Let $\langle \lambda, c' \rangle$ be a label-reduction for X such that λ combines labels l_1 and l_2 and leaves other labels unchanged. The **transformation from X to $X^{\langle \lambda, c' \rangle}$ is exact** iff $c(l_1) = c(l_2)$, $c'(\lambda(l)) = c(l)$ for all $l \in L$, and

- l_1 globally subsumes l_2 , or
- l_2 globally subsumes l_1 , or
- l_1 and l_2 are \mathcal{T} -combinable for some $\mathcal{T} \in X$.


(Proof omitted.)

Back to Example (1)



Label o globally subsumes label o' .

Back to Example (2)



Labels p and p' are \mathcal{T} -combinable.

Computation of Exact Label Reduction (1)

- For given labels ℓ_1, ℓ_2 , the criteria can be tested in low-order polynomial time.
- Finding globally subsumed labels involves finding subset relationships in a set family.
↪ no linear-time algorithms known
- The following algorithm exploits only \mathcal{T} -combinability.

Computation of Exact Label Reduction (2)

$eq_i :=$ set of label equivalence classes of $\mathcal{T}_i \in X$

Label-reduction based on \mathcal{T}_i -combinability

$eq := \{L\}$

for $j \in \{1, \dots, |X|\} \setminus \{i\}$

 Refine eq with eq_j

// two labels are in the same set of eq

// iff they are locally equivalent in all $\mathcal{T}_j \neq \mathcal{T}_i$.

$\lambda = \text{id}$

for $B \in eq$

$\text{samecost} := \{[l]_{\sim_c} \mid l \in B, l' \sim_c l'' \text{ iff } c(l') = c(l'')\}$

for $L' \in \text{samecost}$

$l_{\text{new}} :=$ new label

$c'(l_{\text{new}}) :=$ cost of labels in L'

for $l \in L'$

$\lambda(l) = l_{\text{new}}$

Application in Merge-and-Shrink Algorithm

Generic M&S Computation Algorithm with Label Reduction

$abs := \{\mathcal{T}^{\pi\{v\}} \mid v \in V\}$

while abs contains more than one abstract transition system:

select $\mathcal{T}_1, \mathcal{T}_2$ from abs

possibly **label-reduce** all $\mathcal{T} \in abs$

(e.g. based on \mathcal{T}_1 - and/or \mathcal{T}_2 -combinability).

shrink \mathcal{T}_1 and/or \mathcal{T}_2 until $size(\mathcal{T}_1) \cdot size(\mathcal{T}_2) \leq N$

possibly **label-reduce** all $\mathcal{T} \in abs$

$abs := abs \setminus \{\mathcal{T}_1, \mathcal{T}_2\} \cup \{\mathcal{T}_1 \otimes \mathcal{T}_2\}$

return the remaining abstract transition system in abs

Summary

Summary

- **Bisimulation** is an **exact** shrinking method.
- There is a wide range of merging strategies. We only covered some important ones.
- **Label reduction** is crucial for the performance of the merge-and-shrink algorithm, especially when using bisimilarity for shrinking.

Literature

Literature (1)

References on merge-and-shrink abstractions:



Klaus Dräger, Bernd Finkbeiner and Andreas Podelski.
Directed Model Checking with Distance-Preserving
Abstractions.

Proc. SPIN 2006, pp. 19–34, 2006.

Introduces merge-and-shrink abstractions (for model-checking)
and DFP merging strategy.



Malte Helmert, Patrik Haslum and Jörg Hoffmann.
Flexible Abstraction Heuristics for Optimal Sequential
Planning.

Proc. ICAPS 2007, pp. 176–183, 2007.

Introduces merge-and-shrink abstractions for planning.

Literature (2)



Raz Nissim, Jörg Hoffmann and Malte Helmert.
Computing Perfect Heuristics in Polynomial Time: On
Bisimulation and Merge-and-Shrink Abstractions in Optimal
Planning.

Proc. IJCAI 2011, pp. 1983–1990, 2011.

Introduces **bisimulation-based shrinking**.



Malte Helmert, Patrik Haslum, Jörg Hoffmann and Raz
Nissim.

Merge-and-Shrink Abstraction: A Method for Generating
Lower Bounds in Factored State Spaces.

Journal of the ACM 61 (3), pp. 16:1–63, 2014.

Detailed **journal version** of the previous two publications.

Literature (3)



Silvan Sievers, Martin Wehrle and Malte Helmert.
Generalized Label Reduction for Merge-and-Shrink Heuristics.
Proc. AAAI 2014, pp. 2358–2366, 2014.
Introduces **label reduction** as covered in these slides
(there has been a more complicated version before).



Gaojian Fan, Martin Müller and Robert Holte.
Non-linear merging strategies for merge-and-shrink based on
variable interactions.
Proc. AAAI 2014, pp. 2358–2366, 2014.
Introduces **UMC and MIASM merging strategies**