

Planning and Optimization

F5. Determinization

Gabriele Röger and Thomas Keller

Universität Basel

November 28, 2018

Planning and Optimization

November 28, 2018 — F5. Determinization


F5.1 Suboptimal Probabilistic Planning

F5.2 Estimated Policy Evaluation

F5.3 Determinization

F5.4 Summary

Content of this Course



F5.1 Suboptimal Probabilistic Planning

Large SSPs and FH-MDPs

- ▶ **Before:** optimal policies and exact state-values for small SSPs, FH-MDPs and DR-MDPs.
- ▶ **Now:** focus on large SSPs and FH-MDPs (no more DR-MDPs)
- ▶ Further algorithms not necessarily optimal (may generate suboptimal policies)

Interleaved Planning & Execution

- ▶ Number of states of executable policy usually exponential in number of state variables. (Why?)
- ▶ For large SSPs and FH-MDPs, executable policy cannot be provided explicitly by enumeration.
- ▶ **Solution:** (possibly approximate) compact representation of executable policy required to describe solution
⇒ not part of this lecture.
- ▶ **Alternative solution:** policies defined only on minimal set of states

Interleaved Planning & Execution for SSPs

Plan-execute-monitor cycle for SSP \mathcal{T} :

- ▶ plan action a for the current state s_0
- ▶ execute a
- ▶ observe new current state s'
- ▶ update \mathcal{T} by setting $s_0 := s'$
- ▶ repeat until $s_0 \in S_*$

Interleaved Planning & Execution for FH-MDPs

Plan-execute-monitor cycle for FH-MDP \mathcal{T} :

- ▶ plan action a for the current state s_0
- ▶ execute a
- ▶ observe new current state s'
- ▶ update \mathcal{T} by setting $s_0 := s'$ and $H := H - 1$
- ▶ repeat until $H = 0$

Interleaved Planning & Execution in Practice

- + avoid **loss of precision** that often comes with compact description of executable policy
- + do not waste time with planning for states that are **never reached** during execution
 - **poor decisions** can be avoided by spending more time with deliberation before execution
 - in SSPs, this can even mean that computed policy is **not proper** and execution never reaches the goal

F5.2 Estimated Policy Evaluation

Estimated Policy Evaluation

- ▶ The **quality** of a policy is described by its expected cost (SSP) or reward (FH-MDP) $V_\pi(s_0)$ in the initial state s_0
- ▶ VI, PI and Linear Programming compute **optimal policy** π and **quality** $V_\pi(s_0) = V_*(s_0)$
- ▶ Quality of explicitly given policy π can be computed by **acyclic** or **iterative policy evaluation** (in small SSPs / FH-MDPs)
- ▶ **Impossible** with interleaved planning & execution

Estimated Policy Evaluation

- ▶ **Estimate** quality of policy π
- ▶ **Execute** π for $n \in \mathbb{N}$ times
- ▶ Let ρ_π^i denote the accumulated cost (SSP) or reward (FH-MDP) of the i -th **run** (execution) of π . Then use

$$\tilde{V}_\pi := \frac{1}{n} \cdot \sum_{i=1}^n \rho_\pi^i$$

as quality estimate.

- ▶ With **strong law of large numbers** we have

$$\tilde{V}_\pi \rightarrow V_\pi(s_0) \text{ for } n \rightarrow \infty$$

- ▶ **Good approximation** if n sufficiently large

F5.3 Determinization

What is a Determinization?


- ▶ Replace **probabilistic actions** with **deterministic** ones
- ▶ Results in **deterministic** planning problem
- ▶ For SSPs, this is a **classical planning task**
- ▶ SSP/FH-MDP and its determinization are **related** but **not equivalent**
- ▶ Determinization often **solvable in practice** even if MDP is not

How do we Come up with a Determinization?

Two main **types** of determinization


- ▶ **Single-outcome determinization**
 - ▶ Remove all outcomes from actions **except for one**
 - ▶ In most practical applications, the **most likely** outcome is preserved
- ▶ **All-outcomes determinization**
 - ▶ Create one action for each outcome
 - ▶ Corresponds to **most desired** single-outcome determinization (the planner is allowed to choose the outcome)

Example: Finite Horizon MDP




Example: Single-outcome Determinization

Remove **all outcomes but one**




Example: All-outcomes Determinization



Example: All-outcomes Determinization


Generate **one action per outcome**



Determinizations: Weaknesses


- ▶ Single-outcome determinizations: important parts of state space can become **unreachable** \Rightarrow poor policy or unsolvable

Single-outcome Determinization: Weaknesses



Single-outcome Determinization: Weaknesses

Important parts of the MDP can become **unreachable**




Determinizations: Weaknesses

- ▶ Single-outcome determinizations: important parts of state space can become **unreachable** \Rightarrow poor policy or unsolvable
- ▶ All-outcomes determinization: utterly **optimistic**


All-outcomes Determinization: Weaknesses

All-outcomes determinization is **too optimistic**



All-outcomes Determinization: Weaknesses

All-outcomes determinization is **too optimistic**



Determinizations: Weaknesses

- ▶ Single-outcome determinizations: important parts of state space can become **unreachable** \Rightarrow poor policy or unsolvable
- ▶ All-outcomes determinization: utterly **optimistic**
- ▶ All-outcomes determinization: number of outcomes can be **exponential** in the number of parallel probabilistic effects
Note: Unlike the previous, this is a problem on the **syntactic** level

All-outcomes Determinizations: Weaknesses

Example

Consider the operator

$$o = \langle \top, (p_{11} : v_1 \mid p_{12} : \neg v_1) \wedge \dots \wedge (p_{n1} : v_n \mid p_{n2} : \neg v_n), 1 \rangle$$

of a planning task with set of variables $V = \{v_1, \dots, v_n\}$.

All states in the set of states S over V are **possible outcomes** of o , and the **number of deterministic operators** in the all-outcomes determinization is hence 2^n .

Determinizations in Practice

Despite the inherent weaknesses, determinizations have been used successfully in practice. Consider the winners of **all** probabilistic tracks of the International Planning Competition:

- ▶ 2004: FF-Replan (Yoon, Fern & Givan) interleaves planning & execution of plan in determinization
- ▶ 2006: FPG (Buffet & Aberdeen) **learns a policy** utilizing FF-Replan
- ▶ 2008: RFF (Teichteil-Königsbuch, Infantes & Kuter) **extends determinization-based plan** to policy
- ▶ 2011 and 2014: PROST-2011 (Keller & Eyerich) and PROST-2014 (Keller & Geißer) use determinization-based **lookahead heuristic**
- ▶ 2018: PROST-DD (Geißer & Speck) use BDD representation of determinization as **heuristic**

F5.4 Summary

Summary

- ▶ The **plan-execute-monitor** cycle allows compact policies that can be **executed**
- ▶ Policies can be evaluated by repeated execution
- ▶ A **single-outcome determinization** removes all outcomes from a transition **except for one**
- ▶ An **all-outcomes determinization** creates a deterministic transition **for each outcome**
- ▶ Both types of determinization have **inherent weaknesses**
- ▶ Determinizations have been applied **successfully in practice**