

Planning and Optimization

F6. Determinization-based Algorithms

Gabriele Röger and Thomas Keller

Universität Basel

November 28, 2018

Planning and Optimization

November 28, 2018 — F6. Determinization-based Algorithms


F6.1 Determinize, Plan & Execute

F6.2 Determinization Guided Policy Refinement

F6.3 Lookahead in FH-MDPs

F6.4 Summary

Content of this Course



Determinizations in Practice

The winners of **all** probabilistic tracks of the International Planning Competition use determinization:

- ▶ 2004: FF-Replan (Yoon, Fern & Givan) interleaved planning & execution of plan in determinization
- ▶ 2006: FPG (Buffet & Aberdeen) **learns a policy** utilizing FF-Replan
- ▶ 2008: RFF (Teichteil-Königsbuch, Infantes & Kuter) **extends determinization-based plan** to policy
- ▶ 2011 and 2014: PROST-2011 (Keller & Eyerich) and PROST-2014 (Keller & Geißer) use determinization-based **lookahead heuristic**
- ▶ 2018: PROST-DD (Geißer & Speck) use BDD representation of determinization as **heuristic**

F6.1 Determine, Plan & Execute

Determine, Plan & Execute: Idea

Use determinization in combination with interleaved planning & execution in **determine-plan-execute-monitor** cycle for SSP \mathcal{T} :

- ▶ compute determinization \mathcal{T}^d of \mathcal{T}
- ▶ use **classical planner** to plan action a for the current state s_0 in \mathcal{T}^d
- ▶ execute a
- ▶ observe new current state s'
- ▶ update \mathcal{T} by setting $s_0 := s'$
- ▶ repeat until $s_0 \in S_*$

Determine, Plan & Execute in Practice

- + well-suited if uncertainty has **certain form** (e.g., actions can fail or succeed)
- + well-suited if information on probabilities **noisy** (e.g., path planning for robots in uncertain terrain)
- + exponential blowup through parallel probabilistic effects **can be avoided** (with polynomial increase of plan length)
 - no technique that **mitigates other weaknesses** of determinizations
 - **gets stuck** in cycle in worst case

Determine, Plan & Execute: Implementation

- ▶ Implemented in **FF-Replan** (Yoon, Fern & Givan)
- ▶ uses classical planner FF (Hoffmann & Nebel)
- ▶ **winner** of IPC 2004
- ▶ **top performer** in IPC 2006, but no official competitor (used as baseline)
- ▶ led to discussions if competition domains are **probabilistically interesting**

F6.2 Determinization Guided Policy Refinement

Determinization Guided Policy Refinement: Idea

- ▶ Plan for determinization can be seen as **partial policy** for all states reached by plan
- ▶ Usually **not executable**, as some outcomes not covered by partial policy
- ▶ Recursively plan in determinization from such an uncovered state and **merge plans** into **policy graph**
- ▶ Partial policy induced by policy graph becomes **executable** eventually

Determinization Guided Policy Refinement: Algorithm

- 1 Compute determinization \mathcal{T}^d of input SSP \mathcal{T} and set $s := s_0$
- 2 Compute plan in \mathcal{T}^d from s and add all states in plan to policy graph
- 3 Add all uncovered outcomes to policy graph
- 4 Run VI on policy graph and collect all states in current solution graph without policy mapping
- 5 Compute probability to end up in uncovered state; terminate if smaller than some threshold
- 6 Choose uncovered state s' in best solution graph and set $s := s'$; repeat from 2

Determinization Guided Policy Refinement: Example

↪ Blackboard

Determinization Guided Policy Refinement in Practice

- + **optimal** in the limit (if provided with unbounded deliberation time and memory)
- order in which policy graph is extended depends only on determinization and hence on plan cost (**optimistic**)
- while probabilities (and hence **expected cost**) are ignored
- weaknesses of determinizations affect **early policies**

Determinization Guided Policy Refinement: Implementation

- ▶ Implemented in **RFF** (Teichteil-Königsbuch, Infantes & Kuter)
- ▶ uses classical planner FF (Hoffmann & Nebel)
- ▶ **winner** of IPC 2008
- ▶ **near-optimal** for many benchmark problems

F6.3 Lookahead in FH-MDPs

Determinization for FH-MDPs

Determinization of FH-MDP is no classical planning task:

- ▶ **But:** the **finite horizon** can be compiled into a **goal**:
 - ▶ add finite-domain variable v_h with $\text{dom}(v_h) = \{0, \dots, H\}$
 - ▶ $s_0(h) = H$
 - ▶ introduce $S_* := \{s \in S \mid s(h) = 0\}$
 - ▶ add effect $s(h) := s(h) - 1$ to all operators
 - ▶ **However:** compilation of **state-dependent rewards** to state-independent costs leads to **exponential blowup**
- ⇒ Compilation not always possible, cannot use classical planner

Lookahead Heuristic: Idea

Use determinization as **heuristic**:

- ▶ Search directly in determinized FH-MDP (⇒ a deterministic FH-MDP)
- ▶ Use **most likely determinization** for small branching factor
- ▶ To balance computation time, **limit search horizon**
- ▶ and use **iterative deepening search** that stops after time limit is reached

⇒ efficient lookahead in **most likely future**

Lookahead Heuristic in Practice

- + supports **state-dependent rewards**
- + balances **accuracy** and **computation time**
 - probabilities (and hence **expected cost**) are ignored
 - heuristic prone to **weaknesses** of determinizations
- + used only as heuristic ⇒ search can **overcome** weaknesses

Lookahead Heuristic: Implementation

- ▶ Implemented in **PROST-2011** (Keller & Eyerich) and **PROST-2014** (Keller & Geißer)
- ▶ **winner** of IPC 2011 and 2014
- ▶ despite simplicity **well-suited** to guide search

F6.4 Summary

Summary

- ▶ Winners of all probabilistic tracks of International Planning Competition use **determinization**
- ▶ FF-Replan uses **determinize-plan-execute-monitor** cycle
- ▶ RFF iteratively **refines** determinization-based plans to policy
- ▶ PROST uses determinization result as **heuristic**