

Planning and Optimization

G1. Constraints: Introduction

Malte Helmert and Gabriele Röger

Universität Basel

November 29, 2023

Planning and Optimization


November 29, 2023 — G1. Constraints: Introduction

G1.1 Constraint-based Heuristics

G1.2 Multiple Heuristics

G1.3 Summary

Content of this Course



G1.1 Constraint-based Heuristics

Coming Up with Heuristics in a Principled Way

General Procedure for Obtaining a Heuristic

Solve a simplified version of the problem.

Major ideas for heuristics in the planning literature:

- ▶ delete relaxation
- ▶ abstraction
- ▶ critical paths
- ▶ landmarks
- ▶ network flows
- ▶ potential heuristic

Landmarks, network flows and potential heuristics are based on **constraints** that can be specified for a planning task.


Constraints

Some heuristics exploit **constraints** that describe something that holds in every solution of the task.

For instance, every solution is such that

- ▶ a variable takes a certain value in at least one visited state.
(a **fact landmark** constraint)

Constraints: Example





Images from wikipedia

FDR planning task $\langle V, I, O, \gamma \rangle$ with

- ▶ $V = \{robot-at, dishes-at\}$ with
 - ▶ $\text{dom}(robot-at) = \{A1, \dots, C3, B4, A5, \dots, B6\}$
 - ▶ $\text{dom}(dishes-at) = \{\text{Table}, \text{Robot}, \text{Dishwasher}\}$
- ▶ $I = \{robot-at \mapsto C1, dishes-at \mapsto \text{Table}\}$
- ▶ operators
 - ▶ move-x-y to move from cell x to adjacent cell y
 - ▶ pickup dishes, and
 - ▶ load dishes into the dishwasher.
- ▶ $\gamma = (robot-at = B6) \wedge (dishes-at = \text{Dishwasher})$

Fact Landmarks: Example

Which values do *robot-at* and *dishes-at* take in every solution?



- ▶ $robot-at = C1, dishes-at = \text{Table}$ (initial state)
- ▶ $robot-at = B6, dishes-at = \text{Dishwasher}$ (goal state)
- ▶ $robot-at = A1, robot-at = B3, robot-at = B4, robot-at = B5, robot-at = A6, dishes-at = \text{Robot}$

Constraints


Some heuristics exploit **constraints** that describe something that holds in every solution of the task.

For instance, every solution is such that


- ▶ a variable takes some value in at least one visited state.
(a **fact landmark** constraint)
- ▶ an action must be applied.
(an **action landmark** constraint)

Action Landmarks: Example

Which actions must be applied in every solution?



- ▶ pickup
- ▶ load
- ▶ move-B3-B4
- ▶ move-B4-B5



Constraints


Some heuristics exploit **constraints** that describe something that holds in every solution of the task.

For instance, every solution is such that


- ▶ a variable takes some **value** in at least one visited state.
(a **fact landmark** constraint)
- ▶ an action must be applied.
(an **action landmark** constraint)
- ▶ at least one action from a set of actions must be applied.
(a **disjunctive action landmark** constraint)

Disjunctive Action Landmarks: Example

Which set of actions is such that at least one must be applied?



- ▶ {pickup}
- ▶ {load}
- ▶ {move-B3-B4}
- ▶ {move-B4-B5}
- ▶ {move-A6-B6, move-B5-B6}
- ▶ {move-A3-B3, move-B2-B3, move-C3-B3}
- ▶ {move-B1-A1, move-A2-A1}
- ▶ ...



Constraints

Some heuristics exploit **constraints** that describe something that holds in every solution of the task.


For instance, every solution is such that

- ▶ a variable takes some value in at least one visited state.
(a **fact landmark** constraint)
- ▶ at least one action from a set of actions must be applied.
(a **disjunctive action landmark** constraint)
- ▶ fact consumption and production is “balanced”.
(a **network flow** constraint)

Network Flow: Example

Consider the fact $\text{robot-at} = B2$.

How often are actions used that enter this cell?



Answer: as often as actions that leave this cell

If Count_o denotes how often operator o is applied, we have:

$$\begin{aligned} \text{Count}_{\text{move-A1-B1}} + \text{Count}_{\text{move-B2-B1}} + \text{Count}_{\text{move-C1-B1}} = \\ \text{Count}_{\text{move-B1-A1}} + \text{Count}_{\text{move-B1-B2}} + \text{Count}_{\text{move-B1-C1}} \end{aligned}$$

G1.2 Multiple Heuristics

Combining Admissible Heuristics Admissibly

Major ideas to combine heuristics admissibly:

- ▶ maximize
- ▶ canonical heuristic (for abstractions)
- ▶ **minimum hitting set** (for landmarks)
- ▶ **cost partitioning**
- ▶ **operator counting**

Often computed as solution to a **(integer) linear program**.

Combining Heuristics Admissibly: Example

Example

Consider an FDR planning task $\langle V, I, \{o_1, o_2, o_3, o_4\}, \gamma \rangle$ with $V = \{v_1, v_2, v_3\}$ with $\text{dom}(v_1) = \{A, B\}$ and $\text{dom}(v_2) = \text{dom}(v_3) = \{A, B, C\}$, $I = \{v_1 \mapsto A, v_2 \mapsto A, v_3 \mapsto A\}$,

$$o_1 = \langle v_1 = A, v_1 := B, 1 \rangle$$

$$o_2 = \langle v_2 = A \wedge v_3 = A, v_2 := B \wedge v_3 := B, 1 \rangle$$

$$o_3 = \langle v_2 = B, v_2 := C, 1 \rangle$$

$$o_4 = \langle v_3 = B, v_3 := C, 1 \rangle$$


and $\gamma = (v_1 = B) \wedge (v_2 = C) \wedge (v_3 = C)$.

Let \mathcal{C} be the pattern collection that contains all atomic projections. What is the canonical heuristic function $h^{\mathcal{C}}$?

Answer: Let $h_i := h^{v_i}$. Then $h^{\mathcal{C}} = \max \{h_1 + h_2, h_1 + h_3\}$.

Combining Heuristics (In)admissibly: Example

Let $h = h_1 + h_2 + h_3$.



$\langle o_2, o_3, o_4 \rangle$ is a plan for $s = \langle B, A, A \rangle$ but $h(s) = 4$.

Heuristics h_2 and h_3 both account for the single application of o_2 .

Reminder: Orthogonality and Additivity

Why can we add h_1 and h_2 (h_1 and h_3) admissibly?

Theorem (Additivity for Orthogonal Abstractions)

Let $h^{\alpha_1}, \dots, h^{\alpha_n}$ be abstraction heuristics of the same transition system such that α_i and α_j are orthogonal for all $i \neq j$.

Then $\sum_{i=1}^n h^{\alpha_i}$ is a safe, goal-aware, admissible and consistent heuristic for Π .

The proof exploits that **every concrete transition induces state-changing transition in at most one abstraction**.

Prevent Inadmissibility


The reason that h_2 and h_3 are not additive is because the cost of o_2 is considered in both.

Is there anything we can do about this?

Solution: We can ignore the cost of o_2 in one heuristic by setting its cost to 0 (e.g., $\text{cost}_3(o_2) = 0$).

Combining Heuristics Admissibly: Example

Let $h' = h_1 + h_2 + h'_3$, where $h'_3 = h^{v_3}$ assuming $\text{cost}_3(o_2) = 0$.



$\langle o_2, o_3, o_4 \rangle$ is an optimal plan for $s = \langle B, A, A \rangle$ and $h'(s) = 3$ an admissible estimate.

Cost partitioning

Using the cost of every operator only in one heuristic is called a **zero-one cost partitioning**.

More generally, heuristics are additive if all operator costs are distributed in a way that the sum of the individual costs is no larger than the cost of the operator.

This can also be expressed as a constraint, the **cost partitioning constraint**:

$$\sum_{i=1}^n \text{cost}_i(o) \leq \text{cost}(o) \text{ for all } o \in O$$

(more details later)

G1.3 Summary

- ▶ Landmarks and network flows are **constraints** that describe something that holds in every solution of the task.
- ▶ Heuristics can be combined admissibly if the **cost partitioning constraint** is satisfied.