

# Discrete Mathematics in Computer Science

## B3. Equivalence and Order Relations

Malte Helmert, Gabriele Röger

University of Basel

October 7/9, 2024

# Equivalence Relations

# Motivation

- Think of any attribute that two objects can have in common, e. g. their color.
- We could place the objects into distinct “buckets”, e. g. one bucket for each color.
- We also can define a relation  $\sim$  such that  $x \sim y$  iff  $x$  and  $y$  share the attribute, e. g. have the same color.
- Would this relation be
  - reflexive?
  - irreflexive?
  - symmetric?
  - asymmetric?
  - antisymmetric?
  - transitive?

# Equivalence Relation

## Definition (Equivalence Relation)

A binary relation  $\sim$  over set  $S$  is an **equivalence relation** if  $\sim$  is **reflexive, symmetric and transitive**.

German: Äquivalenzrelation

# Equivalence Relation

## Definition (Equivalence Relation)

A binary relation  $\sim$  over set  $S$  is an **equivalence relation** if  $\sim$  is **reflexive, symmetric and transitive**.

### Examples:

- $\{(x, y) \mid x \text{ and } y \text{ have the same place of origin}\}$   
over the set of all Swiss citizens
- $\{(x, y) \mid x \text{ and } y \text{ have the same parity}\}$  over  $\mathbb{N}_0$
- $\{(1, 1), (1, 4), (1, 5), (4, 1), (4, 4), (4, 5), (5, 1), (5, 4), (5, 5), (2, 2), (2, 3), (3, 2), (3, 3)\}$  over  $\{1, 2, \dots, 5\}$

German: Äquivalenzrelation

# Equivalence Relation

## Definition (Equivalence Relation)

A binary relation  $\sim$  over set  $S$  is an **equivalence relation** if  $\sim$  is **reflexive, symmetric and transitive**.

### Examples:

- $\{(x, y) \mid x \text{ and } y \text{ have the same place of origin}\}$   
over the set of all Swiss citizens
- $\{(x, y) \mid x \text{ and } y \text{ have the same parity}\}$  over  $\mathbb{N}_0$
- $\{(1, 1), (1, 4), (1, 5), (4, 1), (4, 4), (4, 5), (5, 1), (5, 4), (5, 5), (2, 2), (2, 3), (3, 2), (3, 3)\}$  over  $\{1, 2, \dots, 5\}$

Is this definition indeed what we want?

Does it allow us to partition the objects into buckets (e. g. one “bucket” for all objects that share a specific color)?

German: Äquivalenzrelation

# Equivalence Classes

## Definition (Equivalence Class)

Let  $\sim$  be an equivalence relation over set  $S$ .

For any  $x \in S$ , the **equivalence class of  $x$**  is the set

$$[x]_{\sim} = \{y \in S \mid x \sim y\}.$$

German: Äquivalenzklasse

# Equivalence Classes

## Definition (Equivalence Class)

Let  $\sim$  be an equivalence relation over set  $S$ .

For any  $x \in S$ , the **equivalence class of  $x$**  is the set

$$[x]_{\sim} = \{y \in S \mid x \sim y\}.$$

Consider

$$\sim = \{(1, 1), (1, 4), (1, 5), (4, 1), (4, 4), (4, 5), (5, 1), (5, 4), (5, 5), \\ (2, 2), (2, 3), (3, 2), (3, 3)\}$$

over set  $\{1, 2, \dots, 5\}$ .

$$[4]_{\sim} =$$

German: Äquivalenzklasse



# Equivalence Classes: Properties

Let  $\sim$  be an equivalence relation over set  $S$  and  $E = \{[x]_{\sim} \mid x \in S\}$  the set of all equivalence classes.

- Every element of  $S$  is in some equivalence class in  $E$ .
- Every element of  $S$  is in at most one equivalence class in  $E$ .  
 $\rightsquigarrow$  homework assignment

# Equivalence Classes: Properties

Let  $\sim$  be an equivalence relation over set  $S$  and  $E = \{[x]_{\sim} \mid x \in S\}$  the set of all equivalence classes.

- Every element of  $S$  is in some equivalence class in  $E$ .
- Every element of  $S$  is in at most one equivalence class in  $E$ .  
 $\rightsquigarrow$  homework assignment

$\Rightarrow$  Equivalence relations induce **partitions**  
(not covered in this course).

# Questions



Questions?

# Order Relations

# Order Relations

- We now consider **other combinations of properties**, that allow us to describe a **consistent order** of the objects.

German: Ordnungsrelation

# Order Relations

- We now consider **other combinations of properties**, that allow us to describe a **consistent order** of the objects.
- “Number  $x$  is not larger than number  $y$ .”
  - “Set  $S$  is a subset of set  $T$ .”
  - “Jerry runs at least as fast as Tom.”
  - “Pasta tastes better than Potatoes.”

German: Ordnungsrelation

# Partial Orders

- We begin with **partial orders**.

# Partial Orders

- We begin with **partial orders**.
- Example partial order relations are  $\leq$  over  $\mathbb{N}_0$  or  $\subseteq$  for sets.



# Partial Orders

- We begin with **partial orders**.
- Example partial order relations are  $\leq$  over  $\mathbb{N}_0$  or  $\subseteq$  for sets.
- Are these relations
  - reflexive?
  - irreflexive?
  - symmetric?
  - asymmetric?
  - antisymmetric?
  - transitive?

## Partial Orders – Definition

### Definition (Partial order)

A binary relation  $\preceq$  over set  $S$  is a **partial order** if  $\preceq$  is **reflexive, antisymmetric and transitive**.

## Partial Orders – Definition

### Definition (Partial order)

A binary relation  $\preceq$  over set  $S$  is a **partial order** if  $\preceq$  is **reflexive, antisymmetric and transitive**.

Which of these relations are partial orders?

- strict subset relation  $\subset$  for sets
- not-less-than relation  $\geq$  over  $\mathbb{N}_0$
- $R = \{(a, a), (a, b), (b, b), (b, c), (c, c)\}$  over  $\{a, b, c\}$

German: Halbordnung oder partielle Ordnung

# Least and Greatest Element

## Definition (Least and greatest element)

Let  $\preceq$  be a partial order over set  $S$ .

An element  $x \in S$  is the **least element** of  $S$  if **for all**  $y \in S$  it holds that  $x \preceq y$ .

It is the **greatest element** of  $S$  if **for all**  $y \in S$ ,  $y \preceq x$ .

German: kleinstes/grösstes Element

# Least and Greatest Element

## Definition (Least and greatest element)

Let  $\preceq$  be a partial order over set  $S$ .

An element  $x \in S$  is the **least element** of  $S$  if **for all  $y \in S$**  it holds that  $x \preceq y$ .

It is the **greatest element** of  $S$  if **for all  $y \in S$ ,  $y \preceq x$** .

- Is there a least/greatest element? Which one?
  - $S = \{1, 2, 3\}$  and  $\preceq = \{(x, y) \mid x, y \in S \text{ and } x \leq y\}$

German: kleinstes/grösstes Element

# Least and Greatest Element

## Definition (Least and greatest element)

Let  $\preceq$  be a partial order over set  $S$ .

An element  $x \in S$  is the **least element** of  $S$  if **for all  $y \in S$**  it holds that  $x \preceq y$ .

It is the **greatest element** of  $S$  if **for all  $y \in S$ ,  $y \preceq x$** .

- Is there a least/greatest element? Which one?
  - $S = \{1, 2, 3\}$  and  $\preceq = \{(x, y) \mid x, y \in S \text{ and } x \leq y\}$
  - relation  $\leq$  over  $\mathbb{N}_0$

German: kleinstes/grösstes Element

# Least and Greatest Element

## Definition (Least and greatest element)

Let  $\preceq$  be a partial order over set  $S$ .

An element  $x \in S$  is the **least element** of  $S$  if **for all  $y \in S$**  it holds that  $x \preceq y$ .

It is the **greatest element** of  $S$  if **for all  $y \in S$ ,  $y \preceq x$** .

- Is there a least/greatest element? Which one?
  - $S = \{1, 2, 3\}$  and  $\preceq = \{(x, y) \mid x, y \in S \text{ and } x \leq y\}$
  - relation  $\leq$  over  $\mathbb{N}_0$
  - relation  $\leq$  over  $\mathbb{Z}$

German: kleinstes/grösstes Element

# Least and Greatest Element

## Definition (Least and greatest element)

Let  $\preceq$  be a partial order over set  $S$ .

An element  $x \in S$  is the **least element** of  $S$  if **for all**  $y \in S$  it holds that  $x \preceq y$ .

It is the **greatest element** of  $S$  if **for all**  $y \in S$ ,  $y \preceq x$ .

- Is there a least/greatest element? Which one?
  - $S = \{1, 2, 3\}$  and  $\preceq = \{(x, y) \mid x, y \in S \text{ and } x \leq y\}$
  - relation  $\leq$  over  $\mathbb{N}_0$
  - relation  $\leq$  over  $\mathbb{Z}$
- Why can we say **the** least element instead of **a** least element?

German: kleinstes/grösstes Element



# Uniqueness of Least Element

## Theorem

*Let  $\preceq$  be a partial order over set  $S$ .*

*If  $S$  contains a least element, it contains exactly one least element.*

# Uniqueness of Least Element

## Theorem

Let  $\preceq$  be a partial order over set  $S$ .

If  $S$  contains a least element, it contains exactly one least element.

## Proof.

By contradiction: Assume  $x, y$  are least elements of  $S$  with  $x \neq y$ .



# Uniqueness of Least Element

## Theorem

Let  $\preceq$  be a partial order over set  $S$ .

If  $S$  contains a least element, it contains exactly one least element.

## Proof.

**By contradiction:** Assume  $x, y$  are least elements of  $S$  with  $x \neq y$ .

Since  $x$  is a least element,  $x \preceq y$  is true.

Since  $y$  is a least element,  $y \preceq x$  is true.



# Uniqueness of Least Element

## Theorem

Let  $\preceq$  be a partial order over set  $S$ .

If  $S$  contains a least element, it contains exactly one least element.

## Proof.

**By contradiction:** Assume  $x, y$  are least elements of  $S$  with  $x \neq y$ .

Since  $x$  is a least element,  $x \preceq y$  is true.

Since  $y$  is a least element,  $y \preceq x$  is true.

As a partial order is antisymmetric, this implies that  $x = y$ .  $\downarrow$  □

# Uniqueness of Least Element

## Theorem

Let  $\preceq$  be a partial order over set  $S$ .

If  $S$  contains a least element, it contains exactly one least element.

## Proof.

**By contradiction:** Assume  $x, y$  are least elements of  $S$  with  $x \neq y$ .

Since  $x$  is a least element,  $x \preceq y$  is true.

Since  $y$  is a least element,  $y \preceq x$  is true.

As a partial order is antisymmetric, this implies that  $x = y$ .  $\downarrow$  □

Analogously: If there is a greatest element then is unique.

## Minimal and Maximal Elements

### Definition (Minimal/Maximal element of a set)

Let  $\preceq$  be a partial order over set  $S$ .

An element  $x \in S$  is a **minimal element** of  $S$  if **there is no  $y \in S$  with  $y \preceq x$  and  $x \neq y$ .**

An element  $x \in S$  is a **maximal element** of  $S$  if **there is no  $y \in S$  with  $x \preceq y$  and  $x \neq y$ .**

German: minimales/maximales Element

## Minimal and Maximal Elements

### Definition (Minimal/Maximal element of a set)

Let  $\preceq$  be a partial order over set  $S$ .

An element  $x \in S$  is a **minimal element** of  $S$  if **there is no  $y \in S$  with  $y \preceq x$  and  $x \neq y$ .**

An element  $x \in S$  is a **maximal element** of  $S$  if **there is no  $y \in S$  with  $x \preceq y$  and  $x \neq y$ .**

A set can have several minimal elements and no least element.

Example?

German: minimales/maximales Element

# Total Orders

- Relations  $\leq$  over  $\mathbb{N}_0$  and  $\subseteq$  for sets are partial orders.



# Total Orders

- Relations  $\leq$  over  $\mathbb{N}_0$  and  $\subseteq$  for sets are partial orders.
- Can we compare every object against every object?

# Total Orders

- Relations  $\leq$  over  $\mathbb{N}_0$  and  $\subseteq$  for sets are partial orders.
- Can we compare every object against every object?
  - For all  $x, y \in \mathbb{N}_0$  it holds that  $x \leq y$  or that  $y \leq x$  (or both).

# Total Orders

- Relations  $\leq$  over  $\mathbb{N}_0$  and  $\subseteq$  for sets are partial orders.
- Can we compare every object against every object?
  - For all  $x, y \in \mathbb{N}_0$  it holds that  $x \leq y$  or that  $y \leq x$  (or both).
  - $\{1, 2\} \not\subseteq \{2, 3\}$  and  $\{2, 3\} \not\subseteq \{1, 2\}$

# Total Orders

- Relations  $\leq$  over  $\mathbb{N}_0$  and  $\subseteq$  for sets are partial orders.
- Can we compare every object against every object?
  - For all  $x, y \in \mathbb{N}_0$  it holds that  $x \leq y$  or that  $y \leq x$  (or both).
  - $\{1, 2\} \not\subseteq \{2, 3\}$  and  $\{2, 3\} \not\subseteq \{1, 2\}$
- Relation  $\leq$  is a **total** order, relation  $\subseteq$  is not.

## Total Order – Definition

### Definition (Total relation)

A binary relation  $R$  over set  $S$  is **total** if for all  $x, y \in S$  at least one of  $xRy$  or  $yRx$  is true.

German: totale Relation

# Total Order – Definition

## Definition (Total relation)

A binary relation  $R$  over set  $S$  is **total** if for all  $x, y \in S$  at least one of  $xRy$  or  $yRx$  is true.

## Definition (Total order)

A binary relation is a **total order** if it is **total** and a **partial order**.

German: totale Relation, (schwache) Totalordnung oder totale Ordnung

# Questions



Questions?

# Strict Orders

- A **partial** order is reflexive, antisymmetric and transitive.
- We now consider **strict orders**.



# Strict Orders

- A **partial** order is reflexive, antisymmetric and transitive.
- We now consider **strict orders**.
- Example strict order relations are  $<$  over  $\mathbb{N}_0$  or  $\subset$  for sets.

# Strict Orders

- A **partial** order is reflexive, antisymmetric and transitive.
- We now consider **strict orders**.
- Example strict order relations are  $<$  over  $\mathbb{N}_0$  or  $\subset$  for sets.
- Are these relations
  - reflexive?
  - irreflexive?
  - symmetric?
  - asymmetric?
  - antisymmetric?
  - transitive?

## Strict Orders – Definition

### Definition (Strict (partial) order)

A binary relation  $\prec$  over set  $S$  is a **strict (partial) order** if  $\prec$  is **irreflexive, asymmetric and transitive**.

German: strenge (Halb-)ordnung

## Strict Orders – Definition

### Definition (Strict (partial) order)

A binary relation  $\prec$  over set  $S$  is a **strict (partial) order** if  $\prec$  is **irreflexive, asymmetric and transitive**.

Which of these relations are strict orders?

- subset relation  $\subseteq$  for sets
- strict superset relation  $\supset$  for sets

German: strenge (Halb-)ordnung

## Strict Orders – Definition

### Definition (Strict (partial) order)

A binary relation  $\prec$  over set  $S$  is a **strict (partial) order** if  $\prec$  is **irreflexive, asymmetric and transitive**.

Which of these relations are strict orders?

- subset relation  $\subseteq$  for sets
- strict superset relation  $\supset$  for sets

Can a relation be both, a partial order and a strict (partial) order?

German: strenge (Halb-)ordnung

## Strict Orders – Definition

### Definition (Strict (partial) order)

A binary relation  $\prec$  over set  $S$  is a **strict (partial) order** if  $\prec$  is **irreflexive, asymmetric and transitive**.

Which of these relations are strict orders?

- subset relation  $\subseteq$  for sets
- strict superset relation  $\supset$  for sets

Can a relation be both, a partial order and a strict (partial) order?

We can omit irreflexivity or asymmetry from the definition (but not both). Why?

German: strenge (Halb-)ordnung

## Strict Total Orders


- As partial orders, a strict order does not automatically allow us to rank arbitrary two objects against each other.

# Strict Total Orders

- As partial orders, a strict order does not automatically allow us to rank arbitrary two objects against each other.

- **Example 1** (personal preferences):

- “Pasta tastes better than potato.”
- “Rice tastes better than bread.”
- “Bread tastes better than potato.”
- “Rice tastes better than potato.”
- This definition of “tastes better than” is a strict order.
- No ranking of pasta against rice or of pasta against bread.






# Strict Total Orders

- As partial orders, a strict order does not automatically allow us to rank arbitrary two objects against each other.

- **Example 1** (personal preferences):

- “Pasta tastes better than potato.”
- “Rice tastes better than bread.”
- “Bread tastes better than potato.”
- “Rice tastes better than potato.”
- This definition of “tastes better than” is a strict order.
- No ranking of pasta against rice or of pasta against bread.




- **Example 2:**  $\subset$  relation for sets

# Strict Total Orders

- As partial orders, a strict order does not automatically allow us to rank arbitrary two objects against each other.

- **Example 1** (personal preferences):

- “Pasta tastes better than potato.”
- “Rice tastes better than bread.”
- “Bread tastes better than potato.”
- “Rice tastes better than potato.”
- This definition of “tastes better than” is a strict order.
- No ranking of pasta against rice or of pasta against bread.



- **Example 2:**  $\subset$  relation for sets
- It **doesn't work** to simply require that the strict order is total.  
Why?

## Strict Total Orders – Definition

### Definition (Trichotomy)

A binary relation  $R$  over set  $S$  is **trichotomous** if for all  $x, y \in S$  exactly one of  $xRy$ ,  $yRx$  or  $x = y$  is true.

German: trichotom

## Strict Total Orders – Definition

### Definition (Trichotomy)

A binary relation  $R$  over set  $S$  is **trichotomous** if for all  $x, y \in S$  exactly one of  $xRy$ ,  $yRx$  or  $x = y$  is true.

### Definition (Strict total order)

A binary relation  $\prec$  over  $S$  is a **strict total order** if  $\prec$  is **trichotomous** and a **strict order**.

A strict total order completely ranks the elements of set  $S$ .

**Example:**  $<$  relation over  $\mathbb{N}_0$  gives the standard ordering  $0, 1, 2, 3, \dots$  of natural numbers.

German: trichotom, strenge Totalordnung

## Strict Total Orders – Definition

### Definition (Trichotomy)

A binary relation  $R$  over set  $S$  is **trichotomous** if for all  $x, y \in S$  exactly one of  $xRy$ ,  $yRx$  or  $x = y$  is true.

### Definition (Strict total order)

A binary relation  $\prec$  over  $S$  is a **strict total order** if  $\prec$  is **trichotomous** and a **strict order**.

A strict total order completely ranks the elements of set  $S$ .

**Example:**  $<$  relation over  $\mathbb{N}_0$  gives the standard ordering  
 $0, 1, 2, 3, \dots$  of natural numbers.

**Attention:** a non-empty strict total order is never a total order.

German: trichotom, strenge Totalordnung

# Special Elements

Special elements are defined almost as for partial orders:

Definition (Least/greatest/minimal/maximal element of a set)

Let  $\prec$  be a **strict** order over set  $S$ .

An element  $x \in S$  is the **least element** of  $S$   
if for all  $y \in S$  where  $y \neq x$  it holds that  $x \prec y$ .


It is the **greatest element** of  $S$  if for all  $y \in S$  where  $y \neq x$ ,  $y \prec x$ .

Element  $x \in S$  is a **minimal element** of  $S$   
if there is no  $y \in S$  with  $y \prec x$ .

It is a **maximal element** of  $S$   
if there is no  $y \in S$  with  $x \prec y$ .

## Special Elements – Example

Consider again the previous example:

$$S = \{\text{Pasta}, \text{Potato}, \text{Bread}, \text{Rice}\}$$
$$\prec = \{(\text{Pasta}, \text{Potato}), (\text{Bread}, \text{Potato}), \\ (\text{Rice}, \text{Potato}), (\text{Rice}, \text{Bread})\}$$


Is there a least and a greatest element?

Which elements are maximal or minimal?

# Questions



Questions?



# Summary

- An equivalence relation is reflexive, symmetric and transitive.

# Summary

- An **equivalence relation** is **reflexive, symmetric and transitive**.
- A **partial order**  $x \preceq y$  is **reflexive, antisymmetric and transitive**.
  - If  $x$  is the **greatest element** of a set  $S$ , it is greater than every element: for all  $y \in S$  it holds that  $y \preceq x$ .
  - If  $x$  is a **maximal element** of set  $S$  then it is not smaller than any other element  $y$ : there is no  $y \in S$  with  $x \preceq y$  and  $x \neq y$ .
  - A **total order** is a partial order without incomparable objects.

# Summary

- An **equivalence relation** is **reflexive, symmetric and transitive**.
- A **partial order**  $x \preceq y$  is **reflexive, antisymmetric and transitive**.
  - If  $x$  is the **greatest element** of a set  $S$ , it is greater than every element: for all  $y \in S$  it holds that  $y \preceq x$ .
  - If  $x$  is a **maximal element** of set  $S$  then it is not smaller than any other element  $y$ : there is no  $y \in S$  with  $x \preceq y$  and  $x \neq y$ .
  - A **total order** is a partial order without incomparable objects.
- A **strict order** is **irreflexive, asymmetric and transitive**.
  - Strict **total orders** and **special elements** are analogously defined as for partial orders but with a special treatment of equal elements.