

# Discrete Mathematics in Computer Science

## D4. Inference

Malte Helmert, Gabriele Röger

University of Basel

December 8, 2025

# Discrete Mathematics in Computer Science

December 8, 2025 — D4. Inference

## D4.1 Inference Rules and Calculi

## D4.2 Summary

# D4.1 Inference Rules and Calculi

# Inference: Motivation

- ▶ **up to now:** proof of **logical consequence** with **semantic arguments**
- ▶ no general algorithm
- ▶ **solution:** produce formulas that are logical consequences of given formulas with **syntactic inference rules**
- ▶ **advantage:** **mechanical method** that can easily be implemented as an algorithm

# Inference Rules

- ▶ **Inference rules** have the form

$$\frac{\varphi_1, \dots, \varphi_k}{\psi}.$$

- ▶ Meaning: “Every model of  $\varphi_1, \dots, \varphi_k$  is a model of  $\psi$ .”
- ▶ An **axiom** is an inference rule with  $k = 0$ .
- ▶ A set of inference rules is called a **calculus** or **proof system**.

**German:** Inferenzregel, Axiom, (der) Kalkül, Beweissystem

# Some Inference Rules for Propositional Logic

$$\text{Modus ponens} \quad \frac{\varphi, (\varphi \rightarrow \psi)}{\psi}$$

$$\text{Modus tollens} \quad \frac{\neg\psi, (\varphi \rightarrow \psi)}{\neg\varphi}$$

$$\wedge\text{-elimination} \quad \frac{(\varphi \wedge \psi)}{\varphi} \quad \frac{(\varphi \wedge \psi)}{\psi}$$

$$\wedge\text{-introduction} \quad \frac{\varphi, \psi}{(\varphi \wedge \psi)}$$

$$\vee\text{-introduction} \quad \frac{\varphi}{(\varphi \vee \psi)}$$

$$\leftrightarrow\text{-elimination} \quad \frac{(\varphi \leftrightarrow \psi)}{(\varphi \rightarrow \psi)} \quad \frac{(\varphi \leftrightarrow \psi)}{(\psi \rightarrow \varphi)}$$

# Derivation

## Definition (Derivation)

A **derivation** or **proof** of a formula  $\varphi$  from a knowledge base KB is a sequence of formulas  $\psi_1, \dots, \psi_k$  with

- ▶  $\psi_k = \varphi$  and
- ▶ for all  $i \in \{1, \dots, k\}$ :
  - ▶  $\psi_i \in \text{KB}$ , or
  - ▶  $\psi_i$  is the result of the application of an inference rule to elements from  $\{\psi_1, \dots, \psi_{i-1}\}$ .

**German:** Ableitung, Beweis

## Derivation: Example

### Example

**Given:**  $KB = \{P, (P \rightarrow Q), (P \rightarrow R), ((Q \wedge R) \rightarrow S)\}$

**Task:** Find derivation of  $(S \wedge R)$  from KB.

- ①  $P$  (KB)
- ②  $(P \rightarrow Q)$  (KB)
- ③  $Q$  (1, 2, Modus ponens)
- ④  $(P \rightarrow R)$  (KB)
- ⑤  $R$  (1, 4, Modus ponens)
- ⑥  $(Q \wedge R)$  (3, 5,  $\wedge$ -introduction)
- ⑦  $((Q \wedge R) \rightarrow S)$  (KB)
- ⑧  $S$  (6, 7, Modus ponens)
- ⑨  $(S \wedge R)$  (8, 5,  $\wedge$ -introduction)

# Correctness and Completeness

## Definition (Correctness and Completeness of a Calculus)

We write  $\text{KB} \vdash_C \varphi$  if there is a derivation of  $\varphi$  from KB in calculus  $C$ .

(If calculus  $C$  is clear from context, also only  $\text{KB} \vdash \varphi$ .)

A calculus  $C$  is **correct** if for all KB and  $\varphi$   
 $\text{KB} \vdash_C \varphi$  implies  $\text{KB} \models \varphi$ .

A calculus  $C$  is **complete** if for all KB and  $\varphi$   
 $\text{KB} \models \varphi$  implies  $\text{KB} \vdash_C \varphi$ .

Consider calculus  $C$ , consisting of the derivation rules seen earlier.

**Question:** Is  $C$  correct?

**Question:** Is  $C$  complete?

**German:** korrekt, vollständig

## D4.2 Summary

## Summary (Consequence and Inference)

- ▶ **knowledge base**: set of formulas describing given information; satisfiable, valid etc. used like for individual formulas
- ▶ **logical consequence**  $\text{KB} \models \varphi$  means that  $\varphi$  is true whenever (= in all models where) KB is true
- ▶ A **logical consequence**  $\text{KB} \models \varphi$  allows to conclude that KB implies  $\varphi$  based on the semantics.
- ▶ A correct **calculus** supports such conclusions on the basis of **purely syntactical derivations**  $\text{KB} \vdash \varphi$ .

## Further Topics

There are many aspects of propositional logic that we do not cover in this course.

- ▶ **resolution**: a commonly used proof system for formulas in CNF
- ▶ other proof systems, for example **tableaux proofs**
- ▶ algorithms for **model construction**, such as the Davis-Putnam-Logemann-Loveland (DPLL) algorithm.

↪ **Foundations of AI course**