

# Planning and Optimization

## D8. Delete Relaxation: $h^{FF}$ and Comparison of Heuristics

Malte Helmert and Gabriele Röger

Universität Basel

October 29, 2025

# Planning and Optimization


October 29, 2025 — D8. Delete Relaxation:  $h^{FF}$  and Comparison of Heuristics

## D8.1 The FF Heuristic

D8.2  $h^{\max}$  vs.  $h^{\text{add}}$  vs.  $h^{FF}$  vs.  $h^+$

## D8.3 Summary

## Content of the Course



## D8.1 The FF Heuristic

Inaccuracies in  $h^{\max}$  and  $h^{\text{add}}$ 

- ▶  $h^{\max}$  is often inaccurate because it **undercounts**: the heuristic estimate only reflects the cost of a critical path, which is often only a small fraction of the overall plan.
- ▶  $h^{\text{add}}$  is often inaccurate because it **overcounts**: if the same subproblem is reached in many ways, it will be counted many times although it only needs to be solved once.

## The FF Heuristic

With best achiever graphs, there is a simple solution to the overcounting of  $h^{\text{add}}$ : count all effect nodes that  $h^{\text{add}}$  would count, but only count each of them once.


## Definition (FF Heuristic)

Let  $\Pi = \langle V, I, O, \gamma \rangle$  be a propositional planning task in positive normal form. The **FF heuristic** for a state  $s$  of  $\Pi$ , written  $h^{FF}(s)$ , is computed as follows:


- ▶ Construct the RTG for the task  $\langle V, s, O^+, \gamma \rangle$
- ▶ Construct the best achiever graph  $G^{\text{add}}$ .
- ▶ Compute the set of effect nodes  $\{n_{o_1}^{X_1}, \dots, n_{o_k}^{X_k}\}$  reachable from  $n_\gamma$  in  $G^{\text{add}}$ .
- ▶ Return  $h^{FF}(s) = \sum_{i=1}^k \text{cost}(o_i)$ .

**Note:**  $h^{FF}$  is **not** well-defined; different tie-breaking policies for best achievers can lead to different heuristic values

## Example: FF Heuristic (1)



## Example: FF Heuristic (2)



## D8.2 $h^{max}$ vs. $h^{add}$ vs. $h^{FF}$ vs. $h^+$

## Reminder: Optimal Delete Relaxation Heuristic

### Definition ( $h^+$ Heuristic)

Let  $\Pi$  be a propositional planning task in positive normal form, and let  $s$  be a state of  $\Pi$ .

The **optimal delete relaxation heuristic** for  $s$ , written  $h^+(s)$ , is the perfect heuristic value  $h^*(s)$  of state  $s$  in the delete-relaxed task  $\Pi^+$ .

- ▶ **Reminder:** We proved that  $h^+(s)$  is hard to compute. (BCPLANEX is NP-complete for delete-relaxed tasks.)
- ▶ The optimal delete relaxation heuristic is often used as a reference point for comparison.

## Relationships between Delete Relaxation Heuristics (1)

### Theorem

Let  $\Pi$  be a propositional planning task in positive normal form, and let  $s$  be a state of  $\Pi$ .

Then:

- ①  $h^{max}(s) \leq h^+(s) \leq h^{FF}(s) \leq h^{add}(s)$
- ②  $h^{max}(s) = \infty$  iff  $h^+(s) = \infty$  iff  $h^{FF}(s) = \infty$  iff  $h^{add}(s) = \infty$
- ③  $h^{max}$  and  $h^+$  are admissible and consistent.
- ④  $h^{FF}$  and  $h^{add}$  are neither admissible nor consistent.
- ⑤ All four heuristics are safe and goal-aware.

## Relationships between Delete Relaxation Heuristics (2)

### Proof Sketch.

for 1:

- ▶ To show  $h^{max}(s) \leq h^+(s)$ , show that critical path costs can be defined for arbitrary relaxed plans and that the critical path cost of a plan is never larger than the cost of the plan. Then show that  $h^{max}(s)$  computes the minimal critical path cost over all delete-relaxed plans.
- ▶ To show  $h^+(s) \leq h^{FF}(s)$ , prove that the operators belonging to the effect nodes counted by  $h^{FF}$  form a relaxed plan. No relaxed plan is cheaper than  $h^+$  by definition of  $h^+$ .
- ▶  $h^{FF}(s) \leq h^{add}(s)$  is obvious from the description of  $h^{FF}$ : both heuristics count the same operators, but  $h^{add}$  may count some of them multiple times.

...

## Relationships between Delete Relaxation Heuristics (3)

### Proof Sketch (continued).

for 2: all heuristics are infinite iff the task has no relaxed solution

for 3: admissibility follows from  $h^{\max}(s) \leq h^+(s)$   
because we already know that  $h^+$  is admissible;  
we omit the argument for consistency

for 4: construct a counterexample to admissibility for  $h^{FF}$

for 5: goal-awareness is easy to show; safety follows from 2.+3.  $\square$

## D8.3 Summary

## Summary

- ▶ The **FF heuristic** repairs the double-counting of  $h^{\text{add}}$  and therefore approximates  $h^+$  more closely.
- ▶ The key idea is to mark all effect nodes “used” for the  $h^{\text{add}}$  value of the goal and count each of them **once**.
- ▶ In general,  $h^{\max}(s) \leq h^+(s) \leq h^{FF}(s) \leq h^{\text{add}}(s)$ .
- ▶  $h^{\max}$  and  $h^+$  are admissible;  $h^{FF}$  and  $h^{\text{add}}$  are not.

## Literature Pointers

(Some) delete-relaxation heuristics in the planning literature:

- ▶ **additive heuristic**  $h^{\text{add}}$  (Bonet, Loerincs & Geffner, 1997)
- ▶ **maximum heuristic**  $h^{\max}$  (Bonet & Geffner, 1999)
- ▶ (original) **FF heuristic** (Hoffmann & Nebel, 2001)
- ▶ **cost-sharing heuristic**  $h^{\text{cs}}$  (Mirkis & Domshlak, 2007)
- ▶ **set-additive heuristics**  $h^{\text{sa}}$  (Keyder & Geffner, 2008)
- ▶ **FF/additive heuristic**  $h^{FF}$  (Keyder & Geffner, 2008)
- ▶ **local Steiner tree heuristic**  $h^{\text{lst}}$  (Keyder & Geffner, 2009)

↪ also hybrids such as **semi-relaxed** heuristics  
and delete-relaxation **landmark** heuristics