

# Planning and Optimization

## F2. Landmarks: RTG Landmarks

Malte Helmert and Gabriele Röger

Universität Basel

November 26, 2025

# Planning and Optimization

November 26, 2025 — F2. Landmarks: RTG Landmarks


## F2.1 Landmarks

## F2.2 Set Representation

## F2.3 Landmarks from RTGs

## F2.4 Summary

# Content of the Course



# F2.1 Landmarks

# Landmarks

**Basic Idea:** Something that must happen **in every solution**

For example

- ▶ some operator must be applied (**action landmark**)
- ▶ some atomic proposition must hold (**fact landmark**)
- ▶ some formula must be true (**formula landmark**)

→ Derive heuristic estimate from this kind of information.

**We mostly consider fact and disjunctive action landmarks.**

## Reminder: Terminology

Consider sequence of transitions  $s^0 \xrightarrow{\ell_1} s^1, \dots, s^{n-1} \xrightarrow{\ell_n} s^n$   
such that  $s^0 = s$  and  $s^n = s'$ .

- ▶  $s^0, \dots, s^n$  is called **(state) path** from  $s$  to  $s'$
- ▶  $\ell_1, \dots, \ell_n$  is called **(label) path** from  $s$  to  $s'$

# Disjunctive Action Landmarks

## Definition (Disjunctive Action Landmark)

Let  $s$  be a state of a propositional or FDR planning task  $\Pi = \langle V, I, O, \gamma \rangle$ .

A **disjunctive action landmark** for  $s$  is a set of operators  $L \subseteq O$  such that every label path from  $s$  to a goal state contains an operator from  $L$ .

The **cost** of landmark  $L$  is  $cost(L) = \min_{o \in L} cost(o)$ .

If we talk about landmarks for the initial state, we omit “for  $I$ ”.

# Fact and Formula Landmarks

## Definition (Formula and Fact Landmark)

Let  $s$  be a state of a propositional or FDR planning task  $\Pi = \langle V, I, O, \gamma \rangle$ .

A **formula landmark** for  $s$  is a formula  $\lambda$  over  $V$  such that every state path from  $s$  to a goal state contains a state  $s'$  with  $s' \models \lambda$ .

If  $\lambda$  is an atomic proposition then  $\lambda$  is a **fact landmark**.

If we talk about landmarks for the initial state, we omit “for  $I$ ”.





# Landmarks: Example

## Example

Consider a FDR planning task  $\langle V, I, O, \gamma \rangle$  with

- ▶  $V = \{robot-at, dishes-at\}$  with
  - ▶  $\text{dom}(robot-at) = \{A1, \dots, C3, B4, A5, \dots, B6\}$
  - ▶  $\text{dom}(dishes-at) = \{Table, Robot, Dishwasher\}$
- ▶  $I = \{robot-at \mapsto C1, dishes-at \mapsto Table\}$
- ▶ operators
  - ▶ move- $x$ - $y$  to move from cell  $x$  to adjacent cell  $y$
  - ▶ pickup dishes, and
  - ▶ load dishes into the dishwasher.
- ▶  $\gamma = (robot-at = B6) \wedge (dishes-at = Dishwasher)$

# Fact and Formula Landmarks: Example





Each fact in gray is a fact landmark:

- ▶  $\text{robot-at} = x$  for  $x \in \{A1, A6, B3, B4, B5, B6, C1\}$
- ▶  $\text{dishes-at} = x$  for  $x \in \{\text{Dishwasher}, \text{Robot}, \text{Table}\}$

Formula landmarks:

- ▶  $\text{dishes-at} = \text{Robot} \wedge \text{robot-at} = B4$
- ▶  $\text{robot-at} = B1 \vee \text{robot-at} = A2$

# Disjunctive Action Landmarks: Example



Actions of same color form disjunctive action landmark:

- ▶ {pickup}
  - ▶ {load}
  - ▶ {move-B3-B4}
  - ▶ {move-B4-B5}
- ▶ {move-A6-B6, move-B5-B6}
  - ▶ {move-A3-B3, move-B2-B3, move-C3-B3}
  - ▶ {move-B1-A1, move-A2-A1}
  - ▶ ...

# Remarks

- ▶ Not every landmark is informative. Some examples:
  - ▶ The set of all operators is a disjunctive action landmark unless the initial state is already a goal state.
  - ▶ Every variable that is initially true is a fact landmark.
  - ▶ The goal formula is a formula landmark.
- ▶ Every fact landmark  $v$  that is initially false induces a disjunctive action landmark consisting of all operators that possibly make  $v$  true.

# Complexity: Disjunctive Action Landmarks

## Theorem

*Deciding whether a given operator set is a disjunctive action landmark is as hard as the plan existence problem.*

## Proof.

Given a propositional planning task  $\Pi = \langle V, I, O, \gamma \rangle$ , create a new planning task  $\Pi'$  with goal  $g \notin V$  as  $\Pi' = \langle V \cup \{g\}, I \cup \{g \mapsto \mathbf{F}\}, O \cup \{o_\gamma, o_\top\}, g \rangle$ , where

$$o_\gamma = \langle \gamma, g, 0 \rangle, \text{ and}$$

$$o_\top = \langle \top, g, 0 \rangle.$$

If  $\gamma = \top$  then  $\Pi$  is trivially solvable. Otherwise  $\Pi$  is solvable iff  $\{o_\top\}$  is not a disjunctive action landmark of  $\Pi'$ . □

# Complexity: Fact Landmarks

## Theorem

*Deciding whether a given atomic proposition is a fact landmark is as hard as the plan existence problem.*

## Proof.

Given a propositional planning task  $\Pi = \langle V, I, O, \gamma \rangle$ , let  $p, g \notin V$  be new atomic propositions and create a new planning task  $\Pi' = \langle V \cup \{p, g\}, I \cup \{p \mapsto \mathbf{F}, g \mapsto \mathbf{F}\}, O \cup \{o, o'\}, g \rangle$ , where

$$o = \langle \gamma, g, 0 \rangle, \text{ and}$$

$$o' = \langle \top, g \wedge p, 0 \rangle.$$

Then  $p$  is a fact landmark of  $\Pi'$  iff  $\Pi$  is not solvable. □

# Complexity: Discussion

- ▶ Does this mean that the idea of exploiting landmarks is fruitless?– No!
- ▶ We do not need to know **all** landmarks, so we can use incomplete methods to identify landmarks.
  - ▶ The way we generate the landmarks guarantees that they are indeed landmarks.
  - ▶ Efficient landmark generation methods do not guarantee to generate all possible landmarks.

# Computing Landmarks

How can we come up with landmarks?

Most landmarks are derived from the **relaxed task graph**:

- ▶ RHW landmarks: Richter, Helmert & Westphal. Landmarks Revisited. (AAAI 2008)
- ▶ **LM-Cut**: Helmert & Domshlak. Landmarks, Critical Paths and Abstractions: What's the Difference Anyway? (ICAPS 2009)
- ▶  **$h^m$  landmarks**: Keyder, Richter & Helmert: Sound and Complete Landmarks for And/Or Graphs (ECAI 2010)

Today we will discuss the special case of  **$h^m$  landmarks** for  $m = 1$ , restricted to STRIPS planning tasks.



## F2.2 Set Representation

# Set Representation of STRIPS Planning Tasks

In this (and the following) sections, we only consider STRIPS. For a more convenient notation, we will use a set representation of STRIPS planning task...

Three differences:

- ▶ Represent conjunctions of variables as sets of variables.
- ▶ Use two sets to represent add and delete effects of operators separately.
- ▶ Represent states as sets of the true variables.

# STRIPS Operators in Set Representation

- ▶ Every STRIPS operator is of the form

$$\langle v_1 \wedge \dots \wedge v_p, \quad a_1 \wedge \dots \wedge a_q \wedge \neg d_1 \wedge \dots \wedge \neg d_r, c \rangle$$

where  $v_i, a_j, d_k$  are state variables and  $c$  is the cost.

- ▶ The same operator  $o$  in **set representation** is  $\langle pre(o), add(o), del(o), cost(o) \rangle$ , where
  - ▶  $pre(o) = \{v_1, \dots, v_p\}$  are the **preconditions**,
  - ▶  $add(o) = \{a_1, \dots, a_q\}$  are the **add effects**,
  - ▶  $del(o) = \{d_1, \dots, d_r\}$  are the **delete effects**, and
  - ▶  $cost(o) = c$  is the operator cost.
- ▶ Since STRIPS operators must be conflict-free,  $add(o) \cap del(o) = \emptyset$

# STRIPS Planning Tasks in Set Representation

A **STRIPS planning task in set representation** is given as a tuple  $\langle V, I, O, G \rangle$ , where


- ▶  $V$  is a finite set of state variables,
- ▶  $I \subseteq V$  is the initial state,
- ▶  $O$  is a finite set of STRIPS operators in set representation,
- ▶  $G \subseteq V$  is the goal.

The corresponding planning task in the previous notation is  $\langle V, I', O', \gamma \rangle$ , where

- ▶  $I'(v) = \mathbf{T}$  iff  $v \in I$ ,
- ▶  $O' = \{ \langle \bigwedge_{v \in \text{pre}(o)} v, \bigwedge_{v \in \text{add}(o)} v \wedge \bigwedge_{v \in \text{del}(o)} \neg v, \text{cost}(o) \rangle \mid o \in O \},$
- ▶  $\gamma = \bigwedge_{v \in G} v.$

## F2.3 Landmarks from RTGs

# Content of the Course



# Incidental Landmarks: Example

## Example (Incidental Landmarks)

Consider a STRIPS planning task  $\langle V, I, \{o_1, o_2\}, G \rangle$  with

$$V = \{a, b, c, d, e, f\},$$

$$I = \{a, b, e\},$$

$$o_1 = \langle \{a\}, \{c, d, e\}, \{b\} \rangle,$$

$$o_2 = \langle \{d, e\}, \{f\}, \{a\} \rangle, \text{ and}$$

$$G = \{e, f\}.$$

Single solution:  $\langle o_1, o_2 \rangle$

- ▶ All variables are fact landmarks.
- ▶ Variable  $b$  is initially true but irrelevant for the plan.
- ▶ Variable  $c$  gets true as “side effect” of  $o_1$  but it is not necessary for the goal or to make an operator applicable.

# Causal Landmarks (1)

## Definition (Causal Formula Landmark)

Let  $\Pi = \langle V, I, O, \gamma \rangle$  be a propositional or FDR planning task.

A formula  $\lambda$  over  $V$  is a **causal formula landmark** for  $I$  if  $\gamma \models \lambda$  or if for all plans  $\pi = \langle o_1, \dots, o_n \rangle$  there is an  $o_i$  with  $pre(o_i) \models \lambda$ .



## Causal Landmarks (2)

Special case: Fact Landmark for STRIPS task

### Definition (Causal Fact Landmark)

Let  $\Pi = \langle V, I, O, G \rangle$  be a STRIPS planning task (in set representation).

A variable  $v \in V$  is a **causal fact landmark** for  $I$

- ▶ if  $v \in G$  or
- ▶ if for all plans  $\pi = \langle o_1, \dots, o_n \rangle$  there is an  $o_i$  with  $v \in \text{pre}(o_i)$ .

# Causal Landmarks: Example

## Example (Causal Landmarks)

Consider a STRIPS planning task  $\langle V, I, \{o_1, o_2\}, G \rangle$  with

$$V = \{a, b, c, d, e, f\},$$

$$I = \{a, b, e\},$$

$$o_1 = \langle \{a\}, \{c, d, e\}, \{b\} \rangle,$$

$$o_2 = \langle \{d, e\}, \{f\}, \{a\} \rangle, \text{ and}$$

$$G = \{e, f\}.$$

Single solution:  $\langle o_1, o_2 \rangle$

- ▶ All variables are fact landmarks for the initial state.
- ▶ Only  $a, d, e$  and  $f$  are causal landmarks.

# What We Are Doing Next

- ▶ Causal landmarks are the desirable landmarks.
- ▶ We can use a simplified version of RTGs for STRIPS to compute causal landmarks for STRIPS planning tasks.
- ▶ We will define landmarks of AND/OR graphs, ...
- ▶ and show how they can be computed.
- ▶ Afterwards we establish that these are landmarks of the planning task.

# Simplified Relaxed Task Graph

## Definition


For a STRIPS planning task  $\Pi = \langle V, I, O, G \rangle$  (in set representation), the **simplified relaxed task graph**  $sRTG(\Pi^+)$  is the **AND/OR graph**  $\langle N_{\text{and}} \cup N_{\text{or}}, A, \text{type} \rangle$  with

- ▶  $N_{\text{and}} = \{n_o \mid o \in O\} \cup \{v_I, v_G\}$   
with  $\text{type}(n) = \wedge$  for all  $n \in N_{\text{and}}$ ,
- ▶  $N_{\text{or}} = \{n_v \mid v \in V\}$   
with  $\text{type}(n) = \vee$  for all  $n \in N_{\text{or}}$ , and
- ▶  $A = \{ \langle n_a, n_o \rangle \mid o \in O, a \in \text{add}(o) \} \cup$   
 $\{ \langle n_o, n_p \rangle \mid o \in O, p \in \text{pre}(o) \} \cup$   
 $\{ \langle n_v, n_I \rangle \mid v \in I \} \cup$   
 $\{ \langle n_G, n_v \rangle \mid v \in G \}$

Like RTG but without extra nodes to support arbitrary conditions.

# Simplified RTG: Example

The simplified RTG for our example task is:



# Justification

## Definition (Justification)

Let  $G = \langle N, A, \text{type} \rangle$  be an AND/OR graph.

A subgraph  $J = \langle N^J, A^J, \text{type}^J \rangle$  with  $N^J \subseteq N$  and  $A^J \subseteq A$  and  $\text{type}^J = \text{type}|_{N^J}$  **justifies**  $n_\star \in N$  iff

- ▶  $n_\star \in N^J$ ,
- ▶  $\forall n \in N^J$  with  $\text{type}(n) = \wedge$ :  
 $\forall \langle n, n' \rangle \in A : n' \in N^J$  and  $\langle n, n' \rangle \in A^J$
- ▶  $\forall n \in N^J$  with  $\text{type}(n) = \vee$ :  
 $\exists \langle n, n' \rangle \in A : n' \in N^J$  and  $\langle n, n' \rangle \in A^J$ , and
- ▶  $J$  is acyclic.

“Proves” that  $n_\star$  is forced true.

# Landmarks in AND/OR Graphs

## Definition (Landmarks in AND/OR Graphs)

Let  $G = \langle N, A, type \rangle$  be an AND/OR graph.

A node  $n \in N$  is a **landmark** for reaching  $n_\star \in N$  if  $n \in V^J$  for all justifications  $J$  for  $n_\star$ .

**But:** exponential number of possible justifications

# Characterizing Equation System

## Theorem

*Let  $G = \langle N, A, \text{type} \rangle$  be an AND/OR graph. Consider the following system of equations:*

$$LM(n) = \{n\} \cup \bigcap_{\langle n, n' \rangle \in A} LM(n') \quad \text{type}(n) = \vee$$

$$LM(n) = \{n\} \cup \bigcup_{\langle n, n' \rangle \in A} LM(n') \quad \text{type}(n) = \wedge$$

*The equation system has a unique maximal solution (maximal with regard to set inclusion), and for this solution it holds that*

*$n' \in LM(n)$  iff  $n'$  is a landmark for reaching  $n$  in  $G$ .*



# Computation of Maximal Solution

## Theorem

*Let  $G = \langle N, A, \text{type} \rangle$  be an AND/OR graph. Consider the following system of equations:*


$$LM(n) = \{n\} \cup \bigcap_{\langle n, n' \rangle \in A} LM(n') \quad \text{type}(n) = \vee$$

$$LM(n) = \{n\} \cup \bigcup_{\langle n, n' \rangle \in A} LM(n') \quad \text{type}(n) = \wedge$$

*The equation system has a unique maximal solution (maximal with regard to set inclusion).*

**Computation:** Initialize landmark sets as  $LM(n) = N$  and apply equations as update rules until fixpoint.

# Computation: Example



(cf. screen version of slides for step-wise computation)

## Relation to Planning Task Landmarks

### Theorem

Let  $\Pi = \langle V, I, O, \gamma \rangle$  be a STRIPS planning task and let  $\mathcal{L}$  be the set of landmarks for reaching  $n_G$  in  $sRTG(\Pi^+)$ .

The set  $\{v \in V \mid n_v \in \mathcal{L}\}$  is exactly the set of *causal fact landmarks* in  $\Pi^+$ .

For operators  $o \in O$ , if  $n_o \in \mathcal{L}$  then  $\{o\}$  is a *disjunctive action landmark* in  $\Pi^+$ .

There are no other disjunctive action landmarks of size 1.

(Proofs omitted.)

# Computed RTG Landmarks: Example

## Example (Computed RTG Landmarks)

Consider a STRIPS planning task  $\langle V, I, \{o_1, o_2\}, G \rangle$  with

$$V = \{a, b, c, d, e, f\},$$

$$I = \{a, b, e\},$$

$$o_1 = \langle \{a\}, \{c, d, e\}, \{b\} \rangle,$$

$$o_2 = \langle \{d, e\}, \{f\}, \{a\} \rangle, \text{ and}$$

$$G = \{e, f\}.$$

- ▶  $LM(n_G) = \{a, d, e, f, I, G, o_1, o_2\}$
- ▶  $a, d, e$ , and  $f$  are causal fact landmarks of  $\Pi^+$ .
- ▶  $\{o_1\}$  and  $\{o_2\}$  are disjunctive action landmarks of  $\Pi^+$ .

# (Some) Landmarks of $\Pi^+$ Are Landmarks of $\Pi$

## Theorem

*Let  $\Pi$  be a STRIPS planning task.*

*All fact landmarks of  $\Pi^+$  are fact landmarks of  $\Pi$  and all disjunctive action landmarks of  $\Pi^+$  are disjunctive action landmarks of  $\Pi$ .*

## Proof.

Let  $L$  be a disjunctive action landmark of  $\Pi^+$  and  $\pi$  be a plan for  $\Pi$ . Then  $\pi$  is also a plan for  $\Pi^+$  and, thus,  $\pi$  contains an operator from  $L$ .

Let  $f$  be a fact landmark of  $\Pi^+$ . If  $f$  is already true in the initial state, then it is also a landmark of  $\Pi$ . Otherwise, every plan for  $\Pi^+$  contains an operator that adds  $f$  and the set of all these operators is a disjunctive action landmark of  $\Pi^+$ . Therefore, also each plan of  $\Pi$  contains such an operator, making  $f$  a fact landmark of  $\Pi$ .  $\square$

# Not All Landmarks of $\Pi^+$ are Landmarks of $\Pi$

## Example

Consider STRIPS task  $\langle \{a, b, c\}, \emptyset, \{o_1, o_2\}, \{c\} \rangle$  with  $o_1 = \langle \{\}, \{a\}, \{\}, 1 \rangle$  and  $o_2 = \langle \{a\}, \{c\}, \{a\}, 1 \rangle$ .

$a \wedge c$  is a formula landmark of  $\Pi^+$  but not of  $\Pi$ .

## F2.4 Summary

# Summary

- ▶ **Fact landmark**: atomic proposition that is true in each state path to a goal
- ▶ **Disjunctive action landmark**: set  $L$  of operators such that every plan uses some operator from  $L$
- ▶ We can **efficiently compute all causal fact landmarks** of a delete-free STRIPS task from the (simplified) RTG.
- ▶ Fact landmarks of the delete relaxed task are also landmarks of the original task.