

Discrete Structures

A2. Sets: Foundations

Malte Helmert, Gabriele Röger

University of Basel

September 16, 2026

Discrete Structures

September 16, 2026 — A2. Sets: Foundations

A2.1 Sets

A2.2 Relations on Sets

A2.3 Set Operations

A2.4 Russell's Paradox

A2.1 Sets

Important Building Blocks of Discrete Mathematics

- ▶ sets
- ▶ relations
- ▶ functions

These topics will mainly be the content of part B of the course. We cover some foundations on sets already now because we will use them for illustrating proof techniques.

Sets

Definition

A **set** is an **unordered collection** of **distinct** objects.

- ▶ **unordered**: no notion of a “first” or “second” object,
e. g. $\{Alice, Bob, Charlie\} = \{Charlie, Bob, Alice\}$
- ▶ **distinct**: each object contained **at most once**,
e. g. $\{Alice, Bob, Charlie\} = \{Alice, Charlie, Bob, Alice\}$

German: Menge

Notation

- ▶ Specification of sets
 - ▶ **explicit**, listing all elements, e. g. $A = \{1, 2, 3\}$
 - ▶ **implicit** with **set-builder notation**, specifying a **property** characterizing all elements, e. g. $A = \{x \mid x \in \mathbb{N}_0 \text{ and } 1 \leq x \leq 3\}$,
 $B = \{n^2 \mid n \in \mathbb{N}_0\}$
 - ▶ **implicit**, as a **sequence with dots**, e. g. $\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}$
 - ▶ **implicit** with an **inductive definition**
- ▶ $e \in M$: e is in set M (an **element** of the set)
- ▶ $e \notin M$: e is not in set M
- ▶ **empty set** $\emptyset = \{\}$

Question: Is it true that $1 \in \{\{1, 2\}, 3\}$?

German: Element, leere Menge

Special Sets

- ▶ **Natural numbers**

$$\mathbb{N}_0 = \{0, 1, 2, \dots\}$$

$$\mathbb{N}_1 = \{1, 2, \dots\}$$

- ▶ **Integers** $\mathbb{Z} = \{\dots, -2, -1, 0, 1, 2, \dots\}$

- ▶ **Positive integers** $\mathbb{Z}_+ = \mathbb{N}_1 = \{1, 2, \dots\}$

- ▶ **Rational numbers** $\mathbb{Q} = \{n/d \mid n \in \mathbb{Z}, d \in \mathbb{N}_1\}$

- ▶ **Real numbers** $\mathbb{R} = (-\infty, \infty)$

Why do we use interval notation?

Why didn't we introduce it before?

German: Natürliche ($\mathbb{N}_0$), ganze ($\mathbb{Z}$), rationale ($\mathbb{Q}$), reelle ($\mathbb{R}$) Zahlen

A2.2 Relations on Sets

Equality

Definition (Axiom of Extensionality)

Two sets A and B are **equal** (written $A = B$) if every element of A is an element of B and vice versa.

Two sets are equal if they contain the same elements.

We write $A \neq B$ to indicate that A and B are **not** equal.

Subsets and Supersets

- ▶ $A \subseteq B$: A is a **subset** of B ,
i. e., every element of A is an element of B
- ▶ $A \subset B$: A is a **strict subset** of B ,
i. e., $A \subseteq B$ and $A \neq B$.
- ▶ $A \supseteq B$: A is a **superset** of B if $B \subseteq A$.
- ▶ $A \supset B$: A is a **strict superset** of B if $B \subset A$.

We write $A \not\subseteq B$ to indicate that A is **not** a subset of B .

Analogously: $\not\subset$, $\not\supseteq$, $\not\supset$

German: Teilmenge, echte Teilmenge, Obermenge, echte Obermenge

Power Set

Definition (Power Set)

The **power set** $\mathcal{P}(S)$ of a set S is the set of all subsets of S .
That is,

$$\mathcal{P}(S) = \{M \mid M \subseteq S\}.$$

Example: $\mathcal{P}(\{a, b\}) =$

German: Potenzmenge

A2.3 Set Operations

Set Operations

Set operations allow us to express sets in terms of other sets

- ▶ **intersection** $A \cap B = \{x \mid x \in A \text{ and } x \in B\}$



If $A \cap B = \emptyset$ then A and B are **disjoint**.


- ▶ **union** $A \cup B = \{x \mid x \in A \text{ or } x \in B\}$



- ▶ **set difference** $A \setminus B = \{x \mid x \in A \text{ and } x \notin B\}$



- ▶ **complement** $\bar{A} = B \setminus A$, where $A \subseteq B$ and B is the set of all considered objects (in a given context)



German: Schnitt, disjunkt, Vereinigung,
Differenz, Komplement

Properties of Set Operations: Commutativity

Theorem (Commutativity of $\cup$ and $\cap$)

For all sets A and B it holds that

- ▶ $A \cup B = B \cup A$ and
- ▶ $A \cap B = B \cap A$.

Question: Is the set difference also commutative,
i. e. is $A \setminus B = B \setminus A$ for all sets A and B ?

German: Kommutativität

Properties of Set Operations: Associativity

Theorem (Associativity of $\cup$ and $\cap$)

For all sets A, B and C it holds that

- ▶ $(A \cup B) \cup C = A \cup (B \cup C)$ and
- ▶ $(A \cap B) \cap C = A \cap (B \cap C)$.

German: Assoziativität

Properties of Set Operations: Distributivity

Theorem (Union distributes over intersection and vice versa)

For all sets A, B and C it holds that

- ▶ $A \cup (B \cap C) = (A \cup B) \cap (A \cup C)$ and
- ▶ $A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$.

German: Distributivität

Properties of Set Operations: De Morgan's Law



Augustus De Morgan

British mathematician (1806-1871)

Theorem (De Morgan's Law)

For all sets A and B it holds that

- ▶ $\overline{A \cup B} = \overline{A} \cap \overline{B}$ and
- ▶ $\overline{A \cap B} = \overline{A} \cup \overline{B}$.

A2.4 Russell's Paradox

Excursus: Barber Paradox

Barber Paradox

In a town there is only one barber, who is male.


The barber shaves all men in the town,
and only those, who do not shave themselves.

Who shaves the barber?



We can exploit the self-reference to derive a contradiction.

Russell's Paradox



Bertrand Russell

Question

Is the collection of all sets that do not contain themselves as a member a set?

Is $S = \{M \mid M \text{ is a set and } M \notin M\}$ a set?

Assume that S is a set.

If $S \notin S$ then $S \in S \rightsquigarrow$ Contradiction

If $S \in S$ then $S \notin S \rightsquigarrow$ Contradiction

Hence, there is no such set S .

→ Not every property used in set-builder notation defines a set.



<https://existentialcomics.com/comic/98>

Summary

- ▶ Sets are unordered collections of distinct objects.
- ▶ Important set relations: equality ($=$), subset ($\subseteq$), superset ($\supseteq$) and strict variants ($\subset$ and $\supset$)
- ▶ The power set of a set S is the set of all subsets of S .
- ▶ Important set operations are intersection, union, set difference and complement.
 - ▶ Union and intersection are commutative and associative.
 - ▶ Union distributes over intersection and vice versa.
 - ▶ De Morgan's law for complement of union or intersection.