Planning and Optimization

D2. Delete Relaxation: Properties of Relaxed Planning Tasks

Malte Helmert and Gabriele Röger

Universität Basel

October 19, 2026

D2.1 The Domination Lemma

D2.2 The Relaxation Lemma

D2.3 Consequences

D2.4 Monotonicity

D2.5 Summary

Content of the Course



D2.1 The Domination Lemma

On-Set and Dominating States

Definition (On-Set)

The on-set of an interpretation s is the set of propositional variables that are true in s, i.e., $on(s) = s^{-1}(\{\mathbf{T}\})$.

$\rightsquigarrow$ for states of propositional planning tasks:
states can be viewed as sets of (true) state variables

Definition (Dominate)

An interpretation s' dominates an interpretation s if $on(s) \subseteq on(s')$.

$\rightsquigarrow$ all state variables true in s are also true in s'

Domination Lemma (1)

Lemma (Domination)

Let s and s' be interpretations of a set of propositional variables V, and let χ be a propositional formula over V which does not contain negation symbols.

If $s \models \chi$ and s' dominates s, then $s' \models \chi$.

Proof.

Proof by induction over the structure of χ.

- Base case $\chi = \top$: then $s' \models \top$.
- Base case $\chi = \bot$: then $s \not\models \bot$.

...

Domination Lemma (2)

Proof (continued).

- Base case $\chi = v \in V$: if $s \models v$, then $v \in on(s)$.
  With $on(s) \subseteq on(s')$, we get $v \in on(s')$ and hence $s' \models v$.
- Inductive case $\chi = \chi_1 \wedge \chi_2$: by induction hypothesis, our claim holds for the proper subformulas χ_1 and χ_2 of χ.

$$\begin{aligned} s \models \chi \quad &\Longrightarrow \quad s \models \chi_1 \wedge \chi_2 \\ &\Longrightarrow \quad s \models \chi_1 \text{ and } s \models \chi_2 \\ &\overset{\text{I.H. (twice)}}{\Longrightarrow} \quad s' \models \chi_1 \text{ and } s' \models \chi_2 \\ &\Longrightarrow \quad s' \models \chi_1 \wedge \chi_2 \\ &\Longrightarrow \quad s' \models \chi. \end{aligned}$$

- Inductive case $\chi = \chi_1 \vee \chi_2$: analogous

□

D2.2 The Relaxation Lemma

Add Sets and Delete Sets

Definition (Add Set and Delete Set for an Effect)

Consider a propositional planning task with state variables V.
Let e be an effect over V, and let s be a state over V.
The add set of e in s, written $addset(e, s)$,
and the delete set of e in s, written $delset(e, s)$,
are defined as the following sets of state variables:

$$addset(e, s) = \{v \in V \mid s \models trig(v, e)\}$$
$$delset(e, s) = \{v \in V \mid s \models trig(\neg v, e)\}$$

Note: For all states s and operators o applicable in s, we have
$on(s[\![o]\!]) = (on(s) \setminus delset(eff(o), s)) \cup addset(eff(o), s)$.

Relaxation Lemma

For this and the following chapters on delete relaxation,
we assume implicitly that we are working with
propositional planning tasks in positive normal form.

Lemma (Relaxation)

Let s be a state, and let s' be a state that dominates s.

1. *If o is an operator applicable in s,*
   then o^+ is applicable in s' and $s'[\![o^+]\!]$ dominates $s[\![o]\!]$.
2. *If π is an operator sequence applicable in s,*
   then π^+ is applicable in s' and $s'[\![\pi^+]\!]$ dominates $s[\![\pi]\!]$.
3. *If additionally π leads to a goal state from state s,*
   then π^+ leads to a goal state from state s'.

Proof of Relaxation Lemma (1)

Proof.

Let V be the set of state variables.

Part 1: Because o is applicable in s, we have $s \models pre(o)$.

Because $pre(o)$ is negation-free and s' dominates s,
we get $s' \models pre(o)$ from the domination lemma.

Because $pre(o^+) = pre(o)$, this shows that o^+ is applicable in s'.

...

Proof of Relaxation Lemma (2)

Proof (continued).

To prove that $s'[\![o^+]\!]$ dominates $s[\![o]\!]$,
we first compare the relevant add sets:

$$\begin{aligned} addset(eff(o), s) &= \{v \in V \mid s \models trig(v, eff(o))\} \\ &= \{v \in V \mid s \models trig(v, eff(o^+))\} && (1) \\ &\subseteq \{v \in V \mid s' \models trig(v, eff(o^+))\} && (2) \\ &= addset(eff(o^+), s'), \end{aligned}$$

where (1) uses $trig(v, eff(o)) \equiv trig(v, eff(o^+))$
and (2) uses the dominance lemma (note that trigger conditions
are negation-free for operators in positive normal form). ...

Proof of Relaxation Lemma (3)

Proof (continued).

We then get:

$$\begin{aligned} on(s[\![o]\!]) &= (on(s) \setminus delset(eff(o), s)) \cup addset(eff(o), s) \\ &\subseteq on(s) \cup addset(eff(o), s) \\ &\subseteq on(s') \cup addset(eff(o^+), s') \\ &= on(s'[\![o^+]\!]), \end{aligned}$$

and thus $s'[\![o^+]\!]$ dominates $s[\![o]\!]$.

This concludes the proof of Part 1. ...

Proof of Relaxation Lemma (4)

Proof (continued).

Part 2: by induction over $n = |\pi|$

Base case: $\pi = \langle\rangle$

The empty operator sequence is trivially applicable in s', and $s'[\![\langle\rangle^+]\!] = s'$ dominates $s[\![\langle\rangle]\!] = s$ by prerequisite.

Inductive case: $\pi = \langle o_1, \dots, o_{n+1}\rangle$

By the induction hypothesis, $\langle o_1^+, \dots, o_n^+\rangle$ is applicable in s', and $t' = s'[\![\langle o_1^+, \dots, o_n^+\rangle]\!]$ dominates $t = s[\![\langle o_1, \dots, o_n\rangle]\!]$.
Also, o_{n+1} is applicable in t.

Using Part 1, o_{n+1}^+ is applicable in t' and $s'[\![\pi^+]\!] = t'[\![o_{n+1}^+]\!]$ dominates $s[\![\pi]\!] = t[\![o_{n+1}]\!]$.

This concludes the proof of Part 2. ...

Proof of Relaxation Lemma (5)

Proof (continued).

Part 3: Let γ be the goal formula.

From Part 2, we obtain that $t' = s'[\![\pi^+]\!]$ dominates $t = s[\![\pi]\!]$.
By prerequisite, t is a goal state and hence $t \models \gamma$.

Because the task is in positive normal form, γ is negation-free, and hence $t' \models \gamma$ because of the domination lemma.

Therefore, t' is a goal state. □

D2.3 Consequences

Consequences of the Relaxation Lemma

- The relaxation lemma is the main technical result that we will use to study delete relaxation.
- Next, we show two further properties of delete relaxation that will be useful for us.
- They are direct consequences of the relaxation lemma.

Consequences of the Relaxation Lemma (1)

Corollary (Relaxation Preserves Plans and Leads to Dominance)

Let π be an operator sequence that is applicable in state s.
Then π^+ is applicable in s and $s[\![\pi^+]\!]$ dominates $s[\![\pi]\!]$.
If π is a plan for Π, then π^+ is a plan for Π^+.

Proof.

Apply relaxation lemma with $s' = s$. □

- ⇝ Relaxations of plans are relaxed plans.
- ⇝ Delete relaxation is no harder to solve than original task.
- ⇝ Optimal relaxed plans are never more expensive than optimal plans for original tasks.

Consequences of the Relaxation Lemma (2)

Corollary (Relaxation Preserves Dominance)

Let s be a state, let s' be a state that dominates s,
and let π^+ be a relaxed operator sequence applicable in s.
Then π^+ is applicable in s' and $s'[\![\pi^+]\!]$ dominates $s[\![\pi^+]\!]$.

Proof.

Apply relaxation lemma with π^+ for π,
noting that $(\pi^+)^+ = \pi^+$. □

- ⇝ If there is a relaxed plan starting from state s, the same plan can be used starting from a dominating state s'.
- ⇝ Dominating states are always "better" in relaxed tasks.

D2.4 Monotonicity

Monotonicity of Relaxed Planning Tasks

Lemma (Monotonicity)

Let s be a state in which relaxed operator o^+ is applicable. Then $s[\![o^+]\!]$ dominates s.

Proof.

Since relaxed operators only have positive effects, we have $on(s) \subseteq on(s) \cup addset(eff(o^+), s) = on(s[\![o^+]\!])$. □

⇝ Together with our previous results, this means that making a transition in a relaxed planning task never hurts.

Finding Relaxed Plans

Using the theory we developed, we are now ready to study the problem of finding plans for relaxed planning tasks.

⇝ next chapter

D2.5 Summary

Summary

- With positive normal form, having more true variables is good.
- We can formalize this as dominance between states.
- It follows that delete relaxation is a simplification: it is never harder to solve a relaxed task than the original one.
- In delete-relaxed tasks, applying an operator always takes us to a dominating state and therefore never hurts.