

Best-Case and Worst-Case Behavior of Greedy Best-First Search

Manuel Heusner Thomas Keller Malte Helmert
University of Basel, Switzerland

Greedy Best-First Search

- ▶ Greedy expansion of states with lowest heuristic values, i.e., estimates of shortest distance to goal
- ▶ Search effort depends on tie-breaking decisions
- ▶ Problematic to compare heuristics for GBFS, e.g., blind heuristic vs. perfect heuristic

Note:

- ▶ Most search effort of A* does not depend on tie-breaking
- ▶ Allows comparing the quality of heuristics for A*

Complexity Results

Decision Problems

GBFSBESTCASE / **GBFSWORSTCASE**:

Input: state space topology \mathcal{T} with state space \mathcal{S} and heuristic $h, k \in \mathbb{N}_0$

Question: Does there exist a GBFS run on \mathcal{T} that expands at most/least K states?

Theorem

GBFSBESTCASE and GBFSWORSTCASE are **NP-complete** in general and **polynomial-time computable** for undirected state spaces or state space topologies without overlapping craters and benches.

Hardness comes from ...

- ▶ **Overlapping** benches and craters that are reachable on different paths
- ▶ Combinatorial problem

High-Water Mark

Definition

The **high-water mark** of state s is

$$hwm(s) := \begin{cases} \min_{\rho \in \text{GoalPaths}(s)} (\max_{s' \in \rho} h(s')) & \text{if } \text{GoalPaths}(s) \neq \emptyset \\ \infty & \text{otherwise} \end{cases}$$

- ▶ Path of least resistance
- ▶ Highest heuristic value that GBFS expands in a search starting from s

Search Behavior

Definition

The **high-water mark** of a set of states S is

$$hwm(S) := \min_{s \in S} hwm(s)$$

- ▶ GBFS acts **globally** on states from *Open* list

Theorems

- ▶ **Surely** expands $s \in \text{Open}$ with $h(s) < hwm(\text{Open})$ [crater state]
- ▶ **Possibly** expands $s \in \text{Open}$ with $h(s) = hwm(\text{Open})$ [surface state] depending on **tie-breaking**
- ▶ **Never** expands $s \in \text{Open}$ with $h(s) > hwm(\text{Open})$
- ▶ Makes **progress** when expanding $s \in \text{Open}$ with $hwm(\text{succ}(s)) < hwm(\text{Open}) = hwm(s) = h(s)$ [progress state]

- ▶ Progress is characterized **locally**
- ▶ Sequence of GBFS **episodes**
- ▶ **Clear** *Open* before each episode

Topological Structures

- ▶ **Bench** with **surface** and **craters**
- ▶ **Bench transition system**
- ▶ Bench relates to **uninformed heuristic region**
- ▶ Surface relates to **plateau**
- ▶ Crater relates to **local minimum**
- ▶ Bench transition system depicts **progress**

Best-Case and Worst-Case Behavior

Best case:


- ▶ **State path** that minimizes the number of expanded states
- ▶ Counts crater states that are necessarily expanded along the path

Worst case:


- ▶ **Bench path** that maximizes the number of expanded states
- ▶ Counts all non-progress states of benches along the path

Example

State space topology with high-water marks and progress states \odot :




Bench transition system with benches, surface states \odot and crater states \ominus :



Experimental Results

	best case				worst case			
	ov.-free	undir.	other	total	ov.-free	undir.	other	total
instances	406	31	327	764	471	10	283	764
covered	406	31	242	679	466	10	263	739

Comparison of standard tie-breaking strategies:



- ▶ Instances from classical planning tasks and planning heuristic

Conclusions

- ▶ Room for improvement over standard tie-breaking strategies, especially for weak heuristics
- ▶ Computing numbers for best case and worst case is often feasible
- ▶ Allows comparing the quality of heuristics for GBFS